

Safety Data Sheet (SDS) According to the OSHA Hazard Communication Standard 29 CFR 1910.1200

**Issuing Date:** 2018-01-19 **Revision Date:** 2024-05-13 **Version:** 2

## **SECTION 1. Identification**

Product identifier

Product No 12946

Product name PathScan® Phospho-M-CSF Receptor (Tyr699) Sandwich

**ELISA Kit** 

Kit Component 27190: M-CSFR Mouse mAb Coated Microwells

62330: Phospho-M-CSFR (Y699) Rabbit Detection Ab

13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)

13339: Detection Antibody Diluent

13515: HRP Diluent

11083: ELISA Sample Diluent

7002: STOP Solution 7004: TMB Substrate

9801: ELISA Wash Buffer (20X) 9803: Cell Lysis Buffer (10X)

Hazardous Components 13515: HRP Diluent 7002: STOP Solution

9801: ELISA Wash Buffer (20X)

9803: Cell Lysis Buffer (10X)

UN number UN3265

#### Recommended use of the chemical and restrictions on use

**Identified uses** This product is intended for research purposes only.

Manufacturer, importer, supplier

Manufacturer address Cell Signaling Technology, Inc.

3 Trask Lane Danvers, MA 01923 United States

TEL: +1 978 867 2300 FAX: +1 978 867 2400 www.cellsignal.com

Website www.cellsignal.com
Email address support@cellsignal.com

Emergency telephone number In case of emergency call CHEMTREC 1-800-424-9300

## SECTION 2. Hazard(s) identification

#### Classification

Classification and label elements described below are inclusive of all hazards of the combined kit. The most severe classifications

are listed for each endpoint. Refer to individual kit component SDS for classification and label elements for each component present in the kit.

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1

## GHS Label elements, including precautionary statements



#### Signal Word Danger

#### Hazard statement(s)

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

### **Precautionary Statement(s)**

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Contaminated work clothing should not be allowed out of the workplace.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

Store locked up.

Dispose of contents/container to an approved waste disposal plant.

## **Supplementary Hazard Information**

May produce an allergic reaction.

#### Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects.

# **SECTION 3. Composition/information on ingredients**

Kit Component 7002: STOP Solution

DANGER: Causes severe skin burns and eye damage. May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%
maleic acid	110-16-7	3-7

Kit Component 9801: ELISA Wash Buffer (20X)

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%
reaction mass of:	55965-84-9	0.005-0.025
5-chloro-2-methyl-4-isothiazolin-3-one [EC no.		
247-500-7] and 2-methyl-2H -isothiazol-3-one [EC		
no. 220-239-6] (3:1)		

## Kit Component

### 11083: ELISA Sample Diluent

Chemical name	CAS No	Weight-%
sodium azide	26628-22-8	<0.1

## **Kit Component**

## 9803: Cell Lysis Buffer (10X)

DANGER: Causes serious eye damage. Causes skin irritation. Harmful to aquatic life with long lasting effects.

Chemical name	CAS No	Weight-%
polyethylene glycol 9002-93-1		10
p-(1,1,3,3-tetramethylbutyl)phenylether		
trometamol	77-86-1	1.79
tetrasodium pyrophosphate, decahydrate	13472-36-1	0.1-1

### **Kit Component**

## 13339: Detection Antibody Diluent

Chemical name	CAS No	Weight-%
trometamol	77-86-1	0.5
sodium azide	26628-22-8	<0.1

## **Kit Component**

### 13515: HRP Diluent

WARNING: May cause an allergic skin reaction

Chemical name	CAS No	Weight-%	
reaction mass of:	55965-84-9	0.005-0.025	
5-chloro-2-methyl-4-isothiazolin-3-one [EC no.			
247-500-7] and 2-methyl-2H -isothiazol-3-one [EC			
no. 220-239-6] (3:1)			
trometamol	77-86-1	0.5	

### **Kit Component**

27190: M-CSFR Mouse mAb Coated Microwells

62330: Phospho-M-CSFR (Y699) Rabbit Detection Ab

13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)

7004: TMB Substrate

These products do not contain substances at concentrations requiring disclosure under 29 CFR 1910.1200 (OSHA Hazard Communication Standard).

## SECTION 4. First-aid measures

Eye contact

Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

Skin contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. Immediate medical attention is required.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention immediately if symptoms occur. If breathing is difficult, give oxygen. Get medical attention. Clean mouth with water and afterwards drink plenty of water. Do

NOT induce vomiting. Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed

Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms. Corrosive. Significant esophageal or gastrointestinal tract irritation or burns may occur following ingestion. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Respiratory tract irritation, if severe, can progress to pulmonary edema which may be delayed in onset up to 24 to 72 hours after exposure in some cases. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

## Indication of any immediate medical attention and special treatment needed

Probable mucosal damage may contraindicate the use of gastric lavage.

#### Advice for emergency responders

General advice For further assistance, contact your local Poison Control Center.

Protection of first-aiders Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves

# **SECTION 5. Fire-fighting measures**

## **Extinguishing media**

Ingestion

surrounding environment

## Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

## **Explosion Data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6. Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid

contact with skin, eyes and clothing. Use personal protective equipment. Ensure adequate

ventilation.

**Other information** Refer to protective measures listed in Sections 7 and 8.

### **Environmental precautions**

Do not allow material to contaminate ground water system. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

## Methods and material for containment and cleaning up

Methods for containment Methods for cleaning up Prevent further leakage or spillage if safe to do so.

Take up mechanically, placing in appropriate containers for disposal. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Clean contaminated

surface thoroughly.

## **SECTION 7. Handling and storage**

#### Precautions for safe handling

Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.

#### Conditions for safe storage, including any incompatibilities

Technical measures/Storage

ige

Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and

conditions

well-ventilated place. No information available.

Packaging material Incompatible products

Incompatible with strong acids and bases, Incompatible with oxidizing agents

## **SECTION 8. Exposure controls/personal protection**

#### Control parameters

Occupational exposure limit values						
Chemical name ACGIH TLV OSHA PEL NIOSH REL						
tetrasodium pyrophosphate, decahydrate	•	-	TWA: 5 mg/m <sup>3</sup>			
sodium azide	Ceiling: 0.29 mg/m <sup>3</sup>	-	Ceiling: 0.1 ppm			
	Ceiling: 0.3 mg/m <sup>3</sup>					

#### Appropriate engineering controls

Showers, eyewash stations, and ventilation systems.

## Individual protection measures, such as personal protective equipment

Personal protective equipment (PPE) needs to be selected depending on the implemented engineering controls, frequency/duration of work activities and the concentrations of the hazardous substance.

Eye/face protection Skin and body protection Respiratory protection Hygiene measures Tightly fitting safety goggles. Face-shield.

Wear protective gloves/clothing.

In case of inadequate ventilation wear respiratory protection.

Remove and wash contaminated clothing before re-use. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin,

eyes and clothing. Wear suitable gloves and eye/face protection.

## **SECTION 9. Physical and chemical properties**

Information on the known physical chemical properties of each component within Kit are given below. If not included, information is either not available or not applicable. Refer to individual kit component SDS for further information.

## Information on basic physical and chemical properties

Kit Component 7004: TMB Substrate

Physical state Liquid
Appearance Clear
Color Light yellow
pH 3.3-3.8 (20 °C)

Kit Component 7002: STOP Solution

Physical state Liquid
Appearance Clear
Color Colorless
pH 1.2 (20 °C)

Kit Component 9801: ELISA Wash Buffer (20X)

Physical state Liquid
Appearance Clear
Color Colorless
pH 6.4 (20 °C)

Kit Component 11083: ELISA Sample Diluent

Physical state Liquid
Appearance Clear
Color Blue
pH 7.1 (20 °C)

Kit Component 9803: Cell Lysis Buffer (10X)

Physical state Liquid
Appearance Clear
Color Colorless
pH 7.5 (20 °C)

Kit Component 62330: Phospho-M-CSFR (Y699) Rabbit Detection Ab

Physical state Solid

Appearance Powder, Lyophilized

Color Green

Kit Component 13339: Detection Antibody Diluent

Physical state Liquid
Appearance Clear
Color Green
pH 7.4 (20 °C)

Kit Component 13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)

Physical state Solid

Appearance Powder, Lyophilized

Color Red

Kit Component 13515: HRP Diluent

Physical state Liquid
Appearance Clear
Color Red
pH 7.4 (20 °C)

Kit Component 27190: M-CSFR Mouse mAb Coated Microwells

Physical state Solid

Appearance Microwell Plate

# **SECTION 10. Stability and reactivity**

### Reactivity

No information available.

## **Chemical stability**

Stable under recommended storage conditions.

## Possibility of hazardous reactions

Hazardous reactions
None under normal processing.
Hazardous polymerization
None under normal processing.

#### **Conditions to Avoid**

Extremes of temperature and direct sunlight. Over a period of time, sodium azide may react with copper, lead, brass, or solder in plumbing systems to form an accumulation of the HIGHLY EXPLOSIVE compounds of lead azide & copper azide

## **Incompatible Materials**

Incompatible with strong acids and bases, Incompatible with oxidizing agents

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of toxic/corrosive gases and vapors

### **SECTION 11. Toxicological information**

## Information on likely routes of exposure

### **Product Information**

Refer to kit component SDS for full toxicological information. This material should only be handled by, or under the close supervision of, those properly qualified in the handling and use of potentially hazardous chemicals. It should be borne in mind that the toxicological and physiological properties of this compound is not well defined.

#### <u>Inhalation</u>

Kit Component 7002: STOP Solution

Inhalation Aerosol expected to be irritating based on components

Kit Component 9801: ELISA Wash Buffer (20X)

Inhalation Avoid breathing vapors or mists May cause irritation of respiratory tract

Kit Component 62330: Phospho-M-CSFR (Y699) Rabbit Detection Ab

Inhalation May cause allergic respiratory reaction

Kit Component 13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)

Inhalation May cause allergic respiratory reaction

Kit Component 13515: HRP Diluent

Inhalation Avoid breathing vapors or mists May cause irritation of respiratory tract

## Eye contact

Kit Component 7002: STOP Solution

Eye contact May cause irreversible damage to eyes

Kit Component 9801: ELISA Wash Buffer (20X)

Eye contact Expected to be an irritant based on components

Kit Component 9803: Cell Lysis Buffer (10X)

Eye contact Expected to be an irritant based on components

Kit Component 13515: HRP Diluent

Eye contact Contact with eyes may cause irritation

Skin contact

Kit Component 7002: STOP Solution

Skin contact Corrosive to skin Prolonged contact with skin is harmful

Kit Component 9801: ELISA Wash Buffer (20X)

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Expected to be an irritant based on components

Kit Component 62330: Phospho-M-CSFR (Y699) Rabbit Detection Ab

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Kit Component 13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Kit Component 13515: HRP Diluent

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

<u>Ingestion</u>

Kit Component 7002: STOP Solution

Ingestion Ingestion causes burns of the upper digestive and respiratory tract. Harmful if swallowed

Kit Component 9801: ELISA Wash Buffer (20X)

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea

## Information on toxicological effects

#### **Component Information**

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
polyethylene glycol	= 1800 mg/kg (Rat)	-	-
p-(1,1,3,3-tetramethylbutyl)phenylet			
her			
maleic acid	708 mg/kg ( Rat )	1,560 mg/kg ( Rabbit )	> 0.72 mg/L ( Rat ) 1h
trometamol	5900 mg/kg ( Rat )	-	-
sodium azide	= 27 mg/kg (Rat)	= 20 mg/kg (Rabbit) = 50 mg/kg (	-
		Rat )	
reaction mass of:	= 53  mg/kg  (Rat) = 481  mg/kg	= 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat) 4 h = 0.11 mg/L
5-chloro-2-methyl-4-isothiazolin-3-o	(Rat) 232 - 249 mg/kg (Rat) = 120		( Rat ) 4 h
ne [EC no. 247-500-7] and	mg/kg (Rat)		
2-methyl-2H -isothiazol-3-one [EC			
no. 220-239-6] (3:1)			

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms Contains kit components which may cause the following effects, refer to individual

component SDSs for full information on symptoms. Corrosive. Significant esophageal or gastrointestinal tract irritation or burns may occur following ingestion. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Respiratory tract irritation, if severe, can progress to pulmonary edema which may be delayed in onset up to 24 to 72 hours after exposure in some cases. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

#### Skin and Eye Corrosion/Irritation

Kit Component 7002: STOP Solution

Serious eye damage/eye irritation Risk of serious damage to eyes

Skin corrosion/irritation Causes burns

Kit Component 9801: ELISA Wash Buffer (20X)

Serious eye damage/eye irritation Causes serious eye irritation Skin corrosion/irritation Causes skin irritation

Kit Component 9803: Cell Lysis Buffer (10X)

Serious eye damage/eye irritation Irritating to eyes

#### Sensitization

**Kit Component**Skin Sensitization

7002: STOP Solution
May cause skin sensitization

Kit Component 9801: ELISA Wash Buffer (20X)

Skin Sensitization Product is or contains a sensitizer. May cause an allergic skin reaction

Kit Component 62330: Phospho-M-CSFR (Y699) Rabbit Detection Ab

Respiratory Sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled

Skin Sensitization May cause skin sensitization

Kit Component 13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)
Respiratory Sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled

Skin Sensitization May cause skin sensitization

Kit Component 13515: HRP Diluent

Skin Sensitization Product is or contains a sensitizer. May cause an allergic skin reaction

**Mutagenic effects** 

Kit Component 7002: STOP Solution
Mutagenic effects Not mutagenic in AMES Test

Carcinogenicity No component of this product present at levels greater than or equal to 0.1% is identifiable

as probable, possible or confirmed carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity No information available.

## **Systemic Target Organ Toxicity** (STOT)

**Kit Component** 7002: STOP Solution STOT - single exposure Respiratory system

**Aspiration Hazard** No information available.

## **SECTION 12. Ecological information**

## **Ecotoxicity**

#### **Product Information**

7002: STOP Solution **Kit Component Ecotoxicity** Toxic to aquatic life

**Kit Component** 9801: ELISA Wash Buffer (20X)

**Ecotoxicity** Harmful to aquatic life with long lasting effects

## **Component Information**

Chemical name	Toxicity to algae Toxicity to fish		Toxicity to daphnia and other aquatic invertebrates
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylet her	-	LC50 8.9 mg/l (Pimephales promelas) 96 h	EC50 26 mg/l (Daphnia) 48 h
maleic acid	-	LC50 5 mg/L (Pimephales promelas) 96 h	EC50 250 - 400 mg/L (Daphnia magna) 48 h
trometamol	-	-	NOEC >100 mg/L (Selenastrum capricornutum) 96 h
sodium azide	EC50 0.35 mg/L (Pseudokirchneriella subcapitata) 96 h		LC100 1 mg/L (Orconectes rusticus) 96 h
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-o ne [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	EC50 0.11 - 0.16 mg/L (Pseudokirchneriella subcapitata) 72 h EC50 0.31 mg/L (Anabaena flos-aquae) 120 h EC50 0.03 - 0.13 mg/L (Pseudokirchneriella subcapitata) 96 h	LC50 1.6 mg/L (Oncorhynchus mykiss) 96 h	EC50 4.71 mg/L (Daphnia magna) 48 h EC50 0.71 - 0.99 mg/L (Daphnia magna) 48 h EC50 0.12 - 0.3 mg/L (Daphnia magna) 48 h

## Persistence and degradability

7002: STOP Solution **Kit Component** Persistence and degradability Product is biodegradable

**Kit Component** 9801: ELISA Wash Buffer (20X)

Persistence and degradability Not readily biodegradable

## **Bioaccumulation**

**Kit Component** 7002: STOP Solution Bioaccumulation Not likely to bioaccumulate

**Kit Component** 9801: ELISA Wash Buffer (20X)

Bioaccumulation Not likely to bioaccumulate

Chemical name	Octanol-Water Partition Coefficient	
maleic acid	0.32	

### Mobility

Kit Component 7002: STOP Solution

Mobility Will likely be mobile in the environment due to its water solubility

Kit Component 9801: ELISA Wash Buffer (20X)

Mobility Will likely be mobile in the environment due to its water solubility

### Other adverse effects

No information available.

## **SECTION 13. Disposal considerations**

## Waste Disposal Methods

Dispose of in accordance with all applicable national environmental laws and regulations.

## **Disposal considerations**

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of wastes in an approved waste disposal facility.

## **SECTION 14. Transport information**

This material is subject to regulation as a hazardous material for shipping:

### DOT

UN number UN3265

**UN proper shipping name** Corrosive liquid, acidic, organic, n.o.s. (maleic acid)

Transport hazard class(es) 8
Packing group | | | |

### **IATA**

UN number UN3265

**UN proper shipping name**Corrosive liquid, acidic, organic, n.o.s. (maleic acid)

Transport hazard class(es) 8
Packing group III
Excepted Quantity E1

## **SECTION 15. Regulatory information**

# North American Inventory Listing

Chemical name	TSCA 8(b)	TSCA 12(b)	DSL	NDSL
polyethylene glycol	Listed	Not Listed	Listed	Not Listed
p-(1,1,3,3-tetramethylbutyl)phen				
ylether				
maleic acid	Listed	Not Listed	Listed	Not Listed

trometamol	Listed	Not Listed	Listed	Not Listed
sodium azide	Listed	Not Listed	Listed	Not Listed
reaction mass of:	Not Listed	Section 5: 1 %	Listed	Not Listed
5-chloro-2-methyl-4-isothiazolin-				
3-one [EC no. 247-500-7] and				
2-methyl-2H -isothiazol-3-one				
[EC no. 220-239-6] (3:1)				

## **SARA 313**

Chemical name	CAS No	SARA 313 - Threshold Values %
sodium azide	26628-22-8	1.0
trisodium tetraoxovanadate	13721-39-6	1.0
magnesium nitrate	10377-60-3	1.0
copper dinitrate	3251-23-8	1.0

## SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

# Clean Water Act

Refer to kit component SDS for full Clean Water Act (CWA) reporting requirements.

_	total to fait component of a real fraction for (of this) reporting requirements.					
	Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances	CWA - Bioaccumulative Chemicals of Concern (BCCs)
l	maleic acid	5000 lb	Not Listed	Not Listed	Listed	Not Listed

# **CERCLA**

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
maleic acid	5000 lb	Not Listed
sodium azide	1000 lb	1000 lb

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
maleic acid	Listed	Listed	Listed
disodium hydrogenorthophosphate	Listed	Listed	Listed
tetrasodium pyrophosphate, decahydrate	Listed	Listed	Listed
sodium azide	Listed	Listed	Listed
trisodium tetraoxovanadate	Listed	Not Listed	Not Listed
magnesium nitrate	Listed	Listed	Listed

copper dinitrate	Listed	Listed	Listed

## **SECTION 16. Other information**

**Issuing Date:** 2018-01-19 **Revision Date:** 2024-05-13

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**