

Safety Data Sheet (SDS) According to the OSHA Hazard Communication Standard 29 CFR 1910.1200

Issuing Date: 2018-01-19 **Revision Date:** 2024-01-09 **Version:** 2

SECTION 1. Identification

Product identifier

Product No 14119

Product name PathScan® RP Total PSA/KLK3 Sandwich ELISA Kit

Kit Component 69733: PSA/KLK3 Rabbit mAb Coated Microwells

26882: PSA/KLK3 Rabbit Detection mAb

13515: HRP Diluent 7002: STOP Solution 7004: TMB Substrate

9801: ELISA Wash Buffer (20X) 9803: Cell Lysis Buffer (10X)

Hazardous Components 13515: HRP Diluent 7002: STOP Solution

9801: ELISA Wash Buffer (20X) 9803: Cell Lysis Buffer (10X)

UN number UN3265

Recommended use of the chemical and restrictions on use

Identified usesThis product is intended for research purposes only.

Manufacturer, importer, supplier

Manufacturer address Cell Signaling Technology, Inc.

3 Trask Lane Danvers, MA 01923 United States

TEL: +1 978 867 2300 FAX: +1 978 867 2400 www.cellsignal.com

Website www.cellsignal.com support@cellsignal.com

Emergency telephone number In case of emergency call CHEMTREC 1-800-424-9300

SECTION 2. Hazard(s) identification

Classification

Classification and label elements described below are inclusive of all hazards of the combined kit. The most severe classifications are listed for each endpoint. Refer to individual kit component SDS for classification and label elements for each component present in the kit.

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1

GHS Label elements, including precautionary statements



Signal Word

Danger.

Hazard statement(s)

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Precautionary Statement(s)

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Contaminated work clothing should not be allowed out of the workplace.

IF SWALLOWED: Rinse mouth, Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

Store locked up.

Dispose of contents/container to an approved waste disposal plant.

Supplementary Hazard Information

Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects.

SECTION 3. Composition/information on ingredients

Kit Component 13515: HRP Diluent

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%
trometamol	77-86-1	0.5
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	0.005-0.025

Kit Component

7002: STOP Solution

DANGER: Causes severe skin burns and eye damage. May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%
maleic acid	110-16-7	3-7

Kit Component

9801: ELISA Wash Buffer (20X)

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%
reaction mass of:	55965-84-9	0.005-0.025
5-chloro-2-methyl-4-isothiazolin-3-one [EC no.		
247-500-7] and 2-methyl-2H -isothiazol-3-one [EC		
no. 220-239-6] (3:1)		

Kit Component

9803: Cell Lysis Buffer (10X)

DANGER: Harmful to aquatic life with long lasting effects Causes serious eye damage Causes skin irritation

Chemical name	CAS No	Weight-%
polyethylene glycol	9002-93-1	10
p-(1,1,3,3-tetramethylbutyl)phenylether		
trometamol	77-86-1	1.79
tetrasodium pyrophosphate, decahydrate	13472-36-1	0.1-1

Kit Component 69733: PSA/KLK3 Rabbit mAb Coated Microwells

26882: PSA/KLK3 Rabbit Detection mAb

7004: TMB Substrate

These products do not contain substances at concentrations requiring disclosure under 29 CFR 1910.1200 (OSHA Hazard Communication Standard).

SECTION 4. First-aid measures

Eye contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. If skin irritation or rash occurs: Get medical advice/attention.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If

breathing is difficult, give oxygen. If not breathing, give artificial respiration.

Ingestion Get medical attention. Clean mouth with water and afterwards drink plenty of water. Do

NOT induce vomiting. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Advice for emergency responders

For further assistance, contact your local Poison Control Center. General advice

Protection of first-aiders Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves

SECTION 5. Fire-fighting measures

Extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the Suitable Extinguishing Media

surrounding environment, Carbon dioxide (CO₂), Foam, Water spray, Dry powder.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Use personal protective equipment. Evacuate For non-emergency personnel

personnel to safe areas. Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Do not allow material to contaminate ground water system. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Methods for cleaning up

Prevent further leakage or spillage if safe to do so.

Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. Sweep up and shovel into suitable containers for

disposal. Avoid dust formation.

SECTION 7. Handling and storage

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and

conditions well-ventilated place.
Packaging material No information available.

Incompatible products Metals, Strong oxidizing agents, strong acids, and strong bases.

SECTION 8. Exposure controls/personal protection

Control parameters

Occupational exposure limit values				
Chemical name ACGIH TLV OSHA PEL NIOSH REL				
tetrasodium pyrophosphate, decahydrate	-	-	TWA: 5 mg/m ³	

Appropriate engineering controls

Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Personal protective equipment (PPE) needs to be selected depending on the implemented engineering controls, frequency/duration of work activities and the concentrations of the hazardous substance.

Eye/face protection Tightly fitting safety goggles.

Skin and body protection Respiratory protection Hygiene measures Lightweight protective clothing. Impervious gloves.

In case of inadequate ventilation wear respiratory protection.

Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Keep away from food, drink and animal

feeding stuffs. Wear suitable gloves and eye/face protection.

SECTION 9. Physical and chemical properties

Information on the known physical chemical properties of each component within Kit are given below. If not included, information is either not available or not applicable. Refer to individual kit component SDS for further information.

Information on basic physical and chemical properties

Kit Component 69733: PSA/KLK3 Rabbit mAb Coated Microwells

Physical state Solid

Appearance Microwell Plate

Kit Component 26882: PSA/KLK3 Rabbit Detection mAb

Physical state Solid

Appearance Powder, Lyophilized

Color Rec

Kit Component 13515: HRP Diluent

Physical state Liquid
Appearance Clear
Color Red
pH 7.4 (20 °C)

Kit Component 7002: STOP Solution

Physical state Liquid
Appearance Clear
Color Colorless

pH 1.2 (20 °C)

Kit Component 7004: TMB Substrate

Physical state Liquid
Appearance Clear
Color Light yellow
pH 3.3-3.8 (20 °C)

Kit Component 9801: ELISA Wash Buffer (20X)

Physical state Liquid
Appearance Clear
Color Colorless
pH 6.4 (20 °C)

Kit Component 9803: Cell Lysis Buffer (10X)

Physical state Liquid
Appearance Clear
Color Colorless
pH 7.5 (20 °C)

SECTION 10. Stability and reactivity

Reactivity

No information available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Hazardous reactions
Hazardous polymerization
None under normal processing.
None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight. Exposure to air or moisture over prolonged periods. Over a period of time, sodium azide may react with copper, lead, brass, or solder in plumbing systems to form an accumulation of the HIGHLY EXPLOSIVE compounds of lead azide & copper azide.

Incompatible Materials

Metals. Strong oxidizing agents, strong acids, and strong bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors

SECTION 11. Toxicological information

Information on likely routes of exposure

Product Information

Refer to kit component SDS for full toxicological information. This material should only be handled by, or under the close supervision of, those properly qualified in the handling and use of potentially hazardous chemicals. It should be borne in mind that the toxicological and physiological properties of this compound is not well defined.

Inhalation

Kit ComponentInhalation **26882: PSA/KLK3 Rabbit Detection mAb**May cause allergic respiratory reaction.

Kit Component 13515: HRP Diluent

Inhalation Avoid breathing vapors or mists. May cause irritation of respiratory tract.

Kit Component 7002: STOP Solution

Inhalation Aerosol expected to be irritating based on components.

Kit Component 9801: ELISA Wash Buffer (20X)

Inhalation Avoid breathing vapors or mists. May cause irritation of respiratory tract.

Eye contact

Kit Component 13515: HRP Diluent

Eye contact Contact with eyes may cause irritation.

Kit Component 7002: STOP Solution

Eye contact May cause irreversible damage to eyes.

Kit Component 9801: ELISA Wash Buffer (20X)

Eye contact Expected to be an irritant based on components.

Kit Component 9803: Cell Lysis Buffer (10X)

Eye contact Expected to be an irritant based on components.

Skin contact

Kit Component 26882: PSA/KLK3 Rabbit Detection mAb

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Kit Component 13515: HRP Diluent

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Kit Component 7002: STOP Solution

Skin contact Corrosive to skin. Prolonged contact with skin is harmful.

Kit Component 9801: ELISA Wash Buffer (20X)

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Expected to be an irritant based on components.

Ingestion

Kit Component 7002: STOP Solution

Ingestion Ingestion causes burns of the upper digestive and respiratory tract. Harmful if swallowed.

Kit Component 9801: ELISA Wash Buffer (20X)

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Information on toxicological effects

Component Information

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
polyethylene glycol	= 1800 mg/kg (Rat)	-	-
p-(1,1,3,3-tetramethylbutyl)phenylet			
her			
maleic acid	708 mg/kg (Rat)	1,560 mg/kg (Rabbit)	> 0.72 mg/L (Rat) 1h
trometamol	5900 mg/kg (Rat)	•	-
reaction mass of:	= 53 mg/kg (Rat) = 481 mg/kg	= 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat) 4 h = 0.11 mg/L
5-chloro-2-methyl-4-isothiazolin-3-o	(Rat) 232 - 249 mg/kg (Rat) = 120		(Rat) 4 h
ne [EC no. 247-500-7] and	mg/kg (Rat)		
2-methyl-2H -isothiazol-3-one [EC			
no. 220-239-6] (3:1)			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms

Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Skin and Eye Corrosion/Irritation

Kit Component 7002: STOP Solution

Serious eye damage/eye irritation Risk of serious damage to eyes.

Skin corrosion/irritation Causes burns

Kit Component 9801: ELISA Wash Buffer (20X)

Serious eye damage/eye irritation Causes serious eye irritation.

Skin corrosion/irritation Causes skin irritation

Kit Component 9803: Cell Lysis Buffer (10X)

Serious eye damage/eye irritation Irritating to eyes.

Sensitization

Kit Component 26882: PSA/KLK3 Rabbit Detection mAb

Respiratory Sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sensitization May cause skin sensitization.

Kit ComponentSkin Sensitization **7002: STOP Solution**May cause skin sensitization.

Kit Component 13515: HRP Diluent

Skin Sensitization Product is or contains a sensitizer. May cause an allergic skin reaction.

Kit Component 9801: ELISA Wash Buffer (20X)

Skin Sensitization Product is or contains a sensitizer. May cause an allergic skin reaction.

Mutagenic effects

Kit ComponentMutagenic effects

7002: STOP Solution
Not mutagenic in AMES Test.

Carcinogenicity No component of this product present at levels greater than or equal to 0.1% is identifiable

as probable, possible or confirmed carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity No information available.

Systemic Target Organ Toxicity

(STOT)

Kit Component 7002: STOP Solution

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure

STOT - single exposure Respiratory system

Aspiration Hazard No information available.

SECTION 12. Ecological information

Ecotoxicity

Product Information Ecotoxicity

Kit Component 7002: STOP SolutionEcotoxicity

Toxic to aquatic life

Kit Component 9801: ELISA Wash Buffer (20X)

Ecotoxicity Harmful to aquatic life with long lasting effects

Component Information

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylet her	-	LC50 8.9 mg/l (Pimephales promelas) 96 h	EC50 26 mg/l (Daphnia) 48 h
maleic acid	-	LC50 5 mg/L (Pimephales promelas) 96 h	EC50 250 - 400 mg/L (Daphnia magna) 48 h
trometamol	-	-	NOEC >100 mg/L (Selenastrum capricornutum) 96 h
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-o ne [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	EC50 0.11 - 0.16 mg/L (Pseudokirchneriella subcapitata) 72 h EC50 0.31 mg/L (Anabaena flos-aquae) 120 h EC50 0.03 - 0.13 mg/L (Pseudokirchneriella subcapitata) 96 h	,	EC50 4.71 mg/L (Daphnia magna) 48 h EC50 0.71 - 0.99 mg/L (Daphnia magna) 48 h EC50 0.12 - 0.3 mg/L (Daphnia magna) 48 h

Persistence and degradability

Kit Component 7002: STOP Solution
Persistence and degradability Product is biodegradable

Kit Component 9801: ELISA Wash Buffer (20X)
Persistence and degradability Not readily biodegradable

Bioaccumulation

Kit Component 7002: STOP Solution

Bioaccumulation Not likely to bioaccumulate

Kit ComponentBioaccumulation

9801: ELISA Wash Buffer (20X)
Not likely to bioaccumulate

Chemical name	Octanol-Water Partition Coefficient	
maleic acid	0.32	

Mobility

Kit Component 7002: STOP Solution

Mobility Will likely be mobile in the environment due to its water solubility

Kit Component 9801: ELISA Wash Buffer (20X)

Mobility Will likely be mobile in the environment due to its water solubility

Other adverse effects

No information available.

SECTION 13. Disposal considerations

Waste Disposal Methods

Should not be released into the environment.

Disposal considerations

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of wastes in an approved waste disposal facility.

SECTION 14. Transport information

This material is subject to regulation as a hazardous material for shipping:

DOT

UN number UN3265

UN proper shipping nameCorrosive liquid, acidic, organic, n.o.s. (maleic acid)

Transport hazard class(es) 8
Packing group | ||

<u>IATA</u>

UN number UN3265

UN proper shipping name Corrosive liquid, acidic, organic, n.o.s. (maleic acid)

Transport hazard class(es) 8
Packing group | | | | |

SECTION 15. Regulatory information

North American Inventory Listing

Chemical name	TSCA 8(b)	TSCA 12(b)	DSL	NDSL
---------------	-----------	------------	-----	------

polyethylene glycol	Listed	Not Listed	Listed	Not Listed
p-(1,1,3,3-tetramethylbutyl)phen				
ylether				
maleic acid	Listed	Not Listed	Listed	Not Listed
trometamol	Listed	Not Listed	Listed	Not Listed
reaction mass of:	Not Listed	Section 5: 1 %	Listed	Not Listed
5-chloro-2-methyl-4-isothiazolin-				
3-one [EC no. 247-500-7] and				
2-methyl-2H -isothiazol-3-one				
[EC no. 220-239-6] (3:1)				

SARA 313

Refer to kit component SDS for full SARA Section 313 reporting requirements.

Chemical name	CAS No	SARA 313 - Threshold Values %
trisodium tetraoxovanadate	13721-39-6	1.0
magnesium nitrate	10377-60-3	1.0
copper dinitrate	3251-23-8	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

Refer to kit component SDS for full Clean Water Act (CWA) reporting requirements.

Refer to kit component 300 for fair Clean Water Act (OWA) reporting requirements.						
Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances	CWA - Bioaccumulative Chemicals of Concern (BCCs)	
maleic acid	5000 lb	Not Listed	Not Listed	Listed	Not Listed	

CERCLA

Refer to kit component SDS for full Comprehensive Environmental Response Compensation and Liability Act (CERCLA) reporting requirements.

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
maleic acid	5000 lb	Not Listed

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Refer to kit component SDS for applicable State Right-To-Know (RTK) information.

Chemical name	New Jersey	Massachusetts	Pennsylvania
maleic acid	Listed	Listed	Listed
disodium hydrogenorthophosphate	Listed	Listed	Listed
tetrasodium pyrophosphate, decahydrate	Listed	Listed	Listed
trisodium tetraoxovanadate	Listed	Not Listed	Not Listed
magnesium nitrate	Listed	Listed	Listed
copper dinitrate	Listed	Listed	Listed

SECTION 16. Other information

Issuing Date: 2018-01-19 **Revision Date:** 2024-01-09

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet