

Safety Data Sheet (SDS) According to the REACH Regulation (EC) No. 1907/2006

Issuing Date: 2018-01-19

1.1. Product identifier

Revision Date: 2024-01-09

Version: 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

<u>Intervention and a second sec</u>		
Product No	14119	
Product name	PathScan® RP Total PSA	VKLK3 Sandwich ELISA Kit
Kit Component	69733: PSA/KLK3 Rabbit mAb Coated N 26882: PSA/KLK3 Rabbit Detection mAl 13515: HRP Diluent 7002: STOP Solution 7004: TMB Substrate 9801: ELISA Wash Buffer (20X) 9803: Cell Lysis Buffer (10X)	
Hazardous Components 13515: HRP Diluent 7002: STOP Solution 9801: ELISA Wash Buffer (20X) 9803: Cell Lysis Buffer (10X)		
Contains		
Chemical name	Index No.	CAS No
polyethylene glycol	Not Listed	9002-93-1
p-(1,1,3,3-tetramethylbutyl)phenylethe	er (10 - 20%)	
maleic acid (0 - 10%)	607-095-00-3	110-16-7
trometamol (0 - 10%)	Not Listed	77-86-1
tetrasodium pyrophosphate, decahydr 10%)	rate (0 - Not Listed	13472-36-1
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one 247-500-7] and 2-methyl-2H -isothiaz [EC no. 220-239-6] (3:1) (0 - 10%)	L .	55965-84-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

For Research Use Only. Not for Use in Diagnostic Procedures.

1.3. Details of the supplier of the safety data sheet

Importer	Manufacturer
Cell Signaling Technology Europe B.V.	Cell Signaling Technology, Inc.
Dellaertweg 9b	3 Trask Lane
2316 WZ Leiden	Danvers, MA 01923
The Netherlands	United States
TEL: +31 (0)71 7200 200	TEL: +1 978 867 2300
FAX: +31 (0)71 891 0019	FAX: +1 978 867 2400

Website	www.cellsignal.com
E-mail Address	info@cellsignal.eu

1.4. Emergency telephone number

CHEMTREC 24 hours a day, 7 days a week, 365 days a year +1 703 527 3887 (INTERNATIONAL) +1 800 424 9300 (NORTH AMERICA)

Europe 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Classification and label elements described below are inclusive of all hazards of the combined kit. The most severe classifications are listed for each endpoint. Refer to individual kit component SDS for classification and label elements for each component present in the kit.

Skin corrosion/irritation	Category 1 - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements



Danger.

Hazard statement(s)

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/physician.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards

This kit contains one or more components considered a treated article that incorporates a biocidal product as a preservative with the following active ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT).

For the full text of the H-phrases & EUH-phrases mentioned in this Section, see Section 16

SECTION 3. Composition/information on ingredients

Kit Component

13515: HRP Diluent

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
reaction mass of: 5-chloro-2-methyl-4-isothi azolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	0.005-0.025	-	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	no data available
trometamol	77-86-1	0.5	201-064-4	-	no data available

This product is considered a treated article that incorporates a biocidal product as a preservative with the following active ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT)

Kit Component

7002: STOP Solution

DANGER: Causes severe skin burns and eye damage. May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
maleic acid	110-16-7	3-7	203-742-5	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) STOT SE 3 (H335)	no data available

Kit Component

9801: ELISA Wash Buffer (20X)

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
reaction mass of: 5-chloro-2-methyl-4-isothi azolin-3-one [EC no.	55965-84-9	0.005-0.025	-	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H311) Acute Tox. 2 (H330)	no data available

247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)		Skin Corr. 1C (H314) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	
--	--	--	--

This product is considered a treated article that incorporates a biocidal product as a preservative with the following active ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT).

Kit Component

9803: Cell Lysis Buffer (10X)

DANGER: Harmful to aquatic life with long lasting effects. Causes serious eye damage. Causes skin irritation.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
trometamol	77-86-1	1.79	201-064-4	-	no data available
polyethylene glycol p-(1,1,3,3-tetramethylbut yl)phenylether	9002-93-1	10	-	Acute Tox. 4(H302) Eye Dam. 1(H318) Aquatic Chronic 2 (H411)	no data available
tetrasodium pyrophosphate, decahydrate	13472-36-1	0.1-1	-	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	no data available

Polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether is a suspected endocrine disruptor.

Kit Component

69733: PSA/KLK3 Rabbit mAb Coated Microwells 26882: PSA/KLK3 Rabbit Detection mAb 7004: TMB Substrate

These products do not contain substances at concentrations requiring disclosure under (EC) No. 1907/2006 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Use first aid treatment according to the nature of the injury. When symptoms persist or in all cases of doubt seek medical advice.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.
Skin contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Ingestion	Get medical attention. Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.
Protection of first-aiders	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

4.2. Most important symptoms and effects, both acute and delayed

Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Symptoms of overexposure may be

headache, dizziness, tiredness, nausea and vomiting. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing MediaUse extinguishing measures that are appropriate to local circumstances and the
surrounding environment. Carbon dioxide (CO2). Foam. Water spray. Dry powder.
No information available.

5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Avoid contact with skin, eyes and clothing. Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
For emergency responders	Use personal protection recommended in Section 8.
Other information	Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not allow material to contaminate ground water system. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
	Clean contaminated surface thoroughly. Sweep up and shovel into suitable containers for
	disposal. Avoid dust formation.

6.4. Reference to other sections

See Sections 8 & 13 for additional information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wear personal

protective equipment. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Use as a laboratory reagent.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values					
Chemical name	European Union	United Kingdom	France	Spain	Germany
tetrasodium pyrophosphate, decahydrate		STEL 15 mg/m ³ TWA 5 mg/m ³	TWA 5 mg/m ³	TWA 5 mg/m ³	
reaction mass of: 5-chloro-2-methyl-4-isothiaz olin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)					Ceiling / Peak: 0.4 mg/m³ TWA: 0.2 mg/m³
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
tetrasodium pyrophosphate, decahydrate					TWA 5 mg/m ³
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
tetrasodium pyrophosphate, decahydrate	STEL 10 mg/m ³ TWA 5 mg/m ³	TWA 5 mg/m ³		TWA 5 mg/m ³ STEL 10 mg/m ³	TWA 5 mg/m ³
reaction mass of: 5-chloro-2-methyl-4-isothiaz olin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	TWA 0.05 mg/m³ Sh/Sah**	SS-C** S+ TWA 0.2 mg/m ³ STEL 0.4 mg/m ³			

8.2. Exposure controls

Appropriate engineering controls

Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tightly fitting safety goggles.
Skin protection	Wear protective gloves and protective clothing
Hand protection	Impervious gloves.
Other	Chemical resistant apron. Boots. Impervious clothing. Impervious gloves.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. No special protective equipment required.

Environmental Exposure Controls No information available.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Information on the known physical chemical properties of each component within Kit are given below. If not included, information is either not available or not applicable. Refer to individual kit component SDS for further information.

Kit Component Physical state Appearance

Kit Component

Physical state Appearance Color

Kit Component

Physical state Appearance Color pН

Kit Component

Physical state Appearance Color pН

Kit Component

Physical state Appearance Color pН

Kit Component

Physical state Appearance Color pН

Kit Component

Physical state Appearance Color pН

69733: PSA/KLK3 Rabbit mAb Coated Microwells Solid

Microwell Plate

26882: PSA/KLK3 Rabbit Detection mAb

Solid Powder, Lyophilized Red

13515: HRP Diluent Liquid Clear

Red 7.4 (20 °C)

7002: STOP Solution

Liquid Clear Colorless 1.2 (20 °C)

7004: TMB Substrate

Liquid Clear Light yellow 3.3-3.8 (20 °C)

9801: ELISA Wash Buffer (20X) Liquid Clear

Colorless 6.4 (20 °C)

9803: Cell Lysis Buffer (10X)

Liquid Clear Colorless 7.5 (20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous	polymerization
Hazardous	reactions

Hazardous polymerization does not occur. None under normal processing.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Exposure to air or moisture over prolonged periods. Over a period of time, sodium azide may react with copper, lead, brass, or solder in plumbing systems to form an accumulation of the HIGHLY EXPLOSIVE compounds of lead azide & copper azide.

10.5. Incompatible materials

Metals, Strong oxidizing agents, strong acids, and strong bases.

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

Refer to kit component SDS for full toxicological information. This material should only be handled by, or under the close supervision of, those properly qualified in the handling and use of potentially hazardous chemicals. It should be borne in mind that the toxicological and physiological properties of this compound is not well defined.

Component Information

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
polyethylene glycol	= 1800 mg/kg (Rat)	-	-
p-(1,1,3,3-tetramethylbutyl)phenylet			
her			
maleic acid	708 mg/kg(Rat)	1,560 mg/kg(Rabbit)	> 0.72 mg/L (Rat) 1h
trometamol	5900 mg/kg (Rat)	-	-
reaction mass of:	= 53 mg/kg (Rat) = 481 mg/kg	= 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat) 4 h = 0.11 mg/L
5-chloro-2-methyl-4-isothiazolin-3-o	(Rat) 232 - 249 mg/kg (Rat) = 120		(Rat)4 h
ne [EC no. 247-500-7] and	mg/kg (Rat)		
2-methyl-2H -isothiazol-3-one [EC			
no. 220-239-6] (3:1)			

Information on likely routes of exposure

Inhalation

Kit Component	26882: PSA/KLK3 Rabbit Detection mAb
Inhalation	May cause allergic respiratory reaction.
Kit Component	13515: HRP Diluent
Inhalation	Avoid breathing vapors or mists. May cause irritation of respiratory tract.
Kit Component	7002: STOP Solution
Inhalation	Aerosol expected to be irritating based on components.
Kit Component	9801: ELISA Wash Buffer (20X)
Inhalation	Avoid breathing vapors or mists. May cause irritation of respiratory tract.

Eye contact

Kit Component	13515: HRP Diluent
Eye contact	Contact with eyes may cause irritation.
Kit Component	7002: STOP Solution
Eye contact	May cause irreversible damage to eyes.
Kit Component	9801: ELISA Wash Buffer (20X)
Eye contact	Expected to be an irritant based on components.
Kit Component	9803: Cell Lysis Buffer (10X)
Eye contact	Expected to be an irritant based on components.
Skin contact	
Kit Component	26882: PSA/KLK3 Rabbit Detection mAb
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Kit Component	13515: HRP Diluent
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Kit Component	7002: STOP Solution
Skin contact	Corrosive to skin. Prolonged contact with skin is harmful.
Kit Component Skin contact	9801: ELISA Wash Buffer (20X) Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Expected to be an irritant based on components.
Ingestion_	
Kit Component	7002: STOP Solution
Ingestion	Ingestion causes burns of the upper digestive and respiratory tract. Harmful if swallowed.
Kit Component	9801: ELISA Wash Buffer (20X)
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Delayed and immediate effects as	well as chronic effects from short and long-term exposure
Symptoms	Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.
Skin and Eye Corrosion/Irritation	

Kit Component	7002: STOP Solution
Serious eye damage/eye irritation	Risk of serious damage to eyes.
Skin corrosion/irritation	Causes burns
Kit Component	9801: ELISA Wash Buffer (20X)
Serious eye damage/eye irritation	Causes serious eye irritation.
Skin corrosion/irritation	Causes skin irritation
Kit Component	9803: Cell Lysis Buffer (10X)
Serious eye damage/eye irritation	Irritating to eyes.
Sensitization	
Kit Component	26882: PSA/KLK3 Rabbit Detection mAb
Respiratory Sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sensitization	May cause skin sensitization.
Kit Component	7002: STOP Solution
Skin Sensitization	May cause skin sensitization.
Kit Component	13515: HRP Diluent
Skin Sensitization	Product is or contains a sensitizer. May cause an allergic skin reaction.
Kit Component	9801: ELISA Wash Buffer (20X)
Skin Sensitization	Product is or contains a sensitizer. May cause an allergic skin reaction.
Mutagenic effects	
Kit Component	7002: STOP Solution
Mutagenic effects	Not mutagenic in AMES Test.
Carcinogenic effects	No component of this product present at levels greater than or equal to 0.1% are known or suspected carcinogens.
Reproductive toxicity	No information available.
Systemic Target Organ Toxicity (STOT)	
Kit Component	7002: STOP Solution
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure
STOT - single exposure	Respiratory system
Aspiration Hazard	No information available.
11.2. Information on other hazards	
Other adverse effects	No information available.
	SECTION 12: Ecological information

12.1. Toxicity

Product Information

Kit Component	7002: STOP Solution
Ecotoxicity	Toxic to aquatic life
Kit Component	9801: ELISA Wash Buffer (20X)
Ecotoxicity	Harmful to aquatic life with long lasting effects

Component Information

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylet her	-	LC50 8.9 mg/l (Pimephales promelas) 96 h	EC50 26 mg/l (Daphnia) 48 h
maleic acid	-	LC50 5 mg/L (Pimephales promelas) 96 h	EC50 250 - 400 mg/L (Daphnia magna) 48 h
trometamol	-	-	NOEC >100 mg/L (Selenastrum capricornutum) 96 h
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-o ne [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	EC50 0.11 - 0.16 mg/L (Pseudokirchneriella subcapitata) 72 h EC50 0.31 mg/L (Anabaena flos-aquae) 120 h EC50 0.03 - 0.13 mg/L (Pseudokirchneriella subcapitata) 96 h		EC50 4.71 mg/L (Daphnia magna) 48 h EC50 0.71 - 0.99 mg/L (Daphnia magna) 48 h EC50 0.12 - 0.3 mg/L (Daphnia magna) 48 h

12.2. Persistence and degradability

Kit Component	7002: STOP Solution
Persistence and degradability	Product is biodegradable
Kit Component	9801: ELISA Wash Buffer (20X)
Persistence and degradability	Not readily biodegradable

12.3. Bioaccumulative potential

Kit Component	7002: STOP Solution
Bioaccumulation	Not likely to bioaccumulate
Kit Component	9801: ELISA Wash Buffer (20X)
Bioaccumulation	Not likely to bioaccumulate

Chemical name	Octanol-Water Partition Coefficient
maleic acid	0.32

12.4. Mobility in soil

Kit Component	7002: STOP Solution
Mobility	Will likely be mobile in the environment due to its water solubility
Kit Component	9801: ELISA Wash Buffer (20X)
Mobility	Will likely be mobile in the environment due to its water solubility

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Endocrine disrupting properties

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
polyethylene glycol	Group III Chemical	-	-
p-(1,1,3,3-tetramethylbutyl)phenylet			
her			

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Do not re-use empty containers.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

This material is subject to regulation as a hazardous material for shipping:

IMDG/IMO

14.1 UN number	UN3265
14.2 UN proper shipping name	Corrosive liquid, acidic, organic, n.o.s. (maleic acid)
14.3 Transport hazard class(es)	8
14.4 Packing group	III
14.5 Environmental hazards	None
14.6 Special precautions for user	None
14.7 Maritime transport in bulk	Not regulated
according to IMO instruments	
ADR/RID 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	UN3265 Corrosive liquid, acidic, organic, n.o.s. (maleic acid) 8 III None None
IATA14.1UN number14.2UN proper shipping name14.3Transport hazard class(es)14.4Packing group14.5Environmental hazards14.6Special precautions for user	UN3265 Corrosive liquid, acidic, organic, n.o.s. (maleic acid) 8 III None None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Candidate List of Substances of Very High Concern for Authorization Information

Chemical name	Candidate List of Substances of Very High Concern for Authorization Information
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether (10 - 20%)	
	Article 57f - environment

SEVESO Directive Information

This product does not contain substances identified in the SEVESO Directive.

International inventories	
TSCA 8(b)	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-

International inventories legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out

SECTION 16: Other information

Full text of H-Statements referred to under Sections 2 and 3

H300 - Fatal if swallowed

- H301 Toxic if swallowed
- H302 Harmful if swallowed
- H310 Fatal in contact with skin
- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H330 Fatal if inhaled
- H335 May cause respiratory irritation
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects H412 - Harmful to aquatic life with long lasting effects EUH032 - Contact with acids liberates very toxic gas EUH071 - Corrosive to the respiratory tract

Classification procedure:	Calculation method. Bridging principle "Dilution".
Issuing Date:	2018-01-19
Revision Date:	2024-01-09
<u>Disclaimer</u>	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.