



Safety Data Sheet (SDS) According to the OSHA Hazard Communication Standard 29 CFR 1910.1200

Issuing Date: 2018-01-19

Revision Date: 2025-02-19

Version: 2

SECTION 1. Identification

Product identifier

Product No 7087

Product name PathScan® Phospho-TrkB (panTyr) Chemiluminescent Sandwich ELISA Kit

Kit Component

- 37793: TrkB Mouse mAb Coated Microwells
- 14055: Phospho-Tyrosine Mouse Detection mAb (Biotinylated)
- 11805: HRP-Linked Streptavidin (ELISA Formulated)
- 84850: Luminol/Enhancer Solution
- 42552: Stable Peroxide Buffer
- 11083: ELISA Sample Diluent
- 13339: Detection Antibody Diluent
- 13515: HRP Diluent
- 9801: ELISA Wash Buffer (20X)
- 9803: Cell Lysis Buffer (10X)

Hazardous Components

9801: ELISA Wash Buffer (20X)
9803: Cell Lysis Buffer (10X)
13515: HRP Diluent

Recommended use of the chemical and restrictions on use

Identified uses This product is intended for research purposes only.

Manufacturer, importer, supplier

Manufacturer address Cell Signaling Technology, Inc.
3 Trask Lane
Danvers, MA 01923
United States
TEL: +1 978 867 2300
FAX: +1 978 867 2400

Website www.cellsignal.com

Email address support@cellsignal.com

Emergency telephone number In case of emergency call CHEMTREC 1-800-424-9300

SECTION 2. Hazard(s) identification

Classification

This substance/mixture is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Skin sensitization	Category 1
Chronic aquatic toxicity	Category 3

GHS Label elements, including precautionary statements**Signal Word**

Danger

Hazard statement(s)

Causes skin irritation

Causes serious eye damage

May cause an allergic skin reaction

Harmful to aquatic life with long lasting effects

Precautionary Statement(s)

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Contaminated work clothing should not be allowed out of the workplace.

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Avoid release to the environment.

Dispose of contents/container to an approved waste disposal plant.

Supplementary Hazard Information**Hazards not otherwise classified (HNOC)**

Not applicable.

SECTION 3. Composition/information on ingredients**Kit Component 84850: Luminol/Enhancer Solution**

Chemical name	CAS No	Weight-%
Ethylene glycol	107-21-1	1-3

Kit Component 9801: ELISA Wash Buffer (20X)

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one	55965-84-9	0.005-0.025

Kit Component 11083: ELISA Sample Diluent

Chemical name	CAS No	Weight-%
sodium azide	26628-22-8	<0.1

Kit Component 9803: Cell Lysis Buffer (10X)

DANGER: Causes severe skin burns and eye damage. May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether	9002-93-1	10
tetrasodium pyrophosphate, decahydrate	13472-36-1	0.1-1

Kit Component 13339: Detection Antibody Diluent

Chemical name	CAS No	Weight-%
sodium azide	26628-22-8	<0.1

Kit Component 13515: HRP Diluent

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one	55965-84-9	0.005-0.025

Kit Component

37793: TrkB Mouse mAb Coated Microwells
14055: Phospho-Tyrosine Mouse Detection mAb (Biotinylated)
11805: HRP-Linked Streptavidin (ELISA Formulated)
42552: Stable Peroxide Buffer

These products do not contain substances at concentrations requiring disclosure under 29 CFR 1910.1200 (OSHA Hazard Communication Standard).

SECTION 4. First-aid measures

Eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately if symptoms occur. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble

breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Advice for emergency responders**General advice
Protection of first-aiders**

For further assistance, contact your local Poison Control Center.
Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact None
Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Ensure adequate ventilation.
Other information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Do not allow material to contaminate ground water system. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.
Methods for cleaning up Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Prevent product from entering drains. Clean contaminated surface thoroughly.

SECTION 7. Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions	Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.
Packaging material	No information available
Incompatible products	Metals, Strong oxidizing agents, strong acids, and strong bases

SECTION 8. Exposure controls/personal protection

Control parameters

Occupational exposure limit values			
Chemical name	ACGIH TLV	OSHA PEL	NIOSH REL
Ethylene glycol	STEL: 50 ppm vapor fraction STEL: 10 mg/m ³ inhalable particulate matter, aerosol only TWA: 25 ppm vapor fraction	-	-
tetrasodium pyrophosphate, decahydrate	-	-	TWA : 5 mg/m ³
sodium azide	Ceiling: 0.29 mg/m ³ Ceiling: 0.11 ppm	-	Ceiling: 0.1 ppm Ceiling: 0.3 mg/m ³

Appropriate engineering controls

Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Personal protective equipment (PPE) needs to be selected depending on the implemented engineering controls, frequency/duration of work activities and the concentrations of the hazardous substance.

Eye/face protection	Tightly fitting safety goggles.
Skin and body protection	Lightweight protective clothing. Impervious gloves.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. No special protective equipment required.
Hygiene measures	Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Keep away from food, drink and animal feeding stuffs. Wear suitable gloves and eye/face protection.

SECTION 9. Physical and chemical properties

Information on the known physical chemical properties of each component within Kit are given below. If not included, information is either not available or not applicable. Refer to individual kit component SDS for further information.

Information on basic physical and chemical properties

Kit Component	84850: Luminol/Enhancer Solution
Physical state	Liquid
Appearance	Clear

Color	Colorless or Light pink
pH	9.5 (20 °C)
Solubility	Soluble in water

Kit Component	42552: Stable Peroxide Buffer
Physical state	Liquid
Appearance	Clear
Color	Colorless
pH	4.9 - 5.1 (20 °C)

Kit Component	9801: ELISA Wash Buffer (20X)
Physical state	Liquid
Appearance	Clear
Color	Colorless
pH	6.4 (20 °C)

Kit Component	11083: ELISA Sample Diluent
Physical state	Liquid
Appearance	Clear
Color	Blue
pH	7.1 (20 °C)

Kit Component	9803: Cell Lysis Buffer (10X)
Physical state	Liquid
Color	Colorless
pH	7.5 (20 °C)

Kit Component	14055: Phospho-Tyrosine Mouse Detection mAb (Biotinylated)
Physical state	Solid
Appearance	Lyophilized, Powder
Color	Green

Kit Component	13339: Detection Antibody Diluent
Physical state	Liquid
Appearance	Clear
Color	Green
pH	7.4 (20 °C)

Kit Component	11805: HRP-Linked Streptavidin (ELISA Formulated)
Physical state	Solid
Appearance	Lyophilized, Powder
Color	Red

Kit Component	13515: HRP Diluent
Physical state	Liquid
Appearance	Clear
Color	Red
pH	7.4 (20 °C)

Kit Component	37793: TrkB Mouse mAb Coated Microwells
Physical state	Solid
Appearance	Microwell Plate

SECTION 10. Stability and reactivity

Reactivity

No information available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Hazardous reactions	None under normal processing.
Hazardous polymerization	None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight. Exposure to air or moisture over prolonged periods. Over a period of time, sodium azide may react with copper, lead, brass, or solder in plumbing systems to form an accumulation of the HIGHLY EXPLOSIVE compounds of lead azide & copper azide.

Incompatible Materials

Metals, Strong oxidizing agents, strong acids, and strong bases

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors, Nitrogen oxides (NO_x), Carbon oxides (CO_x)

SECTION 11. Toxicological information

Information on likely routes of exposure**Product Information**

Refer to kit component SDS for full toxicological information. This material should only be handled by, or under the close supervision of, those properly qualified in the handling and use of potentially hazardous chemicals. It should be borne in mind that the toxicological and physiological properties of this compound is not well defined.

Inhalation

Kit Component Inhalation	84850: Luminol/Enhancer Solution Avoid breathing vapors or mists May cause allergic respiratory reaction
Kit Component Inhalation	42552: Stable Peroxide Buffer May cause irritation of respiratory tract
Kit Component Inhalation	9801: ELISA Wash Buffer (20X) Avoid breathing vapors or mists May cause irritation of respiratory tract
Kit Component Inhalation	14055: Phospho-Tyrosine Mouse Detection mAb (Biotinylated) May cause allergic respiratory reaction
Kit Component Inhalation	11805: HRP-Linked Streptavidin (ELISA Formulated) May cause allergic respiratory reaction
Kit Component Inhalation	13515: HRP Diluent Avoid breathing vapors or mists May cause irritation of respiratory tract

Eye contact

Kit Component Eye contact	84850: Luminol/Enhancer Solution Avoid contact with eyes
-------------------------------------	--

Kit Component Eye contact	42552: Stable Peroxide Buffer Expected to be an irritant based on components May cause slight irritation
Kit Component Eye contact	9801: ELISA Wash Buffer (20X) Expected to be an irritant based on components
Kit Component Eye contact	9803: Cell Lysis Buffer (10X) Expected to be an irritant based on components
Kit Component Eye contact	13515: HRP Diluent Contact with eyes may cause irritation

Skin contact

Kit Component Skin contact	84850: Luminol/Enhancer Solution Avoid contact with skin
Kit Component Skin contact	42552: Stable Peroxide Buffer Substance may cause slight skin irritation
Kit Component Skin contact	9801: ELISA Wash Buffer (20X) Repeated or prolonged skin contact may cause allergic reactions with susceptible persons Expected to be an irritant based on components
Kit Component Skin contact	14055: Phospho-Tyrosine Mouse Detection mAb (Biotinylated) Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
Kit Component Skin contact	11805: HRP-Linked Streptavidin (ELISA Formulated) Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
Kit Component Skin contact	13515: HRP Diluent Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Ingestion

Kit Component Ingestion	84850: Luminol/Enhancer Solution Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Kit Component Ingestion	42552: Stable Peroxide Buffer Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Kit Component Ingestion	9801: ELISA Wash Buffer (20X) Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Information on toxicological effects**Component Information**

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether	= 1700 mg/kg (Rat) = 1800 mg/kg (Rat)	-	-
Ethylene glycol	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)	> 2.5 mg/L (Rat) 6 h
tetrasodium pyrophosphate, decahydrate	-	> 2000 mg/kg (Rabbit)	-
ethylenebis(oxyethylenenitrilo)tetra(acetic acid)	= 3587 mg/kg (Rat)	-	-

sodium azide	= 27 mg/kg (Rat)	= 20 mg/kg (Rabbit) = 50 mg/kg (Rat)	-
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one	= 481 mg/kg (Rat) = 120 mg/kg (Rat) = 53 mg/kg (Rat)	= 200 mg/kg (Rabbit) = 87.12 mg/kg (Rabbit)	= 1.23 mg/L (Rat) 4 h = 0.11 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Symptoms**

Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Skin and Eye Corrosion/Irritation**Kit Component**

Serious eye damage/eye irritation
Skin corrosion/irritation

9801: ELISA Wash Buffer (20X)

Causes serious eye irritation
Causes skin irritation

Kit Component

Serious eye damage/eye irritation

9803: Cell Lysis Buffer (10X)

Irritating to eyes

Sensitization**Kit Component**

Skin Sensitization

9801: ELISA Wash Buffer (20X)

Product is or contains a sensitizer. May cause an allergic skin reaction

Kit Component

Respiratory Sensitization
Skin Sensitization

14055: Phospho-Tyrosine Mouse Detection mAb (Biotinylated)

May cause allergy or asthma symptoms or breathing difficulties if inhaled
May cause skin sensitization

Kit Component

Respiratory Sensitization
Skin Sensitization

11805: HRP-Linked Streptavidin (ELISA Formulated)

May cause allergy or asthma symptoms or breathing difficulties if inhaled
May cause skin sensitization

Kit Component

Skin Sensitization

13515: HRP Diluent

Product is or contains a sensitizer. May cause an allergic skin reaction

Mutagenic effects

No information available

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identifiable as probable, possible or confirmed carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity

No information available.

Systemic Target Organ Toxicity (STOT)**Kit Component**

STOT - repeated exposure
Target Organ Effects

84850: Luminol/Enhancer Solution

May cause damage to organs through prolonged or repeated exposure
Kidney

Aspiration Hazard

No information available.

SECTION 12. Ecological information**Ecotoxicity****Product Information****Ecotoxicity****Kit Component**

Ecotoxicity

9801: ELISA Wash Buffer (20X)

Harmful to aquatic life with long lasting effects

Component Information

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether	-	LC50 8.9 mg/l (Pimephales promelas) 96 h	EC50 26 mg/l (Daphnia) 48 h
Ethylene glycol	EC50 6500 - 13000 mg/L (Pseudokirchneriella subcapitata) 96 h	LC50 41000 mg/L (Oncorhynchus mykiss) 96 h LC50 14 - 18 mL/L (Oncorhynchus mykiss) 96 h LC50 27540 mg/L (Lepomis macrochirus) 96 h LC50 40761 mg/L (Oncorhynchus mykiss) 96 h LC50 40000 - 60000 mg/L (Pimephales promelas) 96 h LC50 16000 mg/L (Poecilia reticulata) 96 h	EC50 46300 mg/L (Daphnia magna) 48 h
sodium azide	EC50 0.35 mg/L (Pseudokirchneriella subcapitata) 96 h	LC50 0.8 mg/L (Oncorhynchus mykiss) 96 h LC50 0.7 mg/L (Lepomis macrochirus) 96 h LC50 5.46 mg/L (Pimephales promelas) 96 h	LC100 1 mg/L (Orconectes rusticus) 96 h
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one	EC50 0.11 - 0.16 mg/L (Pseudokirchneriella subcapitata) 72 h EC50 0.03 - 0.13 mg/L (Pseudokirchneriella subcapitata) 96 h	LC50 1.6 mg/L (Oncorhynchus mykiss) 96 h	EC50 4.71 mg/L (Daphnia magna) 48 h EC50 0.12 - 0.3 mg/L (Daphnia magna) 48 h EC50 0.71 - 0.99 mg/L (Daphnia magna) 48 h

Persistence and degradability**Kit Component**

Persistence and degradability

9801: ELISA Wash Buffer (20X)

Not readily biodegradable

Bioaccumulation**Kit Component**

Bioaccumulation

9801: ELISA Wash Buffer (20X)

Not likely to bioaccumulate

Chemical name	Octanol-Water Partition Coefficient
Ethylene glycol	-1.36
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one	>=0.32 - <=0.7

Mobility

Kit Component

Mobility

9801: ELISA Wash Buffer (20X)

Will likely be mobile in the environment due to its water solubility

Other adverse effects

No information available.

SECTION 13. Disposal considerations**Waste Disposal Methods**

Should not be released into the environment.

Disposal considerations

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of wastes in an approved waste disposal facility.

SECTION 14. Transport information

This material is not subject to regulation as a hazardous material for shipping.

SECTION 15. Regulatory information**North American Inventory Listing**

Chemical name	TSCA 8(b)	TSCA 12(b)	DSL	NDSL
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether	Listed	Not Listed	Listed	Not Listed
Ethylene glycol	Listed	Not Listed	Listed	Not Listed
ethylenebis(oxyethylenenitrilo)tetra(acetic acid)	Listed	Not Listed	Listed	Not Listed
sodium azide	Listed	Not Listed	Listed	Not Listed
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one	Not Listed	Section 5(a)(2): 1 %	Listed	Not Listed

SARA 313

Refer to kit component SDS for full SARA Section 313 reporting requirements.

Chemical name	CAS No	SARA 313 - Threshold Values %
Ethylene glycol	107-21-1	1.0
sodium azide	26628-22-8	1.0
trisodium tetraoxovanadate	13721-39-6	1.0
Magnesium nitrate	10377-60-3	1.0
copper dinitrate	3251-23-8	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

Refer to kit component SDS for full Clean Water Act (CWA) reporting requirements.

CERCLA

Refer to kit component SDS for full Comprehensive Environmental Response Compensation and Liability Act (CERCLA) reporting requirements.

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Ethylene glycol	5000 lb	Not Listed
sodium azide	1000 lb	1000 lb

California Proposition 65

This product does not contain any Proposition 65 chemicals.

Chemical name	California Prop. 65
Ethylene glycol	Developmental

U.S. State Right-to-Know Regulations

Refer to kit component SDS for applicable State Right-To-Know (RTK) information.

Chemical name	New Jersey	Massachusetts	Pennsylvania
water	Not Listed	Not Listed	Listed
Ethylene glycol	Listed	Listed	Listed
disodium hydrogenorthophosphate	Listed	Listed	Listed
tetrasodium pyrophosphate, decahydrate	Listed	Listed	Listed
sodium azide	Listed	Listed	Listed
trisodium tetraoxovanadate	Listed	Not Listed	Not Listed
FD&C Blue 1	Not Listed	Listed	Not Listed
Magnesium nitrate	Listed	Listed	Listed
copper dinitrate	Listed	Listed	Listed

SECTION 16. Other information

Issuing Date: 2018-01-19
Revision Date: 2025-02-19

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet