

Safety Data Sheet (SDS) According to the REACH Regulation (EC) No. 1907/2006

**Issuing Date:** 2018-01-19

**Revision Date: 2024-01-10** 

Version: 2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product No 7	108	
<b>- - - -</b>		rkB (panTyr) Sandwich ELISA ł
14 11 13 13 11 70 70 98	3396: TrkB Mouse mAb Coated Mic 4055: Phospho-Tyrosine Mouse De 1805: HRP-Linked Streptavidin (ELI 3339: Detection Antibody Diluent 3515: HRP Diluent 1083: ELISA Sample Diluent 202: STOP Solution 204: TMB Substrate 301: ELISA Wash Buffer (20X) 303: Cell Lysis Buffer (10X)	tection mAb (Biotinylated)
Hazardous Components		
13515: HRP Diluent 7002: STOP Solution 9801: ELISA Wash Buffer (20X)		
13515: HRP Diluent 7002: STOP Solution 9801: ELISA Wash Buffer (20X) 9803: Cell Lysis Buffer (10X)		
13515: HRP Diluent 7002: STOP Solution 9801: ELISA Wash Buffer (20X) 9803: Cell Lysis Buffer (10X) <u>Contains</u> Chemical name polyethylene glycol	Index No. Not Listed 0 - 20%)	<b>CAS No</b> 9002-93-1
13515: HRP Diluent 7002: STOP Solution 9801: ELISA Wash Buffer (20X) 9803: Cell Lysis Buffer (10X) <u>Contains</u> <u>Chemical name</u> polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether (1	Not Listed	
13515: HRP Diluent 7002: STOP Solution 9801: ELISA Wash Buffer (20X) 9803: Cell Lysis Buffer (10X) <u>Contains</u> <u>Chemical name</u> polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether (1 maleic acid (0 - 10%)	Not Listed 0 - 20%)	9002-93-1
13515: HRP Diluent 7002: STOP Solution 9801: ELISA Wash Buffer (20X) 9803: Cell Lysis Buffer (10X) <u>Contains</u> <u>Chemical name</u> polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether (1 maleic acid (0 - 10%) trometamol (0 - 10%) tetrasodium pyrophosphate, decahydrate 10%)	Not Listed 0 - 20%) 607-095-00-3 Not Listed	9002-93-1 110-16-7

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

For Research Use Only. Not for Use in Diagnostic Procedures.

1.3. Details of the supplier of the safety data sheet

Importer	Manufacturer
Cell Signaling Technology Europe B.V.	Cell Signaling Technology, Inc.
Dellaertweg 9b	3 Trask Lane
2316 WZ Leiden	Danvers, MA 01923
The Netherlands	United States
TEL: +31 (0)71 7200 200	TEL: +1 978 867 2300
FAX: +31 (0)71 891 0019	FAX: +1 978 867 2400
	www.cellsignal.com

# 1.4. Emergency telephone number

CHEMTREC 24 hours a day, 7 days a week, 365 days a year +1 703 527 3887 (INTERNATIONAL) +1 800 424 9300 (NORTH AMERICA)

Europe

E-mail Address

112

info@cellsignal.eu

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Classification and label elements described below are inclusive of all hazards of the combined kit. The most severe classifications are listed for each endpoint. Refer to individual kit component SDS for classification and label elements for each component present in the kit.

Skin corrosion/irritation	Category 1 - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

### 2.2. Label elements



Danger.

#### Hazard statement(s)

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

#### Precautionary statement(s)

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/physician.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant.

#### 2.3. Other hazards

This kit contains one or more components considered a treated article that incorporates a biocidal product as a preservative with the following active ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT).

For the full text of the H-phrases & EUH-phrases mentioned in this Section, see Section 16

### **SECTION 3.** Composition/information on ingredients

#### **Kit Component**

7002: STOP Solution

DANGER: Causes severe skin burns and eye damage. May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
maleic acid	110-16-7	3-7	203-742-5	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) STOT SE 3 (H335)	no data available

### **Kit Component**

### 9801: ELISA Wash Buffer (20X)

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
reaction mass of: 5-chloro-2-methyl-4-isothi azolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	0.005-0.025	-	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	no data available

This product is considered a treated article that incorporates a biocidal product as a preservative with the following active ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT)

### **Kit Component**

11083: ELISA Sample Diluent

Chemical name	CAS No	Weight-%	EC No	Classification	REACH

			(1272/2008)	Registration Number
26628-22-8	<0.1	247-852-1	Acute Tox. 2 (H300) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	no data available
	26628-22-8	26628-22-8 <0.1	26628-22-8 <0.1 247-852-1	Aquatic Acute 1 (H400)

### **Kit Component**

### 9803: Cell Lysis Buffer (10X)

DANGER: Causes serious eye damage. Causes skin irritation. Harmful to aquatic life with long lasting effects.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
polyethylene glycol p-(1,1,3,3-tetramethylbut yl)phenylether	9002-93-1	10	618-344-0	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)	no data available
trometamol	77-86-1	1.79	201-064-4	-	no data available
tetrasodium pyrophosphate, decahydrate	13472-36-1	0.1-1	-	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	no data available

Polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether is a suspected endocrine disruptor.

### **Kit Component**

### **13339: Detection Antibody Diluent**

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
trometamol	77-86-1	0.5	201-064-4	-	no data available
sodium azide	26628-22-8	<0.1	247-852-1	Acute Tox. 2 (H300) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)	no data available

### **Kit Component**

### 13515: HRP Diluent

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
reaction mass of: 5-chloro-2-methyl-4-isothi azolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	0.005-0.025	-	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	no data available
trometamol	77-86-1	0.5	201-064-4	-	no data available

This product is considered a treated article that incorporates a biocidal product as a preservative with the following active

ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT)

#### **Kit Component**

63396: TrkB Mouse mAb Coated Microwells 14055: Phospho-Tyrosine Mouse Detection mAb (Biotinylated) 11805: HRP-Linked Streptavidin (ELISA Formulated) 7004: TMB Substrate

These products do not contain substances at concentrations requiring disclosure under (EC) No. 1907/2006 (REACH).

For the full text of the H-phrases & EUH-phrases mentioned in this Section, see Section 16

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General advice	Use first aid treatment according to the nature of the injury. When symptoms persist or in all cases of doubt seek medical advice.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately if symptoms occur. If breathing is difficult, give oxygen.
Skin contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Immediate medical attention is required.
Eye contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Ingestion	Get medical attention. Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

#### 4.2. Most important symptoms and effects, both acute and delayed

Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms. Corrosive. Significant esophageal or gastrointestinal tract irritation or burns may occur following ingestion. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Respiratory tract irritation, if severe, can progress to pulmonary edema which may be delayed in onset up to 24 to 72 hours after exposure in some cases. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician

Probable mucosal damage may contraindicate the use of gastric lavage.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable Extinguishing MediaUse extinguishing measures that are appropriate to local circumstances and the<br/>surrounding environment.Unsuitable Extinguishing MediaNo information available.

### 5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Avoid contact with skin, eyes and clothing. Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
For emergency responders	Use personal protection recommended in Section 8.
Other information	Refer to protective measures listed in Sections 7 and 8.

### 6.2. Environmental precautions

Do not allow material to contaminate ground water system. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

#### 6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal. Dike far ahead of
	liquid spill for later disposal. Soak up with inert absorbent material. Clean contaminated
	surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush
	away traces with water.

#### 6.4. Reference to other sections

See Sections 8 & 13 for additional information.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

### 7.3. Specific end use(s)

Use as a laboratory reagent.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Chemical name	European Union	United Kingdom	France	Spain	Germany
tetrasodium pyrophosphate,		STEL 15 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup>	
decahydrate		TWA 5 mg/m <sup>3</sup>			
sodium azide	TWA 0.1 mg/m <sup>3</sup>	STEL 0.3 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>
	STEL 0.3 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup>	STEL 0.3 mg/m <sup>3</sup>	STEL 0.3 mg/m <sup>3</sup>	Ceiling / Peak: 0.4
	S*	Skin	P*	S*	mg/m³
reaction mass of:					Ceiling / Peak: 0.4
5-chloro-2-methyl-4-isothiaz					mg/m <sup>3</sup>

olin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)					TWA: 0.2 mg/m <sup>3</sup>
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
tetrasodium pyrophosphate, decahydrate					TWA 5 mg/m <sup>3</sup>
sodium azide	TWA 0.1 mg/m³ STEL 0.3 mg/m³ Pelle*	TWA 0.1 mg/m <sup>3</sup> STEL 0.3 mg/m <sup>3</sup> Ceiling 0.29 mg/m <sup>3</sup> Ceiling 0.11 ppm C(A4) P*	Huid* STEL 0.3 mg/m <sup>3</sup> TWA 0.1 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup> STEL 0.3 mg/m <sup>3</sup> iho*	TWA 0.1 mg/m³ H*
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
tetrasodium pyrophosphate, decahydrate	STEL 10 mg/m <sup>3</sup> TWA 5 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup>		TWA 5 mg/m <sup>3</sup> STEL 10 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup>
sodium azide	H* STEL 0.3 mg/m <sup>3</sup> TWA 0.1 mg/m <sup>3</sup>	TWA 0.2 mg/m <sup>3</sup> STEL 0.4 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup> STEL 0.3 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup> STEL 0.1 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup> STEL 0.3 mg/m <sup>3</sup> Skin
reaction mass of: 5-chloro-2-methyl-4-isothiaz olin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no.	TWA 0.05 mg/m³ Sh/Sah**	SS-C** S+ TWA 0.2 mg/m <sup>3</sup> STEL 0.4 mg/m <sup>3</sup>			

### 8.2. Exposure controls

### Appropriate engineering controls

Showers, eyewash stations, and ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Tightly fitting safety goggles. Face-shield.
Skin protection	Wear protective gloves and protective clothing
Hand protection	Impervious gloves.
Other	Wear suitable protective clothing.
Respiratory protection	In case of inadequate ventilation wear respiratory protection.

## **Environmental Exposure Controls**

No information available.

### **SECTION 9.** Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Information on the known physical chemical properties of each component within Kit are given below. If not included, information is either not available or not applicable. Refer to individual kit component SDS for further information.

<b>Kit Component</b>	<b>7004: TMB Substrate</b>
Physical state	Liquid
Appearance	Clear
Color	Light yellow
pH	3.3-3.8 (20 °C)
<b>Kit Component</b>	<b>7002: STOP Solution</b>
Physical state	Liquid
Appearance	Clear

Color	Colorless
pH	1.2 (20 °C)
<b>Kit Component</b>	9801: ELISA Wash Buffer (20X)
Physical state	Liquid
Appearance	Clear
Color	Colorless
pH	6.4 (20 °C)
<b>Kit Component</b>	<b>11083: ELISA Sample Diluent</b>
Physical state	Liquid
Appearance	Clear
Color	Blue
pH	7.1 (20 °C)
<b>Kit Component</b>	9803: Cell Lysis Buffer (10X)
Physical state	Liquid
Appearance	Clear
Color	Colorless
pH	7.5 (20 °C)
<b>Kit Component</b>	<b>14055: Phospho-Tyrosine Mouse Detection mAb (Biotinylated)</b>
Physical state	Solid
Appearance	Lyophilized, Powder
Color	Green
<b>Kit Component</b>	<b>13339: Detection Antibody Diluent</b>
Physical state	Liquid
Appearance	Clear
Color	Green
pH	7.4 (20 °C)
<b>Kit Component</b>	<b>11805: HRP-Linked Streptavidin (ELISA Formulated)</b>
Physical state	Solid
Appearance	Lyophilized, Powder
Color	Red
<b>Kit Component</b>	<b>13515: HRP Diluent</b>
Physical state	Liquid
Appearance	Clear
Color	Red
pH	7.4 (20 °C)
Kit Component	63396: TrkB Mouse mAb Coated Microwells

Kit Component Physical state Appearance

5: TrkB Mouse mAb Coated Microwells Solid **Microwell Plate** 

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization	Hazardous polymerization does not occur.
Hazardous reactions	None under normal processing.

### 10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Over a period of time, sodium azide may react with copper, lead, brass, or solder in plumbing systems to form an accumulation of the HIGHLY EXPLOSIVE compounds of lead azide & copper azide.

### 10.5. Incompatible materials

Incompatible with strong acids and bases, Incompatible with oxidizing agents.

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to release of toxic/corrosive gases and vapors.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

Refer to kit component SDS for full toxicological information. This material should only be handled by, or under the close supervision of, those properly qualified in the handling and use of potentially hazardous chemicals. It should be borne in mind that the toxicological and physiological properties of this compound is not well defined.

### **Component Information**

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
polyethylene glycol	= 1800 mg/kg (Rat)	-	-
p-(1,1,3,3-tetramethylbutyl)phenylet			
her			
maleic acid	708 mg/kg(Rat)	1,560 mg/kg ( Rabbit )	> 0.72 mg/L ( Rat ) 1h
trometamol	5900 mg/kg ( Rat )	-	-
sodium azide	= 27 mg/kg (Rat)	= 20 mg/kg (Rabbit)= 50 mg/kg (	-
		Rat )	
reaction mass of:	= 53 mg/kg (Rat) = 481 mg/kg	= 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat) 4 h = 0.11 mg/L
5-chloro-2-methyl-4-isothiazolin-3-o	(Rat) 232 - 249 mg/kg (Rat) = 120		(Rat)4h
ne [EC no. 247-500-7] and	mg/kg (Rat)		
2-methyl-2H -isothiazol-3-one [EC			
no. 220-239-6] (3:1)			

### Information on likely routes of exposure

### Inhalation

Kit Component	<b>7002: STOP Solution</b>
Inhalation	Aerosol expected to be irritating based on components.
Kit Component	<b>9801: ELISA Wash Buffer (20X)</b>
Inhalation	Avoid breathing vapors or mists. May cause irritation of respiratory tract.
Kit Component	<b>14055: Phospho-Tyrosine Mouse Detection mAb (Biotinylated)</b>
Inhalation	May cause allergic respiratory reaction.
Kit Component	<b>11805: HRP-Linked Streptavidin (ELISA Formulated)</b>
Inhalation	May cause allergic respiratory reaction.

Kit Component	<b>13515: HRP Diluent</b>
Inhalation	Avoid breathing vapors or mists. May cause irritation of respiratory tract.
Eye contact	
Kit Component	7002: STOP Solution
Eye contact	May cause irreversible damage to eyes
Kit Component	9801: ELISA Wash Buffer (20X)
Eye contact	Expected to be an irritant based on components
Kit Component	9803: Cell Lysis Buffer (10X)
Eye contact	Expected to be an irritant based on components
Kit Component	13515: HRP Diluent
Eye contact	Contact with eyes may cause irritation
Skin contact	
Kit Component	<b>7002: STOP Solution</b>
Skin contact	Corrosive to skin. Prolonged contact with skin is harmful.
Kit Component Skin contact	<b>9801: ELISA Wash Buffer (20X)</b> Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Expected to be an irritant based on components.
Kit Component	<b>14055: Phospho-Tyrosine Mouse Detection mAb (Biotinylated)</b>
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Kit Component	<b>11805: HRP-Linked Streptavidin (ELISA Formulated)</b>
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Kit Component	<b>13515: HRP Diluent</b>
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion_	
Kit Component	<b>7002: STOP Solution</b>
Ingestion	Ingestion causes burns of the upper digestive and respiratory tract. Harmful if swallowed.
Kit Component	9801: ELISA Wash Buffer (20X)
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Delayed and immediate effects as v	vell as chronic effects from short and long-term exposure
Symptoms	Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms Corrosive. Significant esophageal or gastrointestinal tract irritation or burns may occur following ingestion Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Respiratory tract irritation, if severe, can progress to pulmonary edema which may be delayed in onset up to 24 to 72 hours after exposure in some cases Contains an animal derived biological. May produce an allergic reaction in susceptible individuals Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands

and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing

### Skin and Eye Corrosion/Irritation

	<b>Kit Component</b> Serious eye damage/eye irritation Skin corrosion/irritation	<b>7002: STOP Solution</b> Risk of serious damage to eyes. Causes burns
	Kit Component Serious eye damage/eye irritation Skin corrosion/irritation	<b>9801: ELISA Wash Buffer (20X)</b> Causes serious eye irritation. Causes skin irritation
	Kit Component Serious eye damage/eye irritation	9803: Cell Lysis Buffer (10X) Irritating to eyes.
Se	nsitization	
	Kit Component Skin Sensitization	<b>7002: STOP Solution</b> May cause skin sensitization.
	Kit Component Skin Sensitization	<b>9801: ELISA Wash Buffer (20X)</b> Product is or contains a sensitizer. May cause an allergic skin reaction.
	<b>Kit Component</b> Respiratory Sensitization Skin Sensitization	<b>14055: Phospho-Tyrosine Mouse Detection mAb (Biotinylated)</b> May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause skin sensitization.
	<b>Kit Component</b> Respiratory Sensitization Skin Sensitization	<b>11805: HRP-Linked Streptavidin (ELISA Formulated)</b> May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause skin sensitization.
	Kit Component Skin Sensitization	<b>13515: HRP Diluent</b> Product is or contains a sensitizer. May cause an allergic skin reaction.
Mu	utagenic effects	
	Kit Component Mutagenic effects	7002: STOP Solution Not mutagenic in AMES Test.
Ca	rcinogenic effects	No information available
Re	productive toxicity	No information available.
	stemic Target Organ Toxicity TOT)	
	Kit Component STOT - single exposure	7002: STOP Solution Respiratory system
As	piration Hazard	No information available.
<u>11</u>	.2. Information on other hazards	
Ot	her adverse effects	No information available.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

### **Product Information**

Kit Component	7002: STOP Solution
Ecotoxicity	Toxic to aquatic life
Kit Component	<b>9801: ELISA Wash Buffer (20X)</b>
Ecotoxicity	Harmful to aquatic life with long lasting effects

#### **Component Information**

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylet her	-	LC50 8.9 mg/l (Pimephales promelas) 96 h	EC50 26 mg/l (Daphnia) 48 h
maleic acid	-	LC50 5 mg/L (Pimephales promelas) 96 h	EC50 250 - 400 mg/L (Daphnia magna) 48 h
trometamol	-	-	NOEC >100 mg/L (Selenastrum capricornutum) 96 h
sodium azide	EC50 0.35 mg/L (Pseudokirchneriella subcapitata) 96 h	LC50 0.8 mg/L (Oncorhynchus mykiss) 96 h LC50 5.46 mg/L (Pimephales promelas) 96 h LC50 0.7 mg/L (Lepomis macrochirus) 96 h	LC100 1 mg/L (Orconectes rusticus) 96 h
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-o ne [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	EC50 0.11 - 0.16 mg/L (Pseudokirchneriella subcapitata) 72 h EC50 0.31 mg/L (Anabaena flos-aquae) 120 h EC50 0.03 - 0.13 mg/L (Pseudokirchneriella subcapitata) 96 h	LC50 1.6 mg/L (Oncorhynchus mykiss) 96 h	EC50 4.71 mg/L (Daphnia magna) 48 h EC50 0.71 - 0.99 mg/L (Daphnia magna) 48 h EC50 0.12 - 0.3 mg/L (Daphnia magna) 48 h

### 12.2. Persistence and degradability

Kit Component	7002: STOP Solution
Persistence and degradability	Product is biodegradable
Kit Component	9801: ELISA Wash Buffer (20X)
Persistence and degradability	Not readily biodegradable
12.3. Bioaccumulative potential	
Kit Component	7002: STOP Solution

Kit Component	
Bioaccumulation	

Not likely to bioaccumulate

#### **Kit Component** 9801: ELISA Wash Buffer (20X) Bioaccumulation Not likely to bioaccumulate

**Chemical name Octanol-Water Partition Coefficient** maleic acid 0.32

### 12.4. Mobility in soil

<b>Kit Component</b>	<b>7002: STOP Solution</b>
Mobility	Will likely be mobile in the environment due to its water solubility
<b>Kit Component</b>	9801: ELISA Wash Buffer (20X)
Mobility	Will likely be mobile in the environment due to its water solubility

#### 12.5. Results of PBT and vPvB assessment

No information available.

### 12.6. Endocrine disrupting properties

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylet	Group III Chemical	-	-
her			

### 12.7. Other adverse effects

#### No information available

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste from residues / unused products Contaminated packaging	Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

## **SECTION 14: Transport information**

This material is subject to regulation as a hazardous material for shipping:

IMDG/IMO 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user 14.7 Maritime transport in bulk according to IMO instruments	UN3265 Corrosive liquid, acidic, organic, n.o.s. (maleic acid) 8 III None None Not regulated
<u>ADR/RID</u> 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards	UN3265 Corrosive liquid, acidic, organic, n.o.s. (maleic acid) 8 III None

14.6 Special precautions for user None

14.1 UN number	UN3265
14.2 UN proper shipping name	Corrosive liquid, acidic, organic, n.o.s. (maleic acid)
14.3 Transport hazard class(es)	8
14.4 Packing group	III
14.5 Environmental hazards	None
14.6 Special precautions for user	None
Excepted Quantity	E1

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Candidate List of Substances of Very High Concern for Authorization Information

Chemical name	Candidate List of Substances of Very High Concern for
	Authorization Information
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether (10 - 20%)	Reason for inclusion Endocrine disrupting properties,
	Article 57f - environment

### SEVESO Directive Information

This product does not contain substances identified in the SEVESO Directive.

### International inventories

TSCA 8(b)	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-

International inventories legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out

### **SECTION 16: Other information**

### Full text of H-Statements referred to under Sections 2 and 3

H300 - Fatal if swallowed H301 - Toxic if swallowed

H302 - Harmful if swallowed	
H311 - Toxic in contact with skin	
H314 - Causes severe skin burns	and eye damage
H315 - Causes skin irritation	
H317 - May cause an allergic skin	reaction
H318 - Causes serious eye damag	ge
H319 - Causes serious eye irritatio	on line line line line line line line lin
H331 - Toxic if inhaled	
H335 - May cause respiratory irrita	ation
H412 - Harmful to aquatic life with	long lasting effects
H400 - Very toxic to aquatic life	
H410 - Very toxic to aquatic life wi	th long lasting effects
H411 - Toxic to aquatic life with lo	ng lasting effects
EUH032 - Contact with acids libera	ates very toxic gas
Cleasification presedure.	Even art judgmant and waight a

Classification procedure:	Expert judgment and weight of evidence determination.
Issuing Date:	2018-01-19
Revision Date:	2024-01-10
Disclaimer	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.