



Safety Data Sheet (SDS) According to the OSHA Hazard Communication Standard 29 CFR 1910.1200

Issuing Date: 2018-01-19

Revision Date: 2024-07-23

Version: 4

SECTION 1. Identification

Product identifier

Product No 7176
Product name PathScan® Phospho-cdc2 (Tyr15) Sandwich ELISA Kit
Kit Component
63030: Phospho-Cdc2 (Tyr15) Rabbit mAb Coated Microwells
93191: cdc2 Mouse Detection mAb
13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated)
13339: Detection Antibody Diluent
13515: HRP Diluent
11083: ELISA Sample Diluent
7002: STOP Solution
7004: TMB Substrate
9801: ELISA Wash Buffer (20X)
9803: Cell Lysis Buffer (10X)

Hazardous Components

13515: HRP Diluent
7002: STOP Solution
9801: ELISA Wash Buffer (20X)
9803: Cell Lysis Buffer (10X)

UN number UN3265

Recommended use of the chemical and restrictions on use

Identified uses This product is intended for research purposes only.

Manufacturer, importer, supplier

Manufacturer address Cell Signaling Technology, Inc.
3 Trask Lane
Danvers, MA 01923
United States
TEL: +1 978 867 2300
FAX: +1 978 867 2400
Website www.cellsignal.com
Email address support@cellsignal.com
Emergency telephone number In case of emergency call CHEMTREC 1-800-424-9300

SECTION 2. Hazard(s) identification

Classification

Classification and label elements described below are inclusive of all hazards of the combined kit. The most severe classifications are listed for each endpoint. Refer to individual kit component SDS for classification and label elements for each component

present in the kit.

| | |
|--|------------|
| Skin corrosion/irritation | Category 1 |
| Serious eye damage/eye irritation | Category 1 |
| Skin sensitization | Category 1 |
| Chronic aquatic toxicity | Category 3 |

GHS Label elements, including precautionary statements



Signal Word

Danger

Hazard statement(s)

Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

Do not breathe dust/fume/gas/mist/vapors/spray.
Wash face, hands and any exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Contaminated work clothing should not be allowed out of the workplace.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
If skin irritation or rash occurs: Get medical advice/attention
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Immediately call a POISON CENTER or doctor/physician
Store locked up.
Avoid release to the environment.
Dispose of contents/container to an approved waste disposal plant.

Supplementary Hazard Information

May produce an allergic reaction.

Hazards not otherwise classified (HNOC)

Not applicable.

SECTION 3. Composition/information on ingredients

Kit Component

7002: STOP Solution

DANGER: Causes severe skin burns and eye damage. May cause an allergic skin reaction.

| Chemical name | CAS No | Weight-% |
|----------------------|---------------|-----------------|
| maleic acid | 110-16-7 | 3-7 |

Kit Component 9801: ELISA Wash Buffer (20X)

WARNING: May cause an allergic skin reaction.

| Chemical name | CAS No | Weight-% |
|---|------------|-------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | 0.005-0.025 |

Kit Component 11083: ELISA Sample Diluent

| Chemical name | CAS No | Weight-% |
|---------------|------------|----------|
| sodium azide | 26628-22-8 | <0.1 |

Kit Component 9803: Cell Lysis Buffer (10X)

DANGER: Causes serious eye damage. Causes skin irritation. Harmful to aquatic life with long lasting effects.

| Chemical name | CAS No | Weight-% |
|--|------------|----------|
| polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether | 9002-93-1 | 10 |
| trometamol | 77-86-1 | 1.79 |
| tetrasodium pyrophosphate, decahydrate | 13472-36-1 | 0.1-1 |

Kit Component 13339: Detection Antibody Diluent

| Chemical name | CAS No | Weight-% |
|---------------|------------|----------|
| trometamol | 77-86-1 | 0.5 |
| sodium azide | 26628-22-8 | <0.1 |

Kit Component 13515: HRP Diluent

WARNING: May cause an allergic skin reaction.

| Chemical name | CAS No | Weight-% |
|---|------------|-------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | 0.005-0.025 |
| trometamol | 77-86-1 | 0.5 |

Kit Component
63030: Phospho-Cdc2 (Tyr15) Rabbit mAb Coated Microwells
93191: cdc2 Mouse Detection mAb
13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated)
7004: TMB Substrate

These products do not contain substances at concentrations requiring disclosure under 29 CFR 1910.1200 (OSHA Hazard Communication Standard).

| |
|--------------------------------------|
| SECTION 4. First-aid measures |
|--------------------------------------|

| | |
|---------------------|--|
| Eye contact | Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. |
| Skin contact | Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Immediate medical attention is required. |
| Inhalation | IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately if symptoms occur. If breathing is difficult, give oxygen. |
| Ingestion | Get medical attention. Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. |

Most important symptoms and effects, both acute and delayed

Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms. Corrosive. Significant esophageal or gastrointestinal tract irritation or burns may occur following ingestion. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Respiratory tract irritation, if severe, can progress to pulmonary edema which may be delayed in onset up to 24 to 72 hours after exposure in some cases. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Indication of any immediate medical attention and special treatment needed

Probable mucosal damage may contraindicate the use of gastric lavage.

Advice for emergency responders

| | |
|-----------------------------------|---|
| General advice | For further assistance, contact your local Poison Control Center. |
| Protection of first-aiders | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves |

SECTION 5. Fire-fighting measures

Extinguishing media

| | |
|-------------------------------------|--|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment |
|-------------------------------------|--|

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion Data

| | |
|---|------|
| Sensitivity to Mechanical Impact | None |
| Sensitivity to Static Discharge | None |

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| | |
|------------------------------------|--|
| For non-emergency personnel | Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Ensure adequate |
|------------------------------------|--|

Other information

ventilation.
Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Do not allow material to contaminate ground water system. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment
Methods for cleaning up

Prevent further leakage or spillage if safe to do so.
Take up mechanically, placing in appropriate containers for disposal. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Clean contaminated surface thoroughly.

SECTION 7. Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.
Packaging material No information available
Incompatible products Incompatible with strong acids and bases, Incompatible with oxidizing agents

SECTION 8. Exposure controls/personal protection

Control parameters

| Chemical name | Occupational exposure limit values | | |
|--|--|----------|--|
| | ACGIH TLV | OSHA PEL | NIOSH REL |
| tetrasodium pyrophosphate, decahydrate | - | - | TWA : 5 mg/m ³ |
| sodium azide | Ceiling: 0.29 mg/m ³ Ceiling: 0.11 ppm | - | Ceiling: 0.1 ppm Ceiling: 0.3 mg/m ³ |

Appropriate engineering controls

Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Personal protective equipment (PPE) needs to be selected depending on the implemented engineering controls, frequency/duration of work activities and the concentrations of the hazardous substance.

Eye/face protection
Skin and body protection
Respiratory protection
Hygiene measures

Tightly fitting safety goggles. Face-shield.
Wear protective gloves/clothing.
In case of inadequate ventilation wear respiratory protection.
Remove and wash contaminated clothing before re-use. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes and clothing. Wear suitable gloves and eye/face protection.

SECTION 9. Physical and chemical properties

Information on the known physical chemical properties of each component within Kit are given below. If not included, information is either not available or not applicable. Refer to individual kit component SDS for further information.

Information on basic physical and chemical properties

Kit Component

 Physical state
 Appearance
 Color
 pH

7004: TMB Substrate

 Liquid
 Clear
 Light yellow
 3.3-3.8 (20 °C)

Kit Component

 Physical state
 Appearance
 Color
 pH

7002: STOP Solution

 Liquid
 Clear
 Colorless
 1.2 (20 °C)

Kit Component

 Physical state
 Appearance
 Color
 pH

9801: ELISA Wash Buffer (20X)

 Liquid
 Clear
 Colorless
 6.4 (20 °C)

Kit Component

 Physical state
 Appearance
 Color
 pH

11083: ELISA Sample Diluent

 Liquid
 Clear
 Blue
 7.1 (20 °C)

Kit Component

 Physical state
 Appearance
 Color
 pH

9803: Cell Lysis Buffer (10X)

 Liquid
 Clear
 Colorless
 7.5 (20 °C)

Kit Component

 Physical state
 Appearance
 Color

93191: cdc2 Mouse Detection mAb

 Solid
 Lyophilized, Powder
 Green

Kit Component

 Physical state
 Appearance
 Color
 pH

13339: Detection Antibody Diluent

 Liquid
 Clear
 Green
 7.4 (20 °C)

Kit Component

 Physical state
 Appearance
 Color

13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated)

 Solid
 Lyophilized, Powder
 Red

Kit Component

 Physical state
 Appearance
 Color
 pH

13515: HRP Diluent

 Liquid
 Clear
 Red
 7.4 (20 °C)

| | |
|----------------------|---|
| Kit Component | 63030: Phospho-Cdc2 (Tyr15) Rabbit mAb Coated Microwells |
| Physical state | Solid |
| Appearance | Microwell Plate |

SECTION 10. Stability and reactivity

Reactivity

No information available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

| | |
|---------------------------------|-------------------------------|
| Hazardous reactions | None under normal processing. |
| Hazardous polymerization | None under normal processing. |

Conditions to Avoid

Extremes of temperature and direct sunlight. Over a period of time, sodium azide may react with copper, lead, brass, or solder in plumbing systems to form an accumulation of the HIGHLY EXPLOSIVE compounds of lead azide & copper azide

Incompatible Materials

Incompatible with strong acids and bases, Incompatible with oxidizing agents

Hazardous Decomposition Products

Thermal decomposition can lead to release of toxic/corrosive gases and vapors

SECTION 11. Toxicological information

Information on likely routes of exposure

Product Information

Refer to kit component SDS for full toxicological information. This material should only be handled by, or under the close supervision of, those properly qualified in the handling and use of potentially hazardous chemicals. It should be borne in mind that the toxicological and physiological properties of this compound is not well defined.

Inhalation

| | |
|----------------------|---|
| Kit Component | 7002: STOP Solution |
| Inhalation | Aerosol expected to be irritating based on components |
| Kit Component | 9801: ELISA Wash Buffer (20X) |
| Inhalation | Avoid breathing vapors or mists May cause irritation of respiratory tract |
| Kit Component | 93191: cdc2 Mouse Detection mAb |
| Inhalation | May cause allergic respiratory reaction |
| Kit Component | 13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated) |
| Inhalation | May cause allergic respiratory reaction |
| Kit Component | 13515: HRP Diluent |

Inhalation Avoid breathing vapors or mists May cause irritation of respiratory tract

Eye contact

Kit Component
Eye contact **7002: STOP Solution**
May cause irreversible damage to eyes

Kit Component
Eye contact **9801: ELISA Wash Buffer (20X)**
Expected to be an irritant based on components

Kit Component
Eye contact **9803: Cell Lysis Buffer (10X)**
Expected to be an irritant based on components

Kit Component
Eye contact **13515: HRP Diluent**
Contact with eyes may cause irritation

Skin contact

Kit Component
Skin contact **7002: STOP Solution**
Corrosive to skin Prolonged contact with skin is harmful

Kit Component
Skin contact **9801: ELISA Wash Buffer (20X)**
Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Expected to be an irritant based on components

Kit Component
Skin contact **93191: cdc2 Mouse Detection mAb**
Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Kit Component
Skin contact **13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated)**
Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Kit Component
Skin contact **13515: HRP Diluent**
Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Ingestion

Kit Component
Ingestion **7002: STOP Solution**
Ingestion causes burns of the upper digestive and respiratory tract. Harmful if swallowed

Kit Component
Ingestion **9801: ELISA Wash Buffer (20X)**
Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea

Information on toxicological effects**Component Information**

| Chemical name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--|--|--------------------------------------|--|
| polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylet her | = 1800 mg/kg (Rat) | - | - |
| maleic acid | 708 mg/kg (Rat) | 1,560 mg/kg (Rabbit) | > 0.72 mg/L (Rat) 1h |
| trometamol | 5900 mg/kg (Rat) | - | - |
| sodium azide | = 27 mg/kg (Rat) | = 20 mg/kg (Rabbit) = 50 mg/kg (Rat) | - |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-o ne [EC no. 247-500-7] and | = 53 mg/kg (Rat) = 481 mg/kg (Rat) 232 - 249 mg/kg (Rat) = 120 mg/kg (Rat) | = 200 mg/kg (Rabbit) | = 1.23 mg/L (Rat) 4 h = 0.11 mg/L (Rat) 4 h |

| | | | |
|--|--|--|--|
| 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) | | | |
|--|--|--|--|

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms

Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms. Corrosive. Significant esophageal or gastrointestinal tract irritation or burns may occur following ingestion. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Respiratory tract irritation, if severe, can progress to pulmonary edema which may be delayed in onset up to 24 to 72 hours after exposure in some cases. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Skin and Eye Corrosion/Irritation

| | |
|--|--|
| Kit Component Serious eye damage/eye irritation Skin corrosion/irritation | 7002: STOP Solution Risk of serious damage to eyes Causes burns |
|--|--|

| | |
|--|---|
| Kit Component Serious eye damage/eye irritation Skin corrosion/irritation | 9801: ELISA Wash Buffer (20X) Causes serious eye irritation Causes skin irritation |
|--|---|

| | |
|---|--|
| Kit Component Serious eye damage/eye irritation | 9803: Cell Lysis Buffer (10X) Irritating to eyes |
|---|--|

Sensitization

| | |
|--|--|
| Kit Component Skin Sensitization | 7002: STOP Solution May cause skin sensitization |
|--|--|

| | |
|--|--|
| Kit Component Skin Sensitization | 9801: ELISA Wash Buffer (20X) Product is or contains a sensitizer. May cause an allergic skin reaction |
|--|--|

| | |
|---|---|
| Kit Component Respiratory Sensitization Skin Sensitization | 93191: cdc2 Mouse Detection mAb May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause skin sensitization |
|---|---|

| | |
|---|---|
| Kit Component Respiratory Sensitization Skin Sensitization | 13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated) May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause skin sensitization |
|---|---|

| | |
|--|---|
| Kit Component Skin Sensitization | 13515: HRP Diluent Product is or contains a sensitizer. May cause an allergic skin reaction |
|--|---|

Mutagenic effects

| | |
|---|--|
| Kit Component Mutagenic effects | 7002: STOP Solution Not mutagenic in AMES Test |
|---|--|

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identifiable as probable, possible or confirmed carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity No information available.

Systemic Target Organ Toxicity (STOT)

Kit Component **7002: STOP Solution**
STOT - single exposure Respiratory system

Aspiration Hazard No information available.

SECTION 12. Ecological information

Ecotoxicity

Product Information

Kit Component **7002: STOP Solution**
Ecotoxicity Toxic to aquatic life

Kit Component **9801: ELISA Wash Buffer (20X)**
Ecotoxicity Harmful to aquatic life with long lasting effects

Component Information

| Chemical name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates |
|---|--|---|--|
| polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether | - | LC50 8.9 mg/l (Pimephales promelas) 96 h | EC50 26 mg/l (Daphnia) 48 h |
| maleic acid | - | LC50 5 mg/L (Pimephales promelas) 96 h | EC50 250 - 400 mg/L (Daphnia magna) 48 h |
| trometamol | - | - | NOEC >100 mg/L (Selenastrum capricornutum) 96 h |
| sodium azide | EC50 0.35 mg/L (Pseudokirchneriella subcapitata) 96 h | LC50 0.8 mg/L (Oncorhynchus mykiss) 96 h LC50 5.46 mg/L (Pimephales promelas) 96 h LC50 0.7 mg/L (Lepomis macrochirus) 96 h | LC100 1 mg/L (Orconectes rusticus) 96 h |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | EC50 0.11 - 0.16 mg/L (Pseudokirchneriella subcapitata) 72 h EC50 0.31 mg/L (Anabaena flos-aquae) 120 h EC50 0.03 - 0.13 mg/L (Pseudokirchneriella subcapitata) 96 h | LC50 1.6 mg/L (Oncorhynchus mykiss) 96 h | EC50 4.71 mg/L (Daphnia magna) 48 h EC50 0.71 - 0.99 mg/L (Daphnia magna) 48 h EC50 0.12 - 0.3 mg/L (Daphnia magna) 48 h |

Persistence and degradability

Kit Component **7002: STOP Solution**
Persistence and degradability Product is biodegradable

Kit Component **9801: ELISA Wash Buffer (20X)**
Persistence and degradability Not readily biodegradable

Bioaccumulation

Kit Component **7002: STOP Solution**
Bioaccumulation Not likely to bioaccumulate

Kit Component **9801: ELISA Wash Buffer (20X)**

Bioaccumulation Not likely to bioaccumulate

| Chemical name | Octanol-Water Partition Coefficient |
|---------------|-------------------------------------|
| maleic acid | 0.32 |

Mobility

Kit Component **7002: STOP Solution**
 Mobility Will likely be mobile in the environment due to its water solubility

Kit Component **9801: ELISA Wash Buffer (20X)**
 Mobility Will likely be mobile in the environment due to its water solubility

Other adverse effects

No information available.

SECTION 13. Disposal considerations

Waste Disposal Methods

Dispose of in accordance with all applicable national environmental laws and regulations.

Disposal considerations

Do not empty into drains; dispose of this material and its container in a safe way. Dispose of wastes in an approved waste disposal facility.

SECTION 14. Transport information

This material is subject to regulation as a hazardous material for shipping:

DOT

UN number UN3265
UN proper shipping name Corrosive liquid, acidic, organic, n.o.s. (maleic acid)
Transport hazard class(es) 8
Packing group III

IATA

UN number UN3265
UN proper shipping name Corrosive liquid, acidic, organic, n.o.s. (maleic acid)
Transport hazard class(es) 8
Packing group III
Excepted Quantity E1

SECTION 15. Regulatory information

North American Inventory Listing

| Chemical name | TSCA 8(b) | TSCA 12(b) | DSL | NDSL |
|---------------------|-----------|------------|--------|------------|
| polyethylene glycol | Listed | Not Listed | Listed | Not Listed |

| | | | | |
|--|------------|----------------|--------|------------|
| p-(1,1,3,3-tetramethylbutyl)phenylether | | | | |
| maleic acid | Listed | Not Listed | Listed | Not Listed |
| trometamol | Listed | Not Listed | Listed | Not Listed |
| sodium azide | Listed | Not Listed | Listed | Not Listed |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) | Not Listed | Section 5: 1 % | Listed | Not Listed |

SARA 313

| Chemical name | CAS No | SARA 313 - Threshold Values % |
|----------------------------|------------|-------------------------------|
| sodium azide | 26628-22-8 | 1.0 |
| trisodium tetraoxovanadate | 13721-39-6 | 1.0 |
| magnesium nitrate | 10377-60-3 | 1.0 |
| copper dinitrate | 3251-23-8 | 1.0 |

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|-----|
| Acute Health Hazard | Yes |
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act

Refer to kit component SDS for full Clean Water Act (CWA) reporting requirements.

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances | CWA - Bioaccumulative Chemicals of Concern (BCCs) |
|---------------|-----------------------------|------------------------|---------------------------|----------------------------|---|
| maleic acid | 5000 lb | Not Listed | Not Listed | Listed | Not Listed |

CERCLA

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs |
|---------------|--------------------------|------------------------------------|
| maleic acid | 5000 lb | Not Listed |
| sodium azide | 1000 lb | 1000 lb |

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| maleic acid | Listed | Listed | Listed |
| disodium hydrogenorthophosphate | Listed | Listed | Listed |
| tetrasodium pyrophosphate, decahydrate | Listed | Listed | Listed |

| | | | |
|----------------------------|--------|------------|------------|
| sodium azide | Listed | Listed | Listed |
| trisodium tetraoxovanadate | Listed | Not Listed | Not Listed |
| magnesium nitrate | Listed | Listed | Listed |
| copper dinitrate | Listed | Listed | Listed |

SECTION 16. Other information**Issuing Date:** 2018-01-19**Revision Date:** 2024-07-23**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet