

Safety Data Sheet (SDS) According to the REACH Regulation (EC) No. 1907/2006

**Issuing Date:** 2018-01-19 **Revision Date:** 2024-01-31 **Version:** 2

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product No 7210

Product name PathScan® Phospho-TrkA (Tyr490) Sandwich ELISA Kit

Kit Component 17128: TrkA Mouse mAb Coated Microwells

13146: Phospho-TrkA (Tyr490)/TrkB (Tyr516) Rabbit Detection mAb 13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)

13339: Detection Antibody Diluent

13515: HRP Diluent

11083: ELISA Sample Diluent

7002: STOP Solution 7004: TMB Substrate

9801: ELISA Wash Buffer (20X) 9803: Cell Lysis Buffer (10X)

### Hazardous Components

13515: HRP Diluent 7002: STOP Solution

9801: ELISA Wash Buffer (20X) 9803: Cell Lysis Buffer (10X)

### Contains

| Chemical name polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether (10 - 20%   | Index No.<br>Not Listed<br>6) | <b>CAS No</b> 9002-93-1  |
|---|-------------------------------|--------------------------|
| maleic acid (0 - 10%)   | 607-095-00-3                  | 110-16-7                 |
| trometamol (0 - 10%)<br>tetrasodium pyrophosphate, decahydrate (0 -<br>10%)   | Not Listed<br>Not Listed      | 77-86-1<br>13472-36-1    |
| sodium azide (0 - 10%)<br>reaction mass of:<br>5-chloro-2-methyl-4-isothiazolin-3-one [EC no.<br>247-500-7] and 2-methyl-2H -isothiazol-3-one<br>[EC no. 220-239-6] (3:1) (0 - 10%) | 011-004-00-7<br>613-167-00-5  | 26628-22-8<br>55965-84-9 |

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** For Research Use Only. Not for Use in Diagnostic Procedures.

### 1.3. Details of the supplier of the safety data sheet

**Importer** 

Cell Signaling Technology Europe B.V.

Dellaertweg 9b 2316 WZ Leiden The Netherlands

TEL: +31 (0)71 7200 200 FAX: +31 (0)71 891 0019

Manufacturer

Cell Signaling Technology, Inc.

3 Trask Lane Danvers, MA 01923 United States

TEL: +1 978 867 2300 FAX: +1 978 867 2400

Website www.cellsignal.com E-mail Address www.cellsignal.eu

### 1.4. Emergency telephone number

**CHEMTREC** 24 hours a day, 7 days a week, 365 days a year +1 703 527 3887 (INTERNATIONAL) +1 800 424 9300 (NORTH AMERICA)

Europe 112

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Classification and label elements described below are inclusive of all hazards of the combined kit. The most severe classifications are listed for each endpoint. Refer to individual kit component SDS for classification and label elements for each component present in the kit.

| Skin corrosion/irritation         | Category 1 - (H314) |
|-----------------------------------|---------------------|
| Serious eye damage/eye irritation | Category 1 - (H318) |
| Skin sensitization                | Category 1 - (H317) |
| Chronic aquatic toxicity          | Category 3 - (H412) |

### 2.2. Label elements



Signal word Danger.

## Hazard statement(s)

- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H412 Harmful to aquatic life with long lasting effects.

### Precautionary statement(s)

- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P264 Wash face, hands and any exposed skin thoroughly after handling.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/physician.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant.

### 2.3. Other hazards

This kit contains one or more components considered a treated article that incorporates a biocidal product as a preservative with the following active ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT).

For the full text of the H-phrases & EUH-phrases mentioned in this Section, see Section 16

## **SECTION 3. Composition/information on ingredients**

Kit Component 7002: STOP Solution

DANGER: Causes severe skin burns and eye damage. May cause an allergic skin reaction.

| Chemical nar | ne C | AS No   | Weight-% | EC No     | Classification<br>(1272/2008)   | REACH<br>Registration<br>Number |
|--------------|------|---------|----------|-----------|---|---------------------------------|
| maleic acid  | 11   | 10-16-7 | 3-7      | 203-742-5 | Acute Tox. 4 (H302)<br>Skin Irrit. 2 (H315)<br>Eye Irrit. 2 (H319)<br>Skin Sens. 1 (H317)<br>STOT SE 3 (H335) | no data available               |

Kit Component 9801: ELISA Wash Buffer (20X)

WARNING: May cause an allergic skin reaction.

| Chemical name   | CAS No | Weight-%    | EC No | Classification<br>(1272/2008)   | REACH<br>Registration<br>Number |
|---|--------|-------------|-------|---|---------------------------------|
| reaction mass of: 5-chloro-2-methyl-4-isothi azolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) |        | 0.005-0.025 | -     | Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071) | no data available               |

This product is considered a treated article that incorporates a biocidal product as a preservative with the following active ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT)

Kit Component 11083: ELISA Sample Diluent

| Chemical name | CAS No | Weight-%  | EC No | Classification | REACH |
|---------------|--------|-----------|-------|----------------|-------|
| Chemical mame | CAS NO | weight-76 | EC NO | Ciassification | REACH |

|              |            |      |           | (1272/2008)  | Registration<br>Number |
|--------------|------------|------|-----------|--|------------------------|
| sodium azide | 26628-22-8 | <0.1 | 247-852-1 | Acute Tox. 2 (H300)<br>Aquatic Acute 1 (H400)<br>Aquatic Chronic 1<br>(H410)<br>(EUH032) | no data available      |

# **Kit Component**

9803: Cell Lysis Buffer (10X)

DANGER: Causes serious eye damage. Causes skin irritation. Harmful to aquatic life with long lasting effects.

| Chemical name  | CAS No     | Weight-% | EC No     | Classification<br>(1272/2008)   | REACH<br>Registration<br>Number |
|--|------------|----------|-----------|---|---------------------------------|
| polyethylene glycol<br>p-(1,1,3,3-tetramethylbut<br>yl)phenylether | 9002-93-1  | 10       | 618-344-0 | Acute Tox. 4 (H302)<br>Skin Irrit. 2 (H315)<br>Eye Dam. 1 (H318)<br>Aquatic Chronic 2<br>(H411) | no data available               |
| trometamol   | 77-86-1    | 1.79     | 201-064-4 | -   | no data available               |
| tetrasodium<br>pyrophosphate,<br>decahydrate                       | 13472-36-1 | 0.1-1    | -         | Skin Irrit. 2 (H315)<br>Eye Irrit. 2 (H319)<br>STOT SE 3 (H335)                                 | no data available               |

Polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether is a suspected endocrine disruptor.

## **Kit Component**

## 13339: Detection Antibody Diluent

| Chemical name | CAS No     | Weight-% | EC No     | Classification<br>(1272/2008)  | REACH<br>Registration<br>Number |
|---------------|------------|----------|-----------|--|---------------------------------|
| trometamol    | 77-86-1    | 0.5      | 201-064-4 | -  | no data available               |
| sodium azide  | 26628-22-8 | <0.1     | 247-852-1 | Acute Tox. 2 (H300)<br>Aquatic Acute 1 (H400)<br>Aquatic Chronic 1<br>(H410)<br>(EUH032) | no data available               |

## **Kit Component**

## 13515: HRP Diluent

WARNING: May cause an allergic skin reaction.

| Chemical name   | CAS No     | Weight-%    | EC No     | Classification<br>(1272/2008)   | REACH<br>Registration<br>Number |
|---|------------|-------------|-----------|---|---------------------------------|
| reaction mass of: 5-chloro-2-methyl-4-isothi azolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | 0.005-0.025 | -         | Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071) | no data available               |
| trometamol  | 77-86-1    | 0.5         | 201-064-4 | -   | no data available               |

This product is considered a treated article that incorporates a biocidal product as a preservative with the following active

ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT)

Kit Component 17128: TrkA Mouse mAb Coated Microwells

13146: Phospho-TrkA (Tyr490)/TrkB (Tyr516) Rabbit Detection mAb 13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)

7004: TMB Substrate

These products do not contain substances at concentrations requiring disclosure under (EC) No. 1907/2006 (REACH).

For the full text of the H-phrases & EUH-phrases mentioned in this Section, see Section 16

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

Skin contact

General advice Use first aid treatment according to the nature of the injury. When symptoms persist or in all

cases of doubt seek medical advice.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention immediately if symptoms occur. If breathing is difficult, give oxygen. Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. Immediate medical attention is required.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

**Ingestion** Get medical attention. Clean mouth with water and afterwards drink plenty of water. Do

NOT induce vomiting. Never give anything by mouth to an unconscious person.

### 4.2. Most important symptoms and effects, both acute and delayed

Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms. Corrosive. Significant esophageal or gastrointestinal tract irritation or burns may occur following ingestion. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Respiratory tract irritation, if severe, can progress to pulmonary edema which may be delayed in onset up to 24 to 72 hours after exposure in some cases. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to physician** Probable mucosal damage may contraindicate the use of gastric lavage.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

**Unsuitable Extinguishing Media** No information available.

# 5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Avoid contact with skin, eyes and clothing. Use personal protective equipment. Evacuate

personnel to safe areas. Keep people away from and upwind of spill/leak.

For emergency responders Other information

Use personal protection recommended in Section 8.
Refer to protective measures listed in Sections 7 and 8.

### 6.2. Environmental precautions

Do not allow material to contaminate ground water system. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### 6.3. Methods and material for containment and cleaning up

Methods for containment Methods for cleaning up Prevent further leakage or spillage if safe to do so.

Take up mechanically, placing in appropriate containers for disposal. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush

away traces with water.

### 6.4. Reference to other sections

See Sections 8 & 13 for additional information.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

## 7.3. Specific end use(s)

Use as a laboratory reagent.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

| Chemical name                | European Union             | United Kingdom             | France                     | Spain                      | Germany                    |
|------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| tetrasodium pyrophosphate,   |                            | STEL 15 mg/m <sup>3</sup>  | TWA 5 mg/m <sup>3</sup>    | TWA 5 mg/m <sup>3</sup>    |                            |
| decahydrate                  |                            | TWA 5 mg/m <sup>3</sup>    |                            |                            |                            |
| sodium azide                 | TWA 0.1 mg/m <sup>3</sup>  | STEL 0.3 mg/m <sup>3</sup> | TWA 0.1 mg/m <sup>3</sup>  | TWA 0.1 mg/m <sup>3</sup>  | TWA: 0.2 mg/m <sup>3</sup> |
|                              | STEL 0.3 mg/m <sup>3</sup> | TWA 0.1 mg/m <sup>3</sup>  | STEL 0.3 mg/m <sup>3</sup> | STEL 0.3 mg/m <sup>3</sup> | Ceiling / Peak: 0.4        |
|                              | S*                         | Skin                       | P*                         | S*                         | mg/m³                      |
| reaction mass of:            |                            |                            |                            |                            | Ceiling / Peak: 0.4        |
| 5-chloro-2-methyl-4-isothiaz |                            |                            |                            |                            | mg/m³                      |

| olin-3-one [EC no.<br>247-500-7] and 2-methyl-2H<br>-isothiazol-3-one [EC no.<br>220-239-6] (3:1) |   |   |  |   | TWA: 0.2 mg/m <sup>3</sup>      |
|---|---|---|--|---|---------------------------------|
| Chemical name   | Italy                                     | Portugal  | Netherlands                              | Finland                                 | Denmark                         |
| tetrasodium pyrophosphate, decahydrate  |   |   |  |   | TWA 5 mg/m <sup>3</sup>         |
| sodium azide  | TWA 0.1 mg/m³<br>STEL 0.3 mg/m³<br>Pelle* | TWA 0.1 mg/m³ STEL 0.3 mg/m³ Ceiling 0.29 mg/m³ Ceiling 0.11 ppm C(A4) P* | Huid*<br>STEL 0.3 mg/m³<br>TWA 0.1 mg/m³ | TWA 0.1 mg/m³<br>STEL 0.3 mg/m³<br>iho* | TWA 0.1 mg/m <sup>3</sup><br>H* |
| Chamical name   |   |   |  |   |                                 |
| Chemical name   | Austria                                   | Switzerland   | Poland                                   | Norway                                  | Ireland                         |
| tetrasodium pyrophosphate,<br>decahydrate   | Austria STEL 10 mg/m³ TWA 5 mg/m³         | Switzerland TWA 5 mg/m³   | Poland                                   | Norway TWA 5 mg/m³ STEL 10 mg/m³        | Ireland TWA 5 mg/m³             |
| tetrasodium pyrophosphate,  | STEL 10 mg/m <sup>3</sup>                 |   | TWA 0.1 mg/m³<br>STEL 0.3 mg/m³          | TWA 5 mg/m <sup>3</sup>                 |                                 |

### 8.2. Exposure controls

# Appropriate engineering controls

Showers, eyewash stations, and ventilation systems.

## Individual protection measures, such as personal protective equipment

**Eye/face protection Skin protection**Tightly fitting safety goggles. Face-shield.

Wear protective gloves and protective clothing

Hand protection Impervious gloves.

Other Wear suitable protective clothing.

**Respiratory protection** In case of inadequate ventilation wear respiratory protection.

### **Environmental Exposure Controls**

No information available.

# **SECTION 9. Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Information on the known physical chemical properties of each component within Kit are given below. If not included, information is either not available or not applicable. Refer to individual kit component SDS for further information.

Kit Component 7004: TMB Substrate

Physical state Liquid
Appearance Clear
Color Light yellow
pH 3.3-3.8 (20 °C)

Kit Component 7002: STOP Solution

Physical state Liquid Appearance Clear

Color Colorless pH 1.2 (20 °C)

Kit Component 9801: ELISA Wash Buffer (20X)

Physical state Liquid
Appearance Clear
Color Colorless
pH 6.4 (20 °C)

Kit Component 11083: ELISA Sample Diluent

Physical state Liquid
Appearance Clear
Color Blue
pH 7.1 (20 °C)

Kit Component 9803: Cell Lysis Buffer (10X)

Physical state Liquid
Appearance Clear
Color Colorless
pH 7.5 (20 °C)

Kit Component 13146: Phospho-TrkA (Tyr490)/TrkB (Tyr516) Rabbit Detection mAb

Physical state Solic

Appearance Lyophilized, Powder

Color Green

Kit Component 13339: Detection Antibody Diluent

Physical state Liquid
Appearance Clear
Color Green
pH 7.4 (20 °C)

Kit Component 13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)

Physical state Solid

Appearance Lyophilized, Powder

Color Red

Kit Component 13515: HRP Diluent

Physical state Liquid
Appearance Clear
Color Red
pH 7.4 (20 °C)

Kit Component 17128: TrkA Mouse mAb Coated Microwells

Physical state Solid

Appearance Microwell Plate

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No information available.

## 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous polymerization** Hazardous polymerization does not occur.

Hazardous reactions None under normal processing

#### 10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Over a period of time, sodium azide may react with copper, lead, brass, or solder in plumbing systems to form an accumulation of the HIGHLY EXPLOSIVE compounds of lead azide & copper azide.

### 10.5. Incompatible materials

Incompatible with strong acids and bases, Incompatible with oxidizing agents.

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to release of toxic/corrosive gases and vapors.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

Refer to kit component SDS for full toxicological information. This material should only be handled by, or under the close supervision of, those properly qualified in the handling and use of potentially hazardous chemicals. It should be borne in mind that the toxicological and physiological properties of this compound is not well defined.

### **Component Information**

| Chemical name                        | LD50 Oral                         | LD50 Dermal                      | LC50 Inhalation                      |  |
|--------------------------------------|-----------------------------------|----------------------------------|--------------------------------------|--|
| polyethylene glycol                  | = 1800 mg/kg (Rat)                | -                                | -                                    |  |
| p-(1,1,3,3-tetramethylbutyl)phenylet |                                   |                                  |                                      |  |
| her                                  |                                   |                                  |                                      |  |
| maleic acid                          | 708 mg/kg ( Rat )                 | 1,560 mg/kg ( Rabbit )           | > 0.72 mg/L ( Rat ) 1h               |  |
| trometamol                           | 5900 mg/kg ( Rat )                | -                                | -                                    |  |
| sodium azide                         | = 27 mg/kg (Rat)                  | = 20 mg/kg (Rabbit) = 50 mg/kg ( | -                                    |  |
|                                      |                                   | Rat )                            |                                      |  |
| reaction mass of:                    | = 53 mg/kg (Rat) = 481 mg/kg      | = 200 mg/kg ( Rabbit )           | = 1.23  mg/L  (Rat) 4 h = 0.11  mg/L |  |
| 5-chloro-2-methyl-4-isothiazolin-3-o | (Rat) 232 - 249 mg/kg (Rat) = 120 |                                  | ( Rat ) 4 h                          |  |
| ne [EC no. 247-500-7] and            | mg/kg (Rat)                       |                                  |                                      |  |
| 2-methyl-2H -isothiazol-3-one [EC    |                                   |                                  |                                      |  |
| no. 220-239-6] (3:1)                 |                                   |                                  |                                      |  |

### Information on likely routes of exposure

## **Inhalation**

Kit Component 7002: STOP Solution

Inhalation Aerosol expected to be irritating based on components.

Kit Component 9801: ELISA Wash Buffer (20X)

Inhalation Avoid breathing vapors or mists. May cause irritation of respiratory tract.

Kit Component 13146: Phospho-TrkA (Tyr490)/TrkB (Tyr516) Rabbit Detection mAb

Inhalation May cause allergic respiratory reaction.

Kit Component 13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)

Inhalation May cause allergic respiratory reaction.

Kit Component 13515: HRP Diluent

Inhalation Avoid breathing vapors or mists. May cause irritation of respiratory tract.

Eye contact

Kit Component 7002: STOP Solution

Eye contact May cause irreversible damage to eyes.

Kit Component 9801: ELISA Wash Buffer (20X)

Eye contact Expected to be an irritant based on components.

Kit Component 9803: Cell Lysis Buffer (10X)

Eye contact Expected to be an irritant based on components.

Kit Component 13515: HRP Diluent

Eye contact Contact with eyes may cause irritation.

Skin contact

Kit Component 7002: STOP Solution

Skin contact Corrosive to skin. Prolonged contact with skin is harmful.

Kit Component 9801: ELISA Wash Buffer (20X)

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Expected to be an irritant based on components.

Kit Component 13146: Phospho-TrkA (Tyr490)/TrkB (Tyr516) Rabbit Detection mAb

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Kit Component 13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Kit Component 13515: HRP Diluent

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Ingestion

Kit Component 7002: STOP Solution

Ingestion Ingestion causes burns of the upper digestive and respiratory tract. Harmful if swallowed.

Kit Component 9801: ELISA Wash Buffer (20X)

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms Contains kit components which may cause the following effects, refer to individual

component SDSs for full information on symptoms Corrosive. Significant esophageal or gastrointestinal tract irritation or burns may occur following ingestion Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Respiratory tract irritation, if severe, can progress to pulmonary edema which may be delayed in onset up to 24 to 72 hours after exposure in some cases Contains an animal derived biological. May produce an allergic reaction in susceptible individuals Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands

and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing

Skin and Eye Corrosion/Irritation

Kit Component 7002: STOP Solution

Serious eye damage/eye irritation Risk of serious damage to eyes.

Skin corrosion/irritation Causes burns

Kit Component 9801: ELISA Wash Buffer (20X)

Serious eye damage/eye irritation Causes serious eye irritation. Skin corrosion/irritation Causes skin irritation

Kit Component 9803: Cell Lysis Buffer (10X)

Serious eye damage/eye irritation Irritating to eyes.

Sensitization

**Kit Component**Skin Sensitization **7002: STOP Solution**May cause skin sensitization.

Kit Component 9801: ELISA Wash Buffer (20X)

Skin Sensitization Product is or contains a sensitizer. May cause an allergic skin reaction.

Kit Component 13146: Phospho-TrkA (Tyr490)/TrkB (Tyr516) Rabbit Detection mAb

Respiratory Sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sensitization May cause skin sensitization.

Kit Component 13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)

Respiratory Sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sensitization May cause skin sensitization.

Kit Component 13515: HRP Diluent

Skin Sensitization Product is or contains a sensitizer. May cause an allergic skin reaction.

**Mutagenic effects** 

Kit Component 7002: STOP Solution

Mutagenic effects Not mutagenic in AMES Test.

Carcinogenic effects No information available

**Reproductive toxicity**No information available.

**Systemic Target Organ Toxicity** 

(STOT)

**Kit Component**STOT - single exposure

7002: STOP Solution
Respiratory system.

Aspiration Hazard No information available.

11.2. Information on other hazards

Other adverse effects No information available.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

### **Product Information**

**Kit Component 7002: STOP Solution**Ecotoxicity

Toxic to aquatic life

Kit Component 9801: ELISA Wash Buffer (20X)

Ecotoxicity Harmful to aquatic life with long lasting effects

### **Component Information**

| Chemical name   | Toxicity to algae   | Toxicity to fish                            | Toxicity to daphnia and other aquatic invertebrates   |
|---|---|---|---|
| polyethylene glycol<br>p-(1,1,3,3-tetramethylbutyl)phenylet<br>her  | -   | LC50 8.9 mg/l (Pimephales<br>promelas) 96 h | EC50 26 mg/l (Daphnia) 48 h   |
| maleic acid   | -   | LC50 5 mg/L (Pimephales promelas)<br>96 h   | EC50 250 - 400 mg/L (Daphnia<br>magna) 48 h   |
| trometamol  | -   | -   | NOEC >100 mg/L (Selenastrum capricornutum) 96 h   |
| sodium azide  | EC50 0.35 mg/L<br>(Pseudokirchneriella subcapitata) 96<br>h   |   | LC100 1 mg/L (Orconectes rusticus)<br>96 h  |
| reaction mass of:<br>5-chloro-2-methyl-4-isothiazolin-3-o<br>ne [EC no. 247-500-7] and<br>2-methyl-2H -isothiazol-3-one [EC<br>no. 220-239-6] (3:1) | EC50 0.11 - 0.16 mg/L<br>(Pseudokirchneriella subcapitata) 72<br>h EC50 0.31 mg/L (Anabaena<br>flos-aquae) 120 h EC50 0.03 - 0.13<br>mg/L (Pseudokirchneriella<br>subcapitata) 96 h | LC50 1.6 mg/L (Oncorhynchus<br>mykiss) 96 h | EC50 4.71 mg/L (Daphnia magna)<br>48 h EC50 0.71 - 0.99 mg/L<br>(Daphnia magna) 48 h EC50 0.12 -<br>0.3 mg/L (Daphnia magna) 48 h |

# 12.2. Persistence and degradability

**Kit Component**Persistence and degradability

7002: STOP Solution
Product is biodegradable

Kit Component 9801: ELISA Wash Buffer (20X)

Persistence and degradability Not readily biodegradable

## 12.3. Bioaccumulative potential

**Kit Component**Bioaccumulation

7002: STOP Solution
Not likely to bioaccumulate

**Kit Component**Bioaccumulation

9801: ELISA Wash Buffer (20X)
Not likely to bioaccumulate

| Chemical name | Octanol-Water Partition Coefficient |  |
|---------------|-------------------------------------|--|
| maleic acid   | 0.32                                |  |

### 12.4. Mobility in soil

Kit Component 7002: STOP Solution

Mobility Will likely be mobile in the environment due to its water solubility

Kit Component 9801: ELISA Wash Buffer (20X)

Mobility Will likely be mobile in the environment due to its water solubility

### 12.5. Results of PBT and vPvB assessment

No information available.

### 12.6. Endocrine disrupting properties

| Chemical name                        | EU - Endocrine Disrupters<br>Candidate List | EU - Endocrine Disruptors -<br>Evaluated Substances | Japan - Endocrine Disruptor<br>Information |
|--------------------------------------|---|---|--|
| polyethylene glycol                  | Group III Chemical                          | -   | -  |
| p-(1,1,3,3-tetramethylbutyl)phenylet |   |   |  |
| her                                  |   |   |  |

### 12.7. Other adverse effects

No information available

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Other information Waste codes should be assigned by the user based on the application for which the product

was used.

# **SECTION 14: Transport information**

This material is subject to regulation as a hazardous material for shipping:

## IMDG/IMO

**14.1 UN number** UN326

**14.2 UN proper shipping name** Corrosive liquid, acidic, organic, n.o.s. (maleic acid)

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
14.6 Special precautions for user

14.7 Maritime transport in bulk Not regulated

according to IMO instruments

ADR/RID

**14.1 UN number** UN3265

**14.2 UN proper shipping name** Corrosive liquid, acidic, organic, n.o.s. (maleic acid)

14.3 Transport hazard class(es) 8
14.4 Packing group III
14.5 Environmental hazards None

### 14.6 Special precautions for user None

IATA

**14.1 UN number** UN3265

**14.2 UN proper shipping name** Corrosive liquid, acidic, organic, n.o.s. (maleic acid)

14.3Transport hazard class(es)814.4Packing groupIII14.5Environmental hazardsNone14.6Special precautions for userNoneExcepted QuantityE1

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Candidate List of Substances of Very High Concern for Authorization Information

| Chemical name  | Candidate List of Substances of Very High Concern for |  |
|--|---|--|
|  | Authorization Information                             |  |
| polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether (10 - 20%) | Reason for inclusion Endocrine disrupting properties, |  |
|  | Article 57f - environment                             |  |

## **SEVESO Directive Information**

This product does not contain substances identified in the SEVESO Directive.

#### International inventories

TSCA 8(b) DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS -

### International inventories legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out

# **SECTION 16: Other information**

# Full text of H-Statements referred to under Sections 2 and 3

H300 - Fatal if swallowed

H301 - Toxic if swallowed

## 7210 PathScan® Phospho-TrkA (Tyr490) Sandwich ELISA Kit

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H335 - May cause respiratory irritation

H412 - Harmful to aquatic life with long lasting effects

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects H411 - Toxic to aquatic life with long lasting effects EUH032 - Contact with acids liberates very toxic gas

Classification procedure: Expert judgment and weight of evidence determination.

**Issuing Date:** 2018-01-19 **Revision Date:** 2024-01-31

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.