

Safety Data Sheet (SDS) According to the REACH Regulation (EC) No. 1907/2006

Issuing Date: 2018-01-19

Revision Date: 2024-02-27

Version: 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier				
Product No	7285			
Product name	PathS	can® Phospho	o-PTEN (Se	r380) Sandwich ELISA Kit
Kit Component	82089: Ph 13272: An 13339: De 13515: HF 11083: EL 7002: STC 7004: TMI 9801: ELI	TEN Mouse mAb Coat nospho-PTEN (Ser380 nti-rabbit IgG, HRP-linl etection Antibody Dilue RP Diluent JSA Sample Diluent DP Solution B Substrate SA Wash Buffer (20X) I Lysis Buffer (10X)	//Thr382/383) Rab ked Antibody (ELIS ent	
Hazardous Components 13515: HRP Diluent 7002: STOP Solution 9801: ELISA Wash Buffer (20X) 9803: Cell Lysis Buffer (10X)				
<u>Contains</u>				
Chemical name polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylethe maleic acid (0 - 10%)	r (10 - 20%)	Index No. Not Listed) 607-095-00-3		CAS No 9002-93-1 110-16-7
trometamol (0 - 10%) tetrasodium pyrophosphate, decahydr 10%)	ate (0 -	Not Listed Not Listed 011-004-00-7		77-86-1 13472-36-1
sodium azide (0 - 10%) reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one 247-500-7] and 2-methyl-2H -isothiaz [EC no. 220-239-6] (3:1) (0 - 10%)		613-167-00-5		26628-22-8 55965-84-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

For Research Use Only. Not for Use in Diagnostic Procedures.

1.3. Details of the supplier of the safety data sheet

Importer	Manufacturer
Cell Signaling Technology Europe B.V.	Cell Signaling Technology, Inc.
Dellaertweg 9b	3 Trask Lane
2316 WZ Leiden	Danvers, MA 01923
The Netherlands	United States
TEL: +31 (0)71 7200 200	TEL: +1 978 867 2300
FAX: +31 (0)71 891 0019	FAX: +1 978 867 2400
	www.cellsignal.com

1.4. Emergency telephone number

CHEMTREC 24 hours a day, 7 days a week, 365 days a year +1 703 527 3887 (INTERNATIONAL) +1 800 424 9300 (NORTH AMERICA)

Europe

E-mail Address

112

info@cellsignal.eu

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Classification and label elements described below are inclusive of all hazards of the combined kit. The most severe classifications are listed for each endpoint. Refer to individual kit component SDS for classification and label elements for each component present in the kit.

Skin corrosion/irritation	Category 1 - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements



Signal word Danger

Hazard statement(s)

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/physician.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards

This kit contains one or more components considered a treated article that incorporates a biocidal product as a preservative with the following active ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT).

For the full text of the H-phrases & EUH-phrases mentioned in this Section, see Section 16

SECTION 3. Composition/information on ingredients

Kit Component

7002: STOP Solution

DANGER: Causes severe skin burns and eye damage. May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
maleic acid	110-16-7	3-7	203-742-5	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) STOT SE 3 (H335)	no data available

Kit Component

9801: ELISA Wash Buffer (20X)

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
reaction mass of: 5-chloro-2-methyl-4-isothi azolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	0.005-0.025	-	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	no data available

This product is considered a treated article that incorporates a biocidal product as a preservative with the following active ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT)

Kit Component	11083:	ELISA Sample Dilue	ent		
Chemical name	CAS No	Weight-%	EC No	Classification	REACH

				(1272/2008)	Registration Number
sodium azide	26628-22-8	<0.1	247-852-1	Acute Tox. 2 (H300) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)	no data available

Kit Component

9803: Cell Lysis Buffer (10X)

DANGER: Causes serious eye damage. Causes skin irritation. Harmful to aquatic life with long lasting effects.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
polyethylene glycol p-(1,1,3,3-tetramethylbut yl)phenylether	9002-93-1	10	618-344-0	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)	no data available
trometamol	77-86-1	1.79	201-064-4	-	no data available
tetrasodium pyrophosphate, decahydrate	13472-36-1	0.1-1	-	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	no data available

Polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether is a suspected endocrine disruptor.

Kit Component

13339: Detection Antibody Diluent

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
trometamol	77-86-1	0.5	201-064-4	-	no data available
sodium azide	26628-22-8	<0.1	247-852-1	Acute Tox. 2 (H300) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)	no data available

Kit Component

13515: HRP Diluent

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
reaction mass of: 5-chloro-2-methyl-4-isothi azolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	0.005-0.025	-	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	no data available
trometamol	77-86-1	0.5	201-064-4	-	no data available

This product is considered a treated article that incorporates a biocidal product as a preservative with the following active ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT)

Kit Component

96644: PTEN Mouse mAb Coated Microwells 82089: Phospho-PTEN (Ser380/Thr382/383) Rabbit Detection mAb 13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated) 7004: TMB Substrate

These products do not contain substances at concentrations requiring disclosure under (EC) No. 1907/2006 (REACH).

For the full text of the H-phrases & EUH-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Use first aid treatment according to the nature of the injury. When symptoms persist or in all cases of doubt seek medical advice.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately if symptoms occur. If breathing is difficult, give oxygen.
Skin contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Immediate medical attention is required.
Eye contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Ingestion	Get medical attention. Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms. Corrosive. Significant esophageal or gastrointestinal tract irritation or burns may occur following ingestion. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Respiratory tract irritation, if severe, can progress to pulmonary edema which may be delayed in onset up to 24 to 72 hours after exposure in some cases. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician

Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing MediaUse extinguishing measures that are appropriate to local circumstances and the
surrounding environmentUnsuitable Extinguishing MediaNo information available

5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Avoid contact with skin, eyes and clothing. Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
For emergency responders	Use personal protection recommended in Section 8.
Other information	Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not allow material to contaminate ground water system. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Methods for cleaning up	Prevent further leakage or spillage if safe to do so. Take up mechanically, placing in appropriate containers for disposal. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush
	away traces with water.

6.4. Reference to other sections

See Sections 8 & 13 for additional information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Use as a laboratory reagent.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical name	European Union	United Kingdom	France	Spain	Germany
tetrasodium pyrophosphate,		STEL 15 mg/m ³	TWA 5 mg/m ³	TWA 5 mg/m ³	
decahydrate		TWA 5 mg/m ³			
sodium azide	TWA 0.1 mg/m ³	STEL 0.3 mg/m ³	TWA 0.1 mg/m ³	TWA 0.1 mg/m ³	TWA: 0.2 mg/m ³
	STEL 0.3 mg/m ³	TWA 0.1 mg/m ³	STEL 0.3 mg/m ³	STEL 0.3 mg/m ³	Ceiling / Peak: 0.4
	S*	Skin	P*	S*	mg/m ³

reaction mass of: 5-chloro-2-methyl-4-isothiaz olin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)					Ceiling / Peak: 0.4 mg/m³ TWA: 0.2 mg/m³
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
tetrasodium pyrophosphate, decahydrate					TWA 5 mg/m ³
sodium azide	TWA 0.1 mg/m ³ STEL 0.3 mg/m ³ Pelle*	TWA 0.1 mg/m ³ STEL 0.3 mg/m ³ Ceiling 0.29 mg/m ³ Ceiling 0.11 ppm C(A4) P*	Huid* STEL 0.3 mg/m ³ TWA 0.1 mg/m ³	TWA 0.1 mg/m ³ STEL 0.3 mg/m ³ iho*	TWA 0.1 mg/m³ H*
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
tetrasodium pyrophosphate, decahydrate	STEL 10 mg/m ³ TWA 5 mg/m ³	TWA 5 mg/m ³		TWA 5 mg/m ³ STEL 10 mg/m ³	TWA 5 mg/m ³
sodium azide	H* STEL 0.3 mg/m ³ TWA 0.1 mg/m ³	TWA 0.2 mg/m ³ STEL 0.4 mg/m ³	TWA 0.1 mg/m ³ STEL 0.3 mg/m ³	TWA 0.1 mg/m ³ STEL 0.1 mg/m ³	TWA 0.1 mg/m ³ STEL 0.3 mg/m ³ Skin
reaction mass of: 5-chloro-2-methyl-4-isothiaz olin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	TWA 0.05 mg/m³ Sh/Sah**	SS-C** S+ TWA 0.2 mg/m ³ STEL 0.4 mg/m ³			

8.2. Exposure controls

Appropriate engineering controls

Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tightly fitting safety goggles. Face-shield.
Skin protection	Wear protective gloves and protective clothing
Hand protection	Impervious gloves.
Other	Wear suitable protective clothing.
Respiratory protection	In case of inadequate ventilation wear respiratory protection.

Environmental Exposure Controls

No information available.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Information on the known physical chemical properties of each component within Kit are given below. If not included, information is either not available or not applicable. Refer to individual kit component SDS for further information.

Kit Component	7004: TMB Substrate
Physical state	Liquid
Appearance	Clear
Color	Light yellow
pH	3.3-3.8 (20 °C)
Kit Component	7002: STOP Solution

Liquid

Clear

Physical state Appearance Color pH

Kit Component

Physical state Appearance Color pH

Kit Component

Physical state Appearance Color pH

Kit Component

Physical state Appearance Color pH

Kit Component

Physical state Appearance Color

Kit Component

Physical state Appearance Color pH

Kit Component

Physical state Appearance Color

Kit Component

Physical state Appearance Color pH

Kit Component

Physical state Appearance

Colorless 1.2 (20 °C) 9801: ELISA Wash Buffer (20X) Liquid Clear Colorless 6.4 (20 °C) 11083: ELISA Sample Diluent Liquid Clear Blue 7.1 (20 °C) 9803: Cell Lysis Buffer (10X) Liquid Clear Colorless 7.5 (20 °C) 82089: Phospho-PTEN (Ser380/Thr382/383) Rabbit Detection mAb Solid Lyophilized, Powder Green 13339: Detection Antibody Diluent Liquid Clear Green 7.4 (20 °C) 13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)

13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated) Solid Lyophilized, Powder Red

13515: HRP Diluent

Liquid Clear Red 7.4 (20 °C)

96644: PTEN Mouse mAb Coated Microwells Solid Microwell Plate

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization	Hazardous polymerization does not occur.
Hazardous reactions	None under normal processing

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Over a period of time, sodium azide may react with copper, lead, brass, or solder in plumbing systems to form an accumulation of the HIGHLY EXPLOSIVE compounds of lead azide & copper azide.

10.5. Incompatible materials

Incompatible with strong acids and bases, Incompatible with oxidizing agents.

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of toxic/corrosive gases and vapors.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

Refer to kit component SDS for full toxicological information. This material should only be handled by, or under the close supervision of, those properly qualified in the handling and use of potentially hazardous chemicals. It should be borne in mind that the toxicological and physiological properties of this compound is not well defined.

Component Information

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
polyethylene glycol	= 1800 mg/kg (Rat)	-	-
p-(1,1,3,3-tetramethylbutyl)phenylet			
her			
maleic acid	708 mg/kg (Rat)	1,560 mg/kg (Rabbit)	> 0.72 mg/L (Rat) 1h
trometamol	5900 mg/kg(Rat)	-	-
sodium azide	= 27 mg/kg (Rat)	= 20 mg/kg (Rabbit)= 50 mg/kg (-
	· ·	Rat)	
reaction mass of:	= 53 mg/kg (Rat) = 481 mg/kg	= 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat) 4 h = 0.11 mg/L
5-chloro-2-methyl-4-isothiazolin-3-o	(Rat) 232 - 249 mg/kg (Rat) = 120		(Rat) 4 h
ne [EC no. 247-500-7] and	mg/kg (Rat)		
2-methyl-2H -isothiazol-3-one [EC			
no. 220-239-6] (3:1)			

Information on likely routes of exposure

Inhalation

Kit Component	7002: STOP Solution
Inhalation	Aerosol expected to be irritating based on components
Kit Component	9801: ELISA Wash Buffer (20X)
Inhalation	Avoid breathing vapors or mists May cause irritation of respiratory tract
Kit Component	82089: Phospho-PTEN (Ser380/Thr382/383) Rabbit Detection mAb
Inhalation	May cause allergic respiratory reaction

Kit Component	13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)
Inhalation	May cause allergic respiratory reaction
Kit Component	13515: HRP Diluent
Inhalation	Avoid breathing vapors or mists May cause irritation of respiratory tract
Eye contact	
Kit Component	7002: STOP Solution
Eye contact	May cause irreversible damage to eyes
Kit Component	9801: ELISA Wash Buffer (20X)
Eye contact	Expected to be an irritant based on components
Kit Component	9803: Cell Lysis Buffer (10X)
Eye contact	Expected to be an irritant based on components
Kit Component	13515: HRP Diluent
Eye contact	Contact with eyes may cause irritation
Skin contact	
Kit Component	7002: STOP Solution
Skin contact	Corrosive to skin. Prolonged contact with skin is harmful
Kit Component Skin contact	9801: ELISA Wash Buffer (20X) Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Expected to be an irritant based on components
Kit Component	82089: Phospho-PTEN (Ser380/Thr382/383) Rabbit Detection mAb
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
Kit Component	13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
Kit Component	13515: HRP Diluent
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
Ingestion	
Kit Component	7002: STOP Solution
Ingestion	Ingestion causes burns of the upper digestive and respiratory tract. Harmful if swallowed
Kit Component	9801: ELISA Wash Buffer (20X)
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea
Delayed and immediate effects a	s well as chronic effects from short and long-term exposure
Symptoms	Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms Corrosive. Significant esophageal or gastrointestinal tract irritation or burns may occur following ingestion Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Respiratory tract irritation, if severe, can progress to pulmonary edema which may be delayed in onset up to 24 to 72 hours after exposure in some cases Contains an animal

derived biological. May produce an allergic reaction in susceptible individuals Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing

Skin and Eye Corrosion/Irritation

7002: STOP Solution **Kit Component** Serious eye damage/eye irritation Risk of serious damage to eyes. Skin corrosion/irritation Causes burns 9801: ELISA Wash Buffer (20X) **Kit Component**

Serious eye damage/eye irritation Causes serious eye irritation. Skin corrosion/irritation

Kit Component Serious eye damage/eye irritation Irritating to eyes.

9803: Cell Lysis Buffer (10X)

Causes skin irritation

Sensitization

Kit Component	7002: STOP Solution
Skin Sensitization	May cause skin sensitization.
Kit Component	9801: ELISA Wash Buffer (20X)
Skin Sensitization	Product is or contains a sensitizer. May cause an allergic skin reaction.
Kit Component	82089: Phospho-PTEN (Ser380/Thr382/383) Rabbit Detection mAb
Respiratory Sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sensitization	May cause skin sensitization.
Kit Component	13272: Anti-rabbit IgG, HRP-linked Antibody (ELISA Formulated)
Respiratory Sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sensitization	May cause skin sensitization.
Kit Component	13515: HRP Diluent
Skin Sensitization	Product is or contains a sensitizer. May cause an allergic skin reaction.
Mutagenic effects	
Kit Component	7002: STOP Solution
Mutagenic effects	Not mutagenic in AMES Test.
Carcinogenic effects	No information available
Reproductive toxicity	No information available.
Systemic Target Organ Toxicity (STOT)	
Kit Component	7002: STOP Solution
STOT - single exposure	Respiratory system
Aspiration Hazard	No information available.

11.2. Information on other hazards

Other adverse effects

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Product Information

Kit Component	7002: STOP Solution
Ecotoxicity	Toxic to aquatic life

Kit Component9801: ELISA Wash Buffer (20X)EcotoxicityHarmful to aquatic life with long lasting effects

Component Information

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylet her	-	LC50 8.9 mg/l (Pimephales promelas) 96 h	EC50 26 mg/l (Daphnia) 48 h
maleic acid	-	LC50 5 mg/L (Pimephales promelas) 96 h	EC50 250 - 400 mg/L (Daphnia magna) 48 h
trometamol	-	-	NOEC >100 mg/L (Selenastrum capricornutum) 96 h
sodium azide	EC50 0.35 mg/L (Pseudokirchneriella subcapitata) 96 h	0 ()	LC100 1 mg/L (Orconectes rusticus) 96 h
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-o ne [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	EC50 0.11 - 0.16 mg/L (Pseudokirchneriella subcapitata) 72 h EC50 0.31 mg/L (Anabaena flos-aquae) 120 h EC50 0.03 - 0.13 mg/L (Pseudokirchneriella subcapitata) 96 h	LC50 1.6 mg/L (Oncorhynchus mykiss) 96 h	EC50 4.71 mg/L (Daphnia magna) 48 h EC50 0.71 - 0.99 mg/L (Daphnia magna) 48 h EC50 0.12 - 0.3 mg/L (Daphnia magna) 48 h

12.2. Persistence and degradability

Kit Component Persistence and degradability	7002: STOP Solution Product is biodegradable	
Kit Component Persistence and degradability	9801: ELISA Wash Buffer Not readily biodegradable	· (20X)
12.3. Bioaccumulative potential		
Kit Component	7002: STOP Solution	
Bioaccumulation	Not likely to bioaccumulate	
Kit Component Bioaccumulation	9801: ELISA Wash Buffer Not likely to bioaccumulate	
Chemical na	-	Octanol-Water Partition Coefficient

maleic acid	0.32

12.4. Mobility in soil

Kit Component	7002: STOP Solution
Mobility	Will likely be mobile in the environment due to its water solubility
Kit Component	9801: ELISA Wash Buffer (20X)
Mobility	Will likely be mobile in the environment due to its water solubility

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Endocrine disrupting properties

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
polyethylene glycol	Reason for inclusion Endocrine	-	-
p-(1,1,3,3-tetramethylbutyl)phenylet	disrupting properties, Article 57f -		
her	environment		

12.7. Other adverse effects

No information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues / unused products Contaminated packaging	Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

This material is subject to regulation as a hazardous material for shipping:

IMDG/IMO

 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user 14.7 Maritime transport in bulk according to IMO instruments 	UN3265 Corrosive liquid, acidic, organic, n.o.s. (maleic acid) 8 III None None Not regulated
ADR/RID 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es)	UN3265 Corrosive liquid, acidic, organic, n.o.s. (maleic acid) 8

14.4 Packing group14.5 Environmental hazards14.6 Special precautions for user	III None None
IATA 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user Excepted Quantity	UN3265 Corrosive liquid, acidic, organic, n.o.s. (maleic acid) 8 III None None E1

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Candidate List of Substances of Very High Concern for Authorization Information

Chemical name	Candidate List of Substances of Very High Concern for Authorization Information
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether (10 - 20%)	Reason for inclusion Endocrine disrupting properties, Article 57f - environment

SEVESO Directive Information

This product does not contain substances identified in the SEVESO Directive.

International inventories

TSCA 8(b)	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-

International inventories legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out

SECTION 16: Other information

Full text of H-Statements referred to under Sections 2 and 3

H300 - Fatal if swallowed H301 - Toxic if swallowed H302 - Harmful if swallowed H311 - Toxic in contact with skin H314 - Causes severe skin burns and eye damage H315 - Causes skin irritation H317 - May cause an allergic skin reaction H318 - Causes serious eye damage H319 - Causes serious eye irritation H331 - Toxic if inhaled H335 - May cause respiratory irritation H412 - Harmful to aquatic life with long lasting effects H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects H411 - Toxic to aquatic life with long lasting effects EUH032 - Contact with acids liberates very toxic gas **Classification procedure: Issuing Date:** 2018-01-19

Classification procedure:Expert judgment and weight of evidence determination.Issuing Date:2018-01-19Revision Date:2024-02-27Disclaimer2024-02-27

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.