

Safety Data Sheet (SDS) According to the REACH Regulation (EC) No. 1907/2006

**Issuing Date:** 2018-01-19

Revision Date: 2024-05-16

Version: 2

Kit

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product No	7928	
Product name	PathScan® Phospho-Syk	(panTyr) Sandwich ELISA
Kit Component Hazardous Components	81455: Syk Rabbit mAb Coated Microw 13951: Phospho Tyrosine Mouse Detect 13304: Anti-mouse IgG, HRP-linked An 14621: Green Detection Antibody Dilue 13515: HRP Diluent 11083: ELISA Sample Diluent 7002: STOP Solution 7004: TMB Substrate 9801: ELISA Wash Buffer (20X) 9803: Cell Lysis Buffer (10X)	tion mAb tibody (ELISA Formulated)
13515: HRP Diluent 7002: STOP Solution 9801: ELISA Wash Buffer (20X) 9803: Cell Lysis Buffer (10X)		
<u>Contains</u> Chemical name	Index No.	CAS No
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether maleic acid (0 - 10%)	Not Listed r (10 - 20%) 607-095-00-3	9002-93-1 110-16-7
tetrasodium pyrophosphate, decahydra 10%)	ate (0 - Not Listed	13472-36-1
sodium azide (0 - 10%) reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one 247-500-7] and 2-methyl-2H -isothiaz [EC no. 220-239-6] (3:1) (0 - 10%)		26628-22-8 55965-84-9

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

For Research Use Only. Not for Use in Diagnostic Procedures.

1.3. Details of the supplier of the safety data sheet

Importer Cell Signaling Technology Europe B.V. Dellaertweg 9b 2316 WZ Leiden The Netherlands TEL: +31 (0)71 7200 200	Manufacturer Cell Signaling Technology, Inc. 3 Trask Lane Danvers, MA 01923 United States TEL: +1 978 867 2300
FAX: +31 (0)71 891 0019	FAX: +1 978 867 2400
Website	www.cellsignal.com

# E-mail Address

info@cellsignal.eu

#### 1.4. Emergency telephone number

CHEMTREC 24 hours a day, 7 days a week, 365 days a year +1 703 527 3887 (INTERNATIONAL) +1 800 424 9300 (NORTH AMERICA)

Europe

112

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Classification and label elements described below are inclusive of all hazards of the combined kit. The most severe classifications are listed for each endpoint. Refer to individual kit component SDS for classification and label elements for each component present in the kit.

Skin corrosion/irritation	Category 1 - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

#### 2.2. Label elements



#### Hazard statement(s)

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

#### Precautionary statement(s)

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eve protection/face protection.

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/physician.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant.

### 2.3. Other hazards

This kit contains one or more components considered a treated article that incorporates a biocidal product as a preservative with the following active ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT).

Polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether (CAS no. 9002-93-1) is a suspected endocrine disruptor. Endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100(3) or Commission Regulation (EU) 2018/605(4).

For the full text of the H-phrases & EUH-phrases mentioned in this Section, see Section 16

# **SECTION 3.** Composition/information on ingredients

**Kit Component** 

7002: STOP Solution

DANGER: Causes severe skin burns and eye damage. May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
maleic acid	110-16-7	3-7	203-742-5	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) STOT SE 3 (H335)	no data available

### **Kit Component**

### 9801: ELISA Wash Buffer (20X)

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
reaction mass of: 5-chloro-2-methyl-4-isothi azolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	0.005-0.025	-	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	no data available

This product is considered a treated article that incorporates a biocidal product as a preservative with the following active ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT)

### Kit Component

11083: ELISA Sample Diluent

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
sodium azide	26628-22-8	<0.1	247-852-1	Acute Tox. 2 (H300) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)	no data available

#### Kit Component 9803:

### 9803: Cell Lysis Buffer (10X)

DANGER: Causes serious eye damage. Causes skin irritation. Harmful to aquatic life with long lasting effects.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
polyethylene glycol p-(1,1,3,3-tetramethylbut yl)phenylether	9002-93-1	10	-	Acute Tox. 4(H302) Eye Dam. 1(H318) Aquatic Chronic 2 (H411)	no data available
tetrasodium pyrophosphate, decahydrate	13472-36-1	0.1-1	-	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	no data available

Polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether is a suspected endocrine disruptor.

#### Kit Component

#### 14621: Green Detection Antibody Diluent 2

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
sodium azide	26628-22-8	<0.1	247-852-1	Acute Tox. 2 (H300) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)	no data available

#### **Kit Component**

#### 13515: HRP Diluent

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
reaction mass of: 5-chloro-2-methyl-4-isothi azolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	0.005-0.025	-	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	no data available

This product is considered a treated article that incorporates a biocidal product as a preservative with the following active

ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT)

#### **Kit Component**

81455: Syk Rabbit mAb Coated Microwells 13951: Phospho Tyrosine Mouse Detection mAb 13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated) 7004: TMB Substrate

These products do not contain substances at concentrations requiring disclosure under (EC) No. 1907/2006 (REACH).

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice	Use first aid treatment according to the nature of the injury. When symptoms persist or in all cases of doubt seek medical advice.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.
Skin contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Ingestion	Get medical attention. Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.
Protection of first-aiders	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

#### 4.2. Most important symptoms and effects, both acute and delayed

Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment Carbon dioxide (CO <sub>2</sub> ) Foam Water spray Dry powder
Unsuitable Extinguishing Media	No information available

#### 5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Avoid contact with skin, eyes and clothing. Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
For emergency responders	Use personal protection recommended in Section 8.
Other information	Refer to protective measures listed in Sections 7 and 8.

#### 6.2. Environmental precautions

Do not allow material to contaminate ground water system. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

#### 6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. Sweep up and shovel into suitable containers for
	disposal. Avoid dust formation.

#### 6.4. Reference to other sections

See Sections 8 & 13 for additional information.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

#### 7.3. Specific end use(s)

Use as a laboratory reagent.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Occupational exposure limit values					
Chemical name	European Union	United Kingdom	France	Spain	Germany

tetrasodium pyrophosphate,		STEL 15 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup>	
decahydrate		TWA 5 mg/m <sup>3</sup>			
sodium azide	TWA 0.1 mg/m <sup>3</sup>	STEL 0.3 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>
	STEL 0.3 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup>	STEL 0.3 mg/m <sup>3</sup>	STEL 0.3 mg/m <sup>3</sup>	Ceiling / Peak: 0.4
	S*	Skin	P*	S*	mg/m <sup>3</sup>
reaction mass of:					Ceiling / Peak: 0.4
5-chloro-2-methyl-4-isothiaz					mg/m <sup>3</sup>
olin-3-one [EC no.					TWA: 0.2 mg/m <sup>3</sup>
247-500-7] and 2-methyl-2H					
-isothiazol-3-one [EC no.					
220-239-6] (3:1)					
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
tetrasodium pyrophosphate,					TWA 5 mg/m <sup>3</sup>
decahydrate					
sodium azide	TWA 0.1 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup>	Huid*	TWA 0.1 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup>
	STEL 0.3 mg/m <sup>3</sup>	STEL 0.3 mg/m <sup>3</sup>	STEL 0.3 mg/m <sup>3</sup>	STEL 0.3 mg/m <sup>3</sup>	H*
	Pelle*	Ceiling 0.29 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup>	iho*	
		Ceiling 0.11 ppm			
		C(A4)			
		F			
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
tetrasodium pyrophosphate,	STEL 10 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup>		TWA 5 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup>
decahydrate	TWA 5 mg/m <sup>3</sup>			STEL 10 mg/m <sup>3</sup>	
sodium azide	H*	TWA 0.2 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup>	TWA 0.1 mg/m <sup>3</sup>
	STEL 0.3 mg/m <sup>3</sup>	STEL 0.4 mg/m <sup>3</sup>	STEL 0.3 mg/m <sup>3</sup>	STEL 0.1 mg/m <sup>3</sup>	STEL 0.3 mg/m <sup>3</sup>
	TWA 0.1 mg/m <sup>3</sup>				Skin
reaction mass of:	TWA 0.05 mg/m <sup>3</sup>	SS-C**			
5-chloro-2-methyl-4-isothiaz	Sh/Sah**	S+			
olin-3-one [EC no.		TWA 0.2 mg/m <sup>3</sup>			
247-500-7] and 2-methyl-2H		STEL 0.4 mg/m <sup>3</sup>			
-isothiazol-3-one [EC no.					
220-239-6] (3:1)					

#### 8.2. Exposure controls

#### Appropriate engineering controls

Showers, eyewash stations, and ventilation systems

# Individual protection measures, such as personal protective equipment

Eye/face protection	Tightly fitting safety goggles
Skin protection	Wear protective gloves and protective clothing
Hand protection	Impervious gloves
Other	Chemical resistant apron Boots Impervious clothing Impervious gloves
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate
	certified respirators No special protective equipment required

# **Environmental Exposure Controls**

No information available

# **SECTION 9.** Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Information on the known physical chemical properties of each component within Kit are given below. If not included, information is either not available or not applicable. Refer to individual kit component SDS for further information.

Kit Component	81455: Syk Rabbit mAb Coated Microwells
Physical state	Solid
Appearance	Microwell Plate

Kit Component

Physical state Appearance Color

#### **Kit Component**

Physical state Appearance Color pH

### **Kit Component**

Physical state Appearance Color pH

#### **Kit Component**

Physical state Appearance Color pH

#### **Kit Component**

Physical state Appearance Color pH

# Kit Component

Physical state Appearance Color pH

#### **13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated)** Solid Powder, Lyophilized

Red

# 13951: Phospho Tyrosine Mouse Detection mAb

Solid Powder, Lyophilized Green 7.4 (20 °C)

#### 7002: STOP Solution

Liquid Clear Colorless 1.2 (20 °C)

#### 7004: TMB Substrate

Liquid Clear Light yellow 3.3-3.8 (20 °C)

#### 9801: ELISA Wash Buffer (20X)

Liquid Clear Colorless 6.4 (20 °C)

# 9803: Cell Lysis Buffer (10X) Liquid

Clear Colorless 7.5 (20 °C)

### 11083: ELISA Sample Diluent

Liquid Clear Blue 7.1 (20 °C)

# 14621: Green Detection Antibody Diluent 2

Liquid Clear Green 7.4 (20°C)

**13515: HRP Diluent** Liquid Clear Red 7.4 (20°C)

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous polymerization	Hazardous polymerization does not occur.
Hazardous reactions	None under normal processing

#### 10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Exposure to air or moisture over prolonged periods. Over a period of time, sodium azide may react with copper, lead, brass, or solder in plumbing systems to form an accumulation of the HIGHLY EXPLOSIVE compounds of lead azide & copper azide.

#### 10.5. Incompatible materials

Metals, Strong oxidizing agents, strong acids, and strong bases.

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

Refer to kit component SDS for full toxicological information. This material should only be handled by, or under the close supervision of, those properly qualified in the handling and use of potentially hazardous chemicals. It should be borne in mind that the toxicological and physiological properties of this compound is not well defined.

#### **Component Information**

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
polyethylene glycol	= 1800 mg/kg (Rat)	-	-
p-(1,1,3,3-tetramethylbutyl)phenylet			
her			
maleic acid	708 mg/kg ( Rat )	1,560 mg/kg ( Rabbit )	> 0.72 mg/L ( Rat ) 1h
sodium azide	= 27 mg/kg (Rat)	= 20 mg/kg (Rabbit)= 50 mg/kg (	-
		Rat )	
reaction mass of:	= 53 mg/kg (Rat) = 481 mg/kg	= 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat) 4 h = 0.11 mg/L
5-chloro-2-methyl-4-isothiazolin-3-o	(Rat) 232 - 249 mg/kg (Rat) = 120		( Rat ) 4 h
ne [EC no. 247-500-7] and	mg/kg (Rat)		
2-methyl-2H -isothiazol-3-one [EC			
no. 220-239-6] (3:1)			

#### Information on likely routes of exposure

#### Inhalation

Kit Component	13951: Phospho Tyrosine Mouse Detection mAb
Inhalation	May cause allergic respiratory reaction
Kit Component	13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated)

Inhalation	May cause allergic respiratory reaction
Kit Component	<b>7002: STOP Solution</b>
Inhalation	Aerosol expected to be irritating based on components
Kit Component	<b>9801: ELISA Wash Buffer (20X)</b>
Inhalation	Avoid breathing vapors or mists May cause irritation of respiratory tract
Kit Component	<b>13515: HRP Diluent</b>
Inhalation	Avoid breathing vapors or mists May cause irritation of respiratory tract
Eye contact	
Kit Component	<b>13515: HRP Diluent</b>
Eye contact	Contact with eyes may cause irritation
Kit Component	7002: STOP Solution
Eye contact	May cause irreversible damage to eyes
Kit Component	<b>9801: ELISA Wash Buffer (20X)</b>
Eye contact	Expected to be an irritant based on components
Kit Component	<b>9803: Cell Lysis Buffer (10X)</b>
Eye contact	Expected to be an irritant based on components
Skin contact	
Kit Component	<b>13951: Phospho Tyrosine Mouse Detection mAb</b>
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
Kit Component	13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated)
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
Skin contact Kit Component	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons 13515: HRP Diluent
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
Kit Component	<b>13515: HRP Diluent</b>
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
Kit Component	<b>7002: STOP Solution</b>
Skin contact <b>Kit Component</b> Skin contact <b>Kit Component</b> Skin contact <b>Kit Component</b>	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons <b>13515: HRP Diluent</b> Repeated or prolonged skin contact may cause allergic reactions with susceptible persons <b>7002: STOP Solution</b> Corrosive to skin Prolonged contact with skin is harmful <b>9801: ELISA Wash Buffer (20X)</b> Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
<b>Kit Component</b>	<b>13515: HRP Diluent</b>
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
<b>Kit Component</b>	<b>7002: STOP Solution</b>
Skin contact	Corrosive to skin Prolonged contact with skin is harmful
<b>Kit Component</b>	<b>9801: ELISA Wash Buffer (20X)</b>
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms	Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.
Skin and Eye Corrosion/Irritation	
<b>Kit Component</b>	<b>7002: STOP Solution</b>
Serious eye damage/eye irritation	Risk of serious damage to eyes
Skin corrosion/irritation	Causes burns
<b>Kit Component</b>	9801: ELISA Wash Buffer (20X)
Serious eye damage/eye irritation	Causes serious eye irritation
Skin corrosion/irritation	Causes skin irritation
Kit Component	9803: Cell Lysis Buffer (10X)
Serious eye damage/eye irritation	Irritating to eyes
Sensitization	
<b>Kit Component</b>	<b>13951: Phospho Tyrosine Mouse Detection mAb</b>
Respiratory Sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled
Skin Sensitization	May cause skin sensitization
<b>Kit Component</b>	<b>13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated)</b>
Respiratory Sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled
Skin Sensitization	May cause skin sensitization
Kit Component	<b>13515: HRP Diluent</b>
Skin Sensitization	Product is or contains a sensitizer. May cause an allergic skin reaction
Kit Component	<b>9801: ELISA Wash Buffer (20X)</b>
Skin Sensitization	Product is or contains a sensitizer. May cause an allergic skin reaction
Kit Component	7002: STOP Solution
Skin Sensitization	May cause skin sensitization
Mutagenic effects	
Kit Component	7002: STOP Solution
Mutagenic effects	Not mutagenic in AMES Test
Carcinogenic effects	No component of this product present at levels greater than or equal to 0.1% are known or suspected carcinogens.
Reproductive toxicity	No information available.
Systemic Target Organ Toxicity (STOT)	

Kit Component STOT - repeated exposure STOT - single exposure	<b>7002: STOP Solution</b> May cause damage to organs through prolonged or repeated exposure Respiratory system	
Aspiration Hazard	No information available.	
11.2. Information on other hazards	-	
Other adverse effects	No information available.	
SECTION 12: Ecological information		

# 12.1. Toxicity

#### **Product Information**

Kit Component	7002: STOP Solution
Ecotoxicity	Toxic to aquatic life
Kit Component	9801: ELISA Wash Buffer (20X)
Ecotoxicity	Harmful to aquatic life with long lasting effects

#### **Component Information**

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylet her	-	LC50 8.9 mg/l (Pimephales promelas) 96 h	EC50 26 mg/l (Daphnia) 48 h
maleic acid	-	LC50 5 mg/L (Pimephales promelas) 96 h	EC50 250 - 400 mg/L (Daphnia magna) 48 h
sodium azide	EC50 0.35 mg/L (Pseudokirchneriella subcapitata) 96 h		LC100 1 mg/L (Orconectes rusticus) 96 h
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-o ne [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	EC50 0.11 - 0.16 mg/L (Pseudokirchneriella subcapitata) 72 h EC50 0.31 mg/L (Anabaena flos-aquae) 120 h EC50 0.03 - 0.13 mg/L (Pseudokirchneriella subcapitata) 96 h	LC50 1.6 mg/L (Oncorhynchus mykiss) 96 h	EC50 4.71 mg/L (Daphnia magna) 48 h EC50 0.71 - 0.99 mg/L (Daphnia magna) 48 h EC50 0.12 - 0.3 mg/L (Daphnia magna) 48 h

### 12.2. Persistence and degradability

Kit Component	7002: STOP Solution
Persistence and degradability	Product is biodegradable
Kit Component	9801: ELISA Wash Buffer (20X)
Persistence and degradability	Not readily biodegradable

#### 12.3. Bioaccumulative potential

Kit	Component
Bio	accumulation

**7002: STOP Solution** Not likely to bioaccumulate Kit Component Bioaccumulation 9801: ELISA Wash Buffer (20X) Not likely to bioaccumulate

Chemical name	Octanol-Water Partition Coefficient
maleic acid	0.32

# 12.4. Mobility in soil

<b>Kit Component</b>	7002: STOP Solution
Mobility	Will likely be mobile in the environment due to its water solubility
<b>Kit Component</b>	9801: ELISA Wash Buffer (20X)
Mobility	Will likely be mobile in the environment due to its water solubility

#### 12.5. Results of PBT and vPvB assessment

No information available.

#### 12.6. Endocrine disrupting properties

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
polyethylene glycol	Endocrine disrupting properties,	-	-
p-(1,1,3,3-tetramethylbutyl)phenylet	Article 57f - environment		
her			

#### 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Do not re-use empty containers.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

# **SECTION 14: Transport information**

This material is subject to regulation as a hazardous material for shipping:

IMDG/IMO	
14.1 UN number	UN3265
14.2 UN proper shipping name	Corrosive liquid, acidic, organic, n.o.s. (maleic acid)
14.3 Transport hazard class(es)	8
14.4 Packing group	III
14.5 Environmental hazards	None
14.6 Special precautions for user	None
14.7 Maritime transport in bulk	Not regulated
according to IMO instruments	

ADR/RID	UN3265
14.1 UN number	Corrosive liquid, acidic, organic, n.o.s. (maleic acid)
14.2 UN proper shipping name	8
14.3 Transport hazard class(es)	III
14.4 Packing group	None
14.5 Environmental hazards	None
14.6 Special precautions for user	None
IATA14.1UN number14.2UN proper shipping name14.3Transport hazard class(es)14.4Packing group14.5Environmental hazards14.6Special precautions for user	UN3265 Corrosive liquid, acidic, organic, n.o.s. (maleic acid) 8 III None None

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

Chemical name	Candidate List of Substances of Very High Concern for Authorization Information	REACH Annex XVII
polyethylene glycol	Reason for inclusion Endocrine	-
p-(1,1,3,3-tetramethylbutyl)phenylether (10 -	disrupting properties, Article 57f -	
20%)	environment	

#### SEVESO Directive Information

This product does not contain substances identified in the SEVESO Directive.

International	inventories
TSCA 8(b)	

DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-

#### International inventories legend

 TSCA
 - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL
 - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS
 - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

 ENCS
 - Japan Existing and New Chemical Substances

 IECSC
 - China Inventory of Existing Chemical Substances

 KECL
 - Korean Existing and Evaluated Chemical Substances

 PICCS
 - Philippines Inventory of Chemicals and Chemical Substances

 AICS
 - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out

# **SECTION 16: Other information**

#### Full text of H-Statements referred to under Sections 2 and 3

H300 - Fatal if swallowed H301 - Toxic if swallowed H302 - Harmful if swallowed H310 - Fatal in contact with skin H311 - Toxic in contact with skin H314 - Causes severe skin burns and eye damage H315 - Causes skin irritation H317 - May cause an allergic skin reaction H318 - Causes serious eye damage H319 - Causes serious eye irritation H330 - Fatal if inhaled H335 - May cause respiratory irritation H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects H411 - Toxic to aquatic life with long lasting effects H412 - Harmful to aquatic life with long lasting effects EUH032 - Contact with acids liberates very toxic gas EUH071 - Corrosive to the respiratory tract **Classification procedure:** Calculation method. Bridging principle "Dilution". **Issuing Date:** 

**Revision Date:** 

Disclaimer

2018-01-19 2024-05-16

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.