

Safety Data Sheet (SDS) According to the REACH Regulation (EC) No. 1907/2006

Issuing Date: 2018-01-19

Revision Date: 2024-05-22

Version: 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Product No Product name	7959 PathS	can® Phospho-AMPK-a	lpha (Thr172) Sandwich
	ELISA		·····
Kit Component	13190: Pl 13304: Ai 13339: Do 13515: Hi 11083: El 7002: ST 7004: TM 9801: ELI	MPKα Rabbit mAb Coated Microwells hospho-AMPKα (Thr172) Mouse Detern nti-mouse IgG, HRP-linked Antibody (etection Antibody Diluent RP Diluent LISA Sample Diluent OP Solution IB Substrate ISA Wash Buffer (20X) thScan® Sandwich ELISA Lysis Buffer	ction mAb ELISA Formulated)
Hazardous Components 13515: HRP Diluent 9801: ELISA Wash Buffer (20X) 7002: STOP Solution 7018: PathScan® Sandwich ELISA I	_ysis Buff	er (1X)	
<u>Contains</u>			
Chemical name maleic acid (0 - 10%)		Index No. 607-095-00-3	CAS No 110-16-7
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylethe	r (0 - 10%)	Not Listed	9002-93-1
sodium azide (0 - 10%) sodium fluoride (0 - 10%)		011-004-00-7 009-004-00-7	26628-22-8 7681-49-4
tetrasodium pyrophosphate, decahydr 10%)	ate (0 -	Not Listed	13472-36-1
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one 247-500-7] and 2-methyl-2H -isothiaz [EC no. 220-239-6] (3:1) (0 - 10%)		613-167-00-5	55965-84-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

For Research Use Only. Not for Use in Diagnostic Procedures.

1.3. Details of the supplier of the safety data sheet

Importer	Manufacturer
Cell Signaling Technology Europe B.V.	Cell Signaling Technology, Inc.
Dellaertweg 9b	3 Trask Lane
2316 WZ Leiden	Danvers, MA 01923
The Netherlands	United States
TEL: +31 (0)71 7200 200	TEL: +1 978 867 2300
FAX: +31 (0)71 891 0019	FAX: +1 978 867 2400
	www.cellsignal.com

Website E-mail Address

1.4. Emergency telephone number

CHEMTREC 24 hours a day, 7 days a week, 365 days a year +1 703 527 3887 (INTERNATIONAL) +1 800 424 9300 (NORTH AMERICA)

Europe

112

info@cellsignal.eu

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Skin corrosion/irritation	Category 1 - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)

2.2. Label elements



Signal word Danger

Hazard statement(s)

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

Precautionary statement(s)

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/physician.

P362 + P364 - Take off contaminated clothing and wash it before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards

This kit contains one or more components considered a treated article that incorporates a biocidal product as a preservative with the following active ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT).

Polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether (CAS no. 9002-93-1) is a suspected endocrine disruptor. Endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100(3) or Commission Regulation (EU) 2018/605(4).

For the full text of the H-phrases & EUH-phrases mentioned in this Section, see Section 16

SECTION 3. Composition/information on ingredients

Kit Component

7002: STOP Solution

DANGER: Causes severe skin burns and eye damage. May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
maleic acid	110-16-7	3-7	203-742-5	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) STOT SE 3 (H335)	no data available

Kit Component

9801: ELISA Wash Buffer (20X)

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
reaction mass of: 5-chloro-2-methyl-4-isothi azolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	0.005-0.025	-	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	no data available

Kit Component

11083: ELISA Sample Diluent

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
sodium azide	26628-22-8	<0.1	247-852-1	Acute Tox. 2 (H300) Aquatic Acute 1 (H400) Aquatic Chronic 1	no data available

		(H410)	
		(EUH032)	

Kit Component

7018: PathScan® Sandwich ELISA Lysis Buffer (1X)

WARNING: Causes serious eye irritation.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
polyethylene glycol p-(1,1,3,3-tetramethylbut yl)phenylether	9002-93-1	1	-	Acute Tox. 4(H302) Eye Dam. 1(H318) Aquatic Chronic 2 (H411)	no data available
tetrasodium pyrophosphate, decahydrate	13472-36-1	0.06	-	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	no data available
sodium fluoride	7681-49-4	0.1-1	231-667-8	Acute Tox. 3 (H301) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) (EUH032)	no data available

Kit Component

13339: Detection Antibody Diluent

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
sodium azide	26628-22-8	<0.1	247-852-1	Acute Tox. 2 (H300) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)	no data available

Kit Component

13515: HRP Diluent

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
reaction mass of: 5-chloro-2-methyl-4-isothi azolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	0.005-0.025	-	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H310) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	no data available

Kit Component

32605: AMPKα Rabbit mAb Coated Microwells 13190: Phospho-AMPKα (Thr172) Mouse Detection mAb 13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated) 7004: TMB Substrate

These products do not contain substances at concentrations requiring disclosure under (EC) No. 1907/2006 (REACH).

For the full text of the H-phrases & EUH-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Use first aid treatment according to the nature of the injury. When symptoms persist or in all cases of doubt seek medical advice.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately if symptoms occur. If breathing is difficult, give oxygen.
Skin contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Immediate medical attention is required.
Eye contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Ingestion	Get medical attention. Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms. Corrosive. Significant esophageal or gastrointestinal tract irritation or burns may occur following ingestion. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Respiratory tract irritation, if severe, can progress to pulmonary edema which may be delayed in onset up to 24 to 72 hours after exposure in some cases. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician

Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing MediaUse extinguishing measures that are appropriate to local circumstances and the
surrounding environmentUnsuitable Extinguishing MediaNo information available

5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Avoid contact with skin, eyes and clothing. Use personal protective equipment. Evacuate
	personnel to safe areas. Keep people away from and upwind of spill/leak.
For emergency responders	Use personal protection recommended in Section 8.
Other information	Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not allow material to contaminate ground water system. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Methods for cleaning up	Prevent further leakage or spillage if safe to do so. Take up mechanically, placing in appropriate containers for disposal. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush
	away traces with water.

6.4. Reference to other sections

See Sections 8 & 13 for additional information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Use as a laboratory reagent.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values					
Chemical name	European Union	United Kingdom	France	Spain	Germany
sodium azide	TWA 0.1 mg/m ³ STEL 0.3 mg/m ³ S*	STEL 0.3 mg/m ³ TWA 0.1 mg/m ³ Skin	TWA 0.1 mg/m ³ STEL 0.3 mg/m ³ P*	TWA 0.1 mg/m ³ STEL 0.3 mg/m ³ S*	TWA: 0.2 mg/m ³ Ceiling / Peak: 0.4 mg/m ³
sodium fluoride	TWA 2.5 mg/m ³	STEL 7.5 mg/m ³ TWA 2.5 mg/m ³	TWA 2 mg/m ³ TWA 2.5 mg/m ³	TWA 2.5 mg/m ³	TWA: 1 mg/m³ Skin
tetrasodium pyrophosphate, decahydrate		STEL 15 mg/m ³ TWA 5 mg/m ³	TWA 5 mg/m ³	TWA 5 mg/m ³	
reaction mass of: 5-chloro-2-methyl-4-isothiaz olin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)					Ceiling / Peak: 0.4 mg/m ³ TWA: 0.2 mg/m ³

Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
sodium azide	TWA 0.1 mg/m ³ STEL 0.3 mg/m ³ Pelle*	TWA 0.1 mg/m ³ STEL 0.3 mg/m ³ Ceiling 0.29 mg/m ³ Ceiling 0.11 ppm C(A4) P*	Huid* STEL 0.3 mg/m ³ TWA 0.1 mg/m ³	TWA 0.1 mg/m ³ STEL 0.3 mg/m ³ iho*	TWA 0.1 mg/m³ H*
sodium fluoride	TWA 2.5 mg/m ³	TWA 2.5 mg/m ³ C(A4)		TWA 2.5 mg/m ³	TWA 2.5 mg/m ³
tetrasodium pyrophosphate, decahydrate					TWA 5 mg/m ³
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
sodium azide	H* STEL 0.3 mg/m ³ TWA 0.1 mg/m ³	TWA 0.2 mg/m ³ STEL 0.4 mg/m ³	TWA 0.1 mg/m ³ STEL 0.3 mg/m ³	TWA 0.1 mg/m ³ STEL 0.1 mg/m ³	TWA 0.1 mg/m ³ STEL 0.3 mg/m ³ Skin
sodium fluoride			TWA 2 mg/m ³	TWA 0.5 mg/m ³ STEL 1.5 mg/m ³	TWA 2.5 mg/m ³ STEL 7.5 mg/m ³
tetrasodium pyrophosphate, decahydrate	STEL 10 mg/m ³ TWA 5 mg/m ³	TWA 5 mg/m ³		TWA 5 mg/m ³ STEL 10 mg/m ³	TWA 5 mg/m ³
reaction mass of:	TWA 0.05 mg/m ³	SS-C**			
5-chloro-2-methyl-4-isothiaz	Sh/Sah**	S+			
olin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)		TWA 0.2 mg/m ³ STEL 0.4 mg/m ³			

Chemical name	European Union	United Kingdom	France	Spain	Germany
sodium fluoride			3	2	Biologische Grenzwerte
			10	3	nach TRGS 903 sind
					zu beachten
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
sodium fluoride		4			

8.2. Exposure controls

Appropriate engineering controls

Showers, eyewash stations, and ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Tightly fitting safety goggles Face-shield
Skin protection	Wear protective gloves and protective clothing
Hand protection	Impervious gloves
Other	Wear suitable protective clothing.
Respiratory protection	In case of inadequate ventilation wear respiratory protection

Environmental Exposure Controls

No information available

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Information on the known physical chemical properties of each component within Kit are given below. If not included, information is either not available or not applicable. Refer to individual kit component SDS for further information.

Kit Component
Physical state
Appearance

32605: AMPKα Rabbit mAb Coated Microwells Solid Microwell Plate

Kit Component Physical state

Appearance Color

Kit Component

Physical state Appearance Color

Kit Component

Physical state Appearance Color pH

Kit Component

Physical state Appearance Color pH

Kit Component

Physical state Appearance Color pH

Kit Component

Physical state Appearance Color pH

Kit Component

Physical state Appearance Color pH

Kit Component

Physical state Appearance Color pH

Kit Component

Physical state Appearance Color pH

13190: Phospho-AMPKα (Thr172) Mouse Detection mAb Solid

Powder, Lyophilized Green

13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated) Solid Powder, Lyophilized

Red

13339: Detection Antibody Diluent

Liquid Clear Green 7.4 (20°C)

13515: HRP Diluent

Liquid Clear Red 7.4 (20°C)

7004: TMB Substrate

Liquid Clear Light yellow 3.3- 3.8 (20°C)

7002: STOP Solution

Liquid Clear Colorless 1.2 (20°C)

9801: ELISA Wash Buffer (20X)

Liquid Clear Colorless 6.4 (20°C)

11083: ELISA Sample Diluent

Liquid Clear Blue 7.1 (20°C)

7018: PathScan® Sandwich ELISA Lysis Buffer (1X) Liquid Clear Colorless 7.5 (20°C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization	Hazardous polymerization does not occur.
Hazardous reactions	None under normal processing

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Over a period of time, sodium azide may react with copper, lead, brass, or solder in plumbing systems to form an accumulation of the HIGHLY EXPLOSIVE compounds of lead azide & copper azide.

10.5. Incompatible materials

Incompatible with strong acids and bases, Incompatible with oxidizing agents.

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of toxic/corrosive gases and vapors

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

Refer to kit component SDS for full toxicological information. This material should only be handled by, or under the close supervision of, those properly qualified in the handling and use of potentially hazardous chemicals. It should be borne in mind that the toxicological and physiological properties of this compound is not well defined.

Component Information

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
maleic acid	708 mg/kg (Rat)	1,560 mg/kg (Rabbit)	> 0.72 mg/L (Rat) 1h
polyethylene glycol	= 1800 mg/kg (Rat)	-	-
p-(1,1,3,3-tetramethylbutyl)phenylet			
her			
sodium azide	= 27 mg/kg (Rat)	= 20 mg/kg (Rabbit)= 50 mg/kg (-
		Rat)	
sodium fluoride	= 52 mg/kg (Rat)	= 175 mg/kg (Rat)	-
reaction mass of:	= 53 mg/kg (Rat) = 481 mg/kg	= 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat) 4 h = 0.11 mg/L
5-chloro-2-methyl-4-isothiazolin-3-o	(Rat) 232 - 249 mg/kg (Rat) = 120		(Rat) 4 h
ne [EC no. 247-500-7] and	mg/kg (Rat)		
2-methyl-2H -isothiazol-3-one [EC			
no. 220-239-6] (3:1)			

Information on likely routes of exposure

Inhalation

Kit Component	7002: STOP Solution
Inhalation	Aerosol expected to be irritating based on components
Kit Component	9801: ELISA Wash Buffer (20X)
Inhalation	Avoid breathing vapors or mists May cause irritation of respiratory tract

Kit Component	13190: Phospho-AMPKα (Thr172) Mouse Detection mAb
Inhalation	May cause allergic respiratory reaction
Kit Component	13515: HRP Diluent
Inhalation	Avoid breathing vapors or mists May cause irritation of respiratory tract
Kit Component	13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated)
Inhalation	May cause allergic respiratory reaction
Eye contact	
Kit Component	7002: STOP Solution
Eye contact	May cause irreversible damage to eyes
Kit Component	9801: ELISA Wash Buffer (20X)
Eye contact	Expected to be an irritant based on components
Kit Component	7018: PathScan® Sandwich ELISA Lysis Buffer (1X)
Eye contact	Expected to be an irritant based on components
Kit Component	13515: HRP Diluent
Eye contact	Contact with eyes may cause irritation
Skin contact	
Kit Component	7002: STOP Solution
Skin contact	Corrosive to skin Prolonged contact with skin is harmful
Kit Component Skin contact	9801: ELISA Wash Buffer (20X) Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Expected to be an irritant based on components
Kit Component	13190: Phospho-AMPKα (Thr172) Mouse Detection mAb
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
Kit Component	13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated)
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
Kit Component	13515: HRP Diluent
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
Ingestion	
Kit Component	7002: STOP Solution
Ingestion	Ingestion causes burns of the upper digestive and respiratory tract. Harmful if swallowed
Kit Component	9801: ELISA Wash Buffer (20X)
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea
Delayed and immediate effects as	well as chronic effects from short and long-term exposure
Symptoms	Contains kit components which may cause the following effects, refer to individual component SDSs for full information on symptoms. Corrosive. Significant esophageal or gastrointestinal tract irritation or burns may occur following ingestion. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling

accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes. Respiratory tract irritation, if severe, can progress to pulmonary edema which may be delayed in onset up to 24 to 72 hours after exposure in some cases. Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Skin and Eye Corrosion/Irritation

Kit Component Serious eye damage/eye irritation Skin corrosion/irritation Kit Component Serious eye damage/eye irritation Skin corrosion/irritation	Causes burns 9801: ELISA Wash Buffer (20X)
Kit Component	7018: PathScan® Sandwich ELISA Lysis Buffer (1X)
Serious eye damage/eye irritation	Causes serious eye irritation
Sensitization	
Kit Component	7002: STOP Solution
Skin Sensitization	May cause skin sensitization
Kit Component	9801: ELISA Wash Buffer (20X)
Skin Sensitization	Product is or contains a sensitizer. May cause an allergic skin reaction
Kit Component	13190: Phospho-AMPKα (Thr172) Mouse Detection mAb
Respiratory Sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled
Skin Sensitization	May cause skin sensitization
Kit Component	13304: Anti-mouse IgG, HRP-linked Antibody (ELISA Formulated)
Respiratory Sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled
Skin Sensitization	May cause skin sensitization
Kit Component	13515: HRP Diluent
Skin Sensitization	Product is or contains a sensitizer. May cause an allergic skin reaction
Mutagenic effects	
Kit Component	7002: STOP Solution
Mutagenic effects	Not mutagenic in AMES Test
Carcinogenic effects	No information available
Reproductive toxicity	No information available.
Systemic Target Organ Toxicity (STOT)	
Kit Component	7002: STOP Solution
STOT - single exposure	Respiratory system
Aspiration Hazard	No information available.

11.2. Information on other hazards

Other adverse effects

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Product Information

Kit Component	7002: STOP Solution
Ecotoxicity	Toxic to aquatic life
Kit Component	9801: ELISA Wash Buffer (20X)

Harmful to aquatic life with long lasting effects

Component Information

Ecotoxicity

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
maleic acid	-	LC50 5 mg/L (Pimephales promelas) 96 h	EC50 250 - 400 mg/L (Daphnia magna) 48 h
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylet her	-	LC50 8.9 mg/l (Pimephales promelas) 96 h	EC50 26 mg/l (Daphnia) 48 h
sodium azide	EC50 0.35 mg/L (Pseudokirchneriella subcapitata) 96 h	LC50 0.8 mg/L (Oncorhynchus mykiss) 96 h LC50 5.46 mg/L (Pimephales promelas) 96 h LC50 0.7 mg/L (Lepomis macrochirus) 96 h	LC100 1 mg/L (Orconectes rusticus) 96 h
sodium fluoride	EC50 850 mg/L (Desmodesmus subspicatus) 72 h EC50 272 mg/L (Pseudokirchneriella subcapitata) 96 h	LC50 530 mg/L (Lepomis macrochirus) 96 h LC50 180 mg/L (Pimephales promelas) 96 h LC50 38 - 68 mg/L (Oncorhynchus mykiss) 96 h LC50 830 mg/L (Lepomis macrochirus) 96 h	EC50 98 mg/L (Daphnia magna) 48 h EC50 338 mg/L (Daphnia magna) 48 h
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-o ne [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	EC50 0.11 - 0.16 mg/L (Pseudokirchneriella subcapitata) 72 h EC50 0.31 mg/L (Anabaena flos-aquae) 120 h EC50 0.03 - 0.13 mg/L (Pseudokirchneriella subcapitata) 96 h	LC50 1.6 mg/L (Oncorhynchus mykiss) 96 h	EC50 4.71 mg/L (Daphnia magna) 48 h EC50 0.71 - 0.99 mg/L (Daphnia magna) 48 h EC50 0.12 - 0.3 mg/L (Daphnia magna) 48 h

12.2. Persistence and degradability

Kit Component	7002: STOP Solution
Persistence and degradability	Product is biodegradable
Kit Component	9801: ELISA Wash Buffer (20X)
Persistence and degradability	Not readily biodegradable

12.3. Bioaccumulative potential

Kit Component Bioaccumulation 7002: STOP Solution Not likely to bioaccumulate

Kit Component Bioaccumulation

9801: ELISA Wash Buffer (20X) Not likely to bioaccumulate

Chemical name	Octanol-Water Partition Coefficient
maleic acid	0.32

12.4. Mobility in soil

Kit Component	7002: STOP Solution
Mobility	Will likely be mobile in the environment due to its water solubility
Kit Component	9801: ELISA Wash Buffer (20X)
Mobility	Will likely be mobile in the environment due to its water solubility

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Endocrine disrupting properties

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
polyethylene glycol	Endocrine disrupting properties,	-	-
p-(1,1,3,3-tetramethylbutyl)phenylet	Article 57f - environment		
her			

12.7. Other adverse effects

No information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues / unused products	Dispose of in accordance with local regulations.	
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.	
Other information	Waste codes should be assigned by the user based on the application for which the product was used.	

SECTION 14: Transport information

This material is subject to regulation as a hazardous material for shipping:

IMDO	<u>G/IMO</u>	
14.1	UN number	UN3265
14.2	UN proper shipping name	Corrosive liquid, acidic, organic, n.o.s. (maleic acid)
14.3	Transport hazard class(es)	8
14.4	Packing group	III
14.5	Environmental hazards	None
14.6	Special precautions for user	None
	· ·	

according to IMO instruments	
ADR/RID 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	UN3265 Corrosive liquid, acidic, organic, n.o.s. (maleic acid) 8 III None None
IATA 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user Excepted Quantity	UN3265 Corrosive liquid, acidic, organic, n.o.s. (maleic acid) 8 III None None E1

Not regulated

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

Chemical name	Candidate List of Substances of Very High Concern for Authorization Information	REACH Annex XVII
polyethylene glycol	Reason for inclusion Endocrine	-
p-(1,1,3,3-tetramethylbutyl)phenylether (0 - 10%)	disrupting properties, Article 57f -	
	environment	

SEVESO Directive Information

14.7 Maritime transport in bulk

This product does not contain substances identified in the SEVESO Directive.

International inventories	
TSCA 8(b)	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-

International inventories legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out

SECTION 16: Other information

Full text of H-Statements referred to under Sections 2 and 3

H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction

Classification procedure:	Expert judgment and weight of evidence determination.
Issuing Date:	2018-01-19
Revision Date:	2024-05-22

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.