

Safety Data Sheet (SDS) According to the REACH Regulation (EC) No. 1907/2006

Issuing Date: 2018-02-08

Revision Date: 2024-04-26

Version: 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product No 8019

Product name Cyclic AMP XP® Chemiluminescent Assay Kit

Kit Component

- 50715: cAMP Rabbit mAb Coated Microwells
- 55401: cAMP-HRP Conjugate
- 38720: cAMP Standard (2.4uM)
- 84850: Luminol/Enhancer Solution
- 42552: Stable Peroxide Buffer
- 9801: ELISA Wash Buffer (20X)
- 9803: Cell Lysis Buffer (10X)

Hazardous Components

9803: Cell Lysis Buffer (10X)
9801: ELISA Wash Buffer (20X)
55401: cAMP-HRP Conjugate

Contains

Chemical name	Index No.	CAS No
polyethylene glycol	Not Listed	9002-93-1
p-(1,1,3,3-tetramethylbutyl)phenylether (10 - 20%)		
Ethylene glycol (0 - 10%)	603-027-00-1	107-21-1
tetrasodium pyrophosphate, decahydrate (0 - 10%)	Not Listed	13472-36-1
reaction mass of:	613-167-00-5	55965-84-9
5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (0 - 10%)		
copper dinitrate (0 - 10%)	Not Listed	3251-23-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses For Research Use Only. Not for Use in Diagnostic Procedures.

1.3. Details of the supplier of the safety data sheet

Importer	Manufacturer
Cell Signaling Technology Europe B.V.	Cell Signaling Technology, Inc.
Dellaertweg 9b	3 Trask Lane
2316 WZ Leiden	Danvers, MA 01923
The Netherlands	United States
TEL: +31 (0)71 7200 200	TEL: +1 978 867 2300
FAX: +31 (0)71 891 0019	FAX: +1 978 867 2400

Website www.cellsignal.com

E-mail Address info@cellsignal.eu

1.4. Emergency telephone number

CHEMTREC 24 hours a day, 7 days a week, 365 days a year
+1 703 527 3887 (INTERNATIONAL) +1 800 424 9300 (NORTH AMERICA)

Europe 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Classification and label elements described below are inclusive of all hazards of the combined kit. The most severe classifications are listed for each endpoint. Refer to individual kit component SDS for classification and label elements for each component present in the kit.

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements



Signal word
Danger

Hazard statement(s)

- H315 - Causes skin irritation.
- H317 - May cause an allergic skin reaction.
- H318 - Causes serious eye damage.
- H412 - Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

- P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 - Wash face, hands and any exposed skin thoroughly after handling.
- P273 - Avoid release to the environment.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 - Immediately call a POISON CENTER or doctor/physician.
- P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.
- P362 + P364 - Take off contaminated clothing and wash it before reuse.
- P501 - Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards

1% of the mixture consists of ingredient(s) of unknown acute toxicity.

8019 Cyclic AMP XP® Chemiluminescent Assay Kit

This kit contains one or more components considered a treated article that incorporates a biocidal product as a preservative with the following active ingredient: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT).

Polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether (CAS no. 9002-93-1) is a suspected endocrine disruptor. Endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100(3) or Commission Regulation (EU) 2018/605(4).

For the full text of the H-phrases & EUH-phrases mentioned in this Section, see Section 16

SECTION 3. Composition/information on ingredients

Kit Component 55401: cAMP-HRP Conjugate

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	0.005 - 0.025	-	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	no data available
copper dinitrate	3251-23-8	0.005	221-838-5	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	no data available

Kit Component 84850: Luminol/Enhancer Solution

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
Ethylene glycol	107-21-1	3	203-473-3	Acute Tox. 4 (H302)	no data available

Kit Component 9801: ELISA Wash Buffer (20X)

WARNING: May cause an allergic skin reaction.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and	55965-84-9	0.005-0.025	-	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1C (H314)	no data available

8019 Cyclic AMP XP® Chemiluminescent Assay Kit

2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)				Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	
--	--	--	--	--	--

Kit Component **9803: Cell Lysis Buffer (10X)**

DANGER: Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

Chemical name	CAS No	Weight-%	EC No	Classification (1272/2008)	REACH Registration Number
polyethylene glycol p-(1,1,3,3-tetramethylbut yl)phenylether	9002-93-1	10	618-344-0	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)	no data available
tetrasodium pyrophosphate, decahydrate	13472-36-1	0.1-1	-	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	no data available

Kit Component **50715: cAMP Rabbit mAb Coated Microwells** **38720: cAMP Standard (2.4uM)** **42552: Stable Peroxide Buffer**

This product does not contain substances at concentrations requiring disclosure under (EC) No. 1907/2006 (REACH).

For the full text of the H-phrases & EUH-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Use first aid treatment according to the nature of the injury. When symptoms persist or in all cases of doubt seek medical advice.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately if symptoms occur.
Skin contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if symptoms occur.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician May cause sensitization of susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment
Unsuitable Extinguishing Media	No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Ensure adequate ventilation. Use personal protective equipment. Avoid contact with the skin and the eyes. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Prevent entry into waterways, sewers, basements or confined areas.

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Prevent product from entering drains.

6.4. Reference to other sections

See Sections 8 & 13 for additional information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Ensure adequate ventilation. Wear personal protective equipment. When using, do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Use as a laboratory reagent.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Occupational exposure limit values					
Chemical name	European Union	United Kingdom	France	Spain	Germany
Ethylene glycol	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ S*	STEL 40 ppm STEL 104 mg/m ³ STEL 30 mg/m ³ TWA 20 ppm TWA 52 mg/m ³ TWA 10 mg/m ³ Skin	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ P*	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ S*	TWA: 10 ppm TWA: 26 mg/m ³ Skin Ceiling / Peak: 20 ppm Ceiling / Peak: 52 mg/m ³ H*
tetrasodium pyrophosphate, decahydrate		STEL 15 mg/m ³ TWA 5 mg/m ³	TWA 5 mg/m ³	TWA 5 mg/m ³	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)					Ceiling / Peak: 0.4 mg/m ³ TWA: 0.2 mg/m ³
copper dinitrate					Ceiling / Peak: 0.2 mg/m ³ TWA: 0.1 mg/m ³
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Ethylene glycol	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ Pelle*	Ceiling 100 mg/m ³ C(A4)	Huid* STEL 104 mg/m ³ TWA 52 mg/m ³ TWA 10 mg/m ³	TWA 20 ppm TWA 50 mg/m ³ STEL 40 ppm STEL 100 mg/m ³ iho*	TWA 10 ppm TWA 26 mg/m ³ TWA 10 mg/m ³ H*
tetrasodium pyrophosphate, decahydrate					TWA 5 mg/m ³
copper dinitrate				TWA 1 mg/m ³	
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Ethylene glycol	H* STEL 20 ppm STEL 52 mg/m ³ TWA 10 ppm TWA 26 mg/m ³	SS-C** H* TWA 10 ppm TWA 26 mg/m ³ STEL 20 ppm STEL 52 mg/m ³	TWA 15 mg/m ³ STEL 50 mg/m ³	TWA 10 mg/m ³ TWA 20 ppm TWA 52 mg/m ³ Ceiling 25 ppm S* STEL 104 mg/m ³ STEL 40 ppm	TWA 10 mg/m ³ TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ Skin
tetrasodium pyrophosphate, decahydrate	STEL 10 mg/m ³ TWA 5 mg/m ³	TWA 5 mg/m ³		TWA 5 mg/m ³ STEL 10 mg/m ³	TWA 5 mg/m ³
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	TWA 0.05 mg/m ³ Sh/Sah**	SS-C** S+ TWA 0.2 mg/m ³ STEL 0.4 mg/m ³			
copper dinitrate	STEL 4 mg/m ³ STEL 0.4 mg/m ³ TWA 1 mg/m ³ TWA 0.1 mg/m ³	SS-C** TWA 0.1 mg/m ³ STEL 0.2 mg/m ³	TWA 0.2 mg/m ³		

8.2. Exposure controls

Appropriate engineering controls

Showers, eyewash stations, and ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Safety glasses with side-shields
Skin protection	Wear protective gloves and protective clothing
Hand protection	Impervious gloves
Other	Wear suitable protective clothing.
Respiratory protection	In case of inadequate ventilation wear respiratory protection

Environmental Exposure Controls

No information available

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Information on the known physical chemical properties of each component within Kit are given below. If not included, information is either not available or not applicable. Refer to individual kit component SDS for further information.

Kit Component	55401: cAMP-HRP Conjugate
Physical state	Liquid
Appearance	Clear
Color	Red
pH	7.4 (20 °C)
Kit Component	38720: cAMP Standard (2.4uM)
Physical state	Liquid
Appearance	Clear
Color	Colorless
Kit Component	84850: Luminol/Enhancer Solution
Physical state	Liquid
Appearance	Clear
Color	Colorless / Light pink
pH	9.5 (20 °C)
Solubility	Soluble in water
Kit Component	42552: Stable Peroxide Buffer
Physical state	Liquid
Appearance	Clear
Color	Colorless
pH	4.9 - 5.1 (20 °C)
Solubility	Soluble in water
Kit Component	9801: ELISA Wash Buffer (20X)
Physical state	Liquid
Appearance	Clear
Color	Colorless
pH	6.4 (20 °C)
Kit Component	9803: Cell Lysis Buffer (10X)
Physical state	Liquid
Color	Colorless
pH	7.5 (20 °C)

Kit Component	50715: cAMP Rabbit mAb Coated Microwells
Physical state	Solid
Appearance	Microwell Plate

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization	Hazardous polymerization does not occur.
Hazardous reactions	None under normal processing

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Strong oxidizing agents, Strong acids, Strong bases.

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors
Carbon oxides (COx)
Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

This material should only be handled by, or under the close supervision of, those properly qualified in the handling and use of potentially hazardous chemicals. It should be borne in mind that the toxicological and physiological properties of this compound is not well defined.

Component Information

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylet her	= 1800 mg/kg (Rat)	-	-
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-o ne [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	= 53 mg/kg (Rat) = 481 mg/kg (Rat) 232 - 249 mg/kg (Rat) = 120 mg/kg (Rat)	= 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat) 4 h = 0.11 mg/L (Rat) 4 h
copper dinitrate	794 mg/kg (Rat)	-	-

Information on likely routes of exposure

Inhalation

Kit Component **84850: Luminol/Enhancer Solution**
Inhalation Avoid breathing vapors or mists

Eye contact

Kit Component **84850: Luminol/Enhancer Solution**
Eye contact May cause slight irritation

Kit Component **42552: Stable Peroxide Buffer**
Eye contact May cause slight irritation

Kit Component **9801: ELISA Wash Buffer (20X)**
Eye contact May cause slight irritation

Kit Component **9803: Cell Lysis Buffer (10X)**
Eye contact May cause temporary eye irritation

Skin contact

Kit Component **55401: cAMP-HRP Conjugate**
Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Kit Component **84850: Luminol/Enhancer Solution**
Skin contact Avoid contact with skin

Kit Component **42552: Stable Peroxide Buffer**
Skin contact Substance may cause slight skin irritation

Kit Component **9801: ELISA Wash Buffer (20X)**
Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Ingestion

Kit Component **84850: Luminol/Enhancer Solution**
Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea

Kit Component **9801: ELISA Wash Buffer (20X)**
Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms Contains an animal derived biological. May produce an allergic reaction in susceptible individuals. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing. Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes.

Skin and Eye Corrosion/Irritation

Kit Component **9801: ELISA Wash Buffer (20X)**
 Serious eye damage/eye irritation Causes serious eye irritation

Kit Component **9803: Cell Lysis Buffer (10X)**
 Serious eye damage/eye irritation Irritating to eyes

Sensitization

Mutagenic effects No information available.

Carcinogenic effects No information available

Reproductive toxicity No information available.

Systemic Target Organ Toxicity (STOT) No information available

Aspiration Hazard No information available.

11.2. Information on other hazards

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Product Information

Kit Component **9801: ELISA Wash Buffer (20X)**
 Ecotoxicity Harmful to aquatic life with long lasting effects

Component Information No information available

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether	-	LC50 8.9 mg/l (Pimephales promelas) 96 h	EC50 26 mg/l (Daphnia) 48 h
Ethylene glycol	EC50 6500 - 13000 mg/L (Pseudokirchneriella subcapitata) 96 h	LC50 40761 mg/L (Oncorhynchus mykiss) 96 h LC50 27540 mg/L (Lepomis macrochirus) 96 h LC50 41000 mg/L (Oncorhynchus mykiss) 96 h LC50 14 - 18 mL/L (Oncorhynchus mykiss) 96 h LC50 40000 - 60000 mg/L (Pimephales promelas) 96 h LC50 16000 mg/L (Poecilia reticulata) 96 h	EC50 46300 mg/L (Daphnia magna) 48 h
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	EC50 0.11 - 0.16 mg/L (Pseudokirchneriella subcapitata) 72 h EC50 0.31 mg/L (Anabaena flos-aquae) 120 h EC50 0.03 - 0.13 mg/L (Pseudokirchneriella subcapitata) 96 h	LC50 1.6 mg/L (Oncorhynchus mykiss) 96 h	EC50 4.71 mg/L (Daphnia magna) 48 h EC50 0.71 - 0.99 mg/L (Daphnia magna) 48 h EC50 0.12 - 0.3 mg/L (Daphnia magna) 48 h
copper dinitrate	-	LC50 0.06 mg/L (Menidia menidia)	EC50 0.04 mg/L (Moina dubia) 48 h

8019 Cyclic AMP XP® Chemiluminescent Assay Kit

		96 h LC50 0.015 mg/L (Pimephales promelas) 96 h	
--	--	---	--

12.2. Persistence and degradability

Kit Component Persistence and degradability	9801: ELISA Wash Buffer (20X) Not readily biodegradable
---	---

12.3. Bioaccumulative potential

Kit Component Bioaccumulation	9801: ELISA Wash Buffer (20X) Not likely to bioaccumulate
---	---

Chemical name	Octanol-Water Partition Coefficient
Ethylene glycol	-1.93

12.4. Mobility in soil

Kit Component Mobility	9801: ELISA Wash Buffer (20X) Will likely be mobile in the environment due to its water solubility
----------------------------------	--

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Endocrine disrupting properties

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether	Endocrine disrupting properties, Article 57f - environment	-	-

12.7. Other adverse effects

No information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IMDG/IMO

14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	None
14.6 Special precautions for user	None
14.7 Maritime transport in bulk according to IMO instruments	Not regulated

ADR/RID

14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	None
14.6 Special precautions for user	None

IATA

14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	None
14.6 Special precautions for user	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

Chemical name	Candidate List of Substances of Very High Concern for Authorization Information	REACH Annex XVII
polyethylene glycol p-(1,1,3,3-tetramethylbutyl)phenylether (10 - 20%)	Reason for inclusion Endocrine disrupting properties, Article 57f - environment	-

SEVESO Directive Information

This product does not contain substances identified in the SEVESO Directive.

International inventories

TSCA 8(b)	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-

International inventories legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out

SECTION 16: Other information

Full text of H-Statements referred to under Sections 2 and 3

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H412 - Harmful to aquatic life with long lasting effects

Classification procedure: Expert judgment and weight of evidence determination.
Issuing Date: 2018-02-08
Revision Date: 2024-04-26

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.